TECHNICAL SPECIFICATION

NoCap Reviews

Groq API · llama-3.3-70b-versatile (Critic) · mixtral-8x7b-32768 (Advocate)

Version1.1 · April2026

1. Overview

NoCap Reviews is a Streamlit web application that lets users search any film or TV series and watch two language models — a Critic and an Advocate — debate its quality across four structured rounds before converging on a calibrated score. All inference runs through the Groq API, with metadata sourced from the OMDb API and official trailers fetched via the YouTube Data API v3.

Entry point	app.py — Streamlit UI and orchestration
Debate engine	agent/sentiment.py — analyze_movie()
Inference API	Groq API (https://api.groq.com/openai/v1)
Metadata API	OMDb API (https://www.omdbapi.com)
Trailer API	YouTube Data API v3 (https://www.googleapis.com/youtube/v3/search)
UI theme	Dark Velvet Cinema — mahogany-black, copper accents
Config	.streamlit/secrets.toml (gitignored)

2. System Architecture

The system follows a three-layer architecture: a Streamlit presentation layer, an agent orchestration layer, and three external API integrations (Groq, OMDb, YouTube).

Directory Layout

```
cineglow/
├── app.py # Entry point — UI + orchestration
├──agent/
│   └── sentiment.py # Debate engine — analyze_movie()
├── .streamlit/
│   └── secrets.toml # API keys (gitignored)
├── architecture.svg # System architecture diagram
├──README.md
└── requirements.txt
```

2.1 Data Flow

```
User types query
▪
▾

search_movies() ▪▪▪ OMDb ?t= (exact) + ?s= (fuzzy)



▪
Poster Grid ▪▪▪ User selects film
▾

                    ▪▪▪ OMDb ?i= (full detail)
fetch_trailer() ▪▪▪ YouTube Data API v3 ?q= (official trailer)
▪
▾▪
▾
analyze_movie() ▪▪▪ Critic (Groq: llama-3.3-70b-versatile) × 4 rounds
fetch_movie_by_id()
 ▪▪▪ Advocate (Groq: mixtral-8x7b-32768) × 4 rounds
 ▪▪▪ Returns: {debate_transcript, debate_summary,
final_score, themes, scoring_basis}
▪
▾
Streamlit render pipeline
(poster · meta · themes · overview · trailer · agenda · summary · scores · transcript)
```

3. API Configuration

3.1 Groq API

NoCap Reviews uses the Groq API for all LLM inference. The Groq client is initialised via the OpenAI-compatible SDK with a custom base URL.

```
from openai import OpenAI
client = OpenAI(
api_key=st.secrets["GROQ_API_KEY"],
base_url="https://api.groq.com/openai/v1"
)
```

GROQ_API_KEY	Groq API key from console.groq.com
Critic model	llama-3.3-70b-versatile
Advocate model	mixtral-8x7b-32768
Base URL	https://api.groq.com/openai/v1
SDK	openai (OpenAI-compatible client)
Max tokens	1,000 per completion call

3.2 OMDb API

OMDB_API_KEY	OMDb key from omdbapi.com/apikey.aspx
Exact search	https://www.omdbapi.com/?t={title}
Fuzzy search	https://www.omdbapi.com/?s={query}
Detail fetch	https://www.omdbapi.com/?i={imdb_id}
Free tier limit	1,000 requests/day

3.3 YouTube Data API v3

NoCap Reviews uses the YouTubeData API v3 to automatically fetch the official trailer for each selected film or series. The trailer is embedded inline using YouTube's embed player with copper-themed styling.

```
YOUTUBE_API_KEY = st.secrets['YOUTUBE_API_KEY']

def fetch_trailer(title: str, year: str = '') -> str | None:
query = f"{title} {year} official trailer".strip()
resp = requests.get(
"https://www.googleapis.com/youtube/v3/search",
params={"part": "snippet", "q": query, "type": "video",
"maxResults": 1, "key": YOUTUBE_API_KEY},
timeout=10,
)
items = resp.json().get("items", [])
return items[0]["id"]["videoId"] if items else None
```

YOUTUBE_API_KEY	YouTube API key from console.cloud.google.com
Endpoint	https://www.googleapis.com/youtube/v3/search
Query param	{title} {year} official trailer
Type filter	video
Max results	1 (top result embedded)
Embed URL	https://www.youtube.com/embed/{videoId}?rel=0&modestbranding=1

3.4 secrets.toml

```
# .streamlit/secrets.toml (gitignored — never commit)
OMDB_API_KEY = "your_omdb_key"
GROQ_API_KEY = "your_groq_key"
YOUTUBE_API_KEY = "your_youtube_key"
```

4. Agent Module — agent/sentiment.py

4.1 Exports

`analyze_movie(raw_reviews)`	Runs 4-round debate, returns result dict
`MODEL_CRITIC`	"llama-3.3-70b-versatile" (Groq)
`MODEL_ADVOCATE`	"mixtral-8x7b-32768" (Groq)

4.2 Result Schema

```
{
"debate_transcript": [
{"role": str, "model": str, "text": str}, ...
],
"debate_summary": str, # 2-3 sentence neutral synthesis
"final_score": str, # e.g. "7.5/10"
"themes": [str], # 3-6 thematic keywords
"scoring_basis": str # methodology note
}
```

4.3 Debate Rounds

Round	Agent	Focus
1	Critic → Advocate	Initial critical assessment vs. contrarian defence
2	Critic → Advocate	Deep dive: craft, cinematography, character work
3	Critic → Advocate	Rebuttals: pacing, cultural legacy, audience reception
4	Critic → Advocate	Nuanced synthesis and calibrated final score derivation

5. app.py — Orchestrator + UI

5.1 Key Functions

`search_movies(query)`	Exact + fuzzy OMDb search, merged and deduped (up to 6 results)
`fetch_movie_by_id(imdb_id)`	Full movie detail including Rotten Tomatoes rating
`fetch_trailer(title, year)`	Queries YouTube Data API v3; returns videoId string or None
`ring_svg(pct, ...)`	Generates animated SVG score ring
`score_card(svg, label)`	Wraps ring in labelled card HTML

5.2 Session State Keys

`cached_movie`	Last fully fetched movie detail dict
`cached_result`	Last analyze_movie() result dict
`cached_trailer`	Last fetch_trailer() videoId string or None

search_results	List of OMDb search result dicts
selected_imdb_id	IMDb ID of currently selected film
last_typed	Last search query string (debounce)
search_error	Error message string or None
media_type	Toggle: 'Movie' or 'Series'

6. Design System — Dark Velvet Cinema

AllcolourtokensliveintheCdictatthetopofapp.py.Toretheme, update C values and the @import font URL.

Token Group	Token	Value
Surfaces	bg_deep	#120c09 (mahogany-black)
Surfaces	bg_card	#1e1510
Surfaces	bg_panel	#2a1d15
Text	text_cream	#f0e4d4
Text	text_warm	#c9b098
Text	text_muted	#7a5c42
Accent	copper	#e8833a
Accent	copper_light	#f09050
Accent	ember	#c8603a
Borders	border_mid	#4a3020
Borders	border_dark	#2e1e12
Fonts	heading	Playfair Display (Google Fonts)
Fonts	body	Outfit (Google Fonts)

7. Requirements & Installation

7.1 Python Dependencies

```
# requirements.txt
streamlit>=1.32
requests>=2.31
openai>=1.0 # OpenAI-compatible client for Groq API
```

7.2 Quick Start

```
# 1. Install dependencies
pip install streamlit requests openai
```

```
# 2. Create .streamlit/secrets.toml with your API keys
# OMDB_API_KEY = "your_omdb_key"
# GROQ_API_KEY = "your_groq_key"
# YOUTUBE_API_KEY = "your_youtube_key"

# 3. Run
streamlit run app.py
# Open http://localhost:8501
```

7.3 YouTube API Setup

1. Visitconsole.cloud.google.com and create or select a project. 2. Enable the YouTube Data API v3 from the API Library. 3. Create an API Key credential (restrict to YouTube Data API v3). 4. Add the key as YOUTUBE_API_KEY in .streamlit/secrets.toml.

8. Feature Summary

Feature	Module	Description
Smart Search	app.py	Exact + fuzzy OMDb search, deduped, up to 6 poster results
Media Toggle	app.py	Switch between Movie and TV Series search modes
AI Debate Engine	agent/sentiment.py	4-round Critic vs. Advocate via Groq API
Trailer Embed	app.py → fetch_trailer()	YouTube Data API v3; embedded in-page with copper UI
Score Ring Charts	app.py → ring_svg()	Animated SVG rings for AI verdict, IMDb, and RT scores
Dark Velvet UI	app.py → C dict	Molten copper glows, Playfair Display serif, custom CSS
Debate Agenda Strip	app.py	Full-width 4-cell horizontal layout
Theme Chips	agent/sentiment.py	AI-extracted genre/thematic tags per film
Scoring Methodology	agent/sentiment.py	Expandable scoring basis and calibration note

9. Success Criteria

Debate quality	Each round must advance the argument — no repeated claims
Score calibration	AI verdict correlates meaningfully with IMDb and RT baselines
Transparency	Users can inspect every scoring criterion and debate turn
Latency	Full four-round debate and verdict within 30 seconds
Metadata accuracy	Director, cast, genre, ratings via OMDb API in real time
Trailer availability	Relevant official trailer auto-fetched via YouTube Data API v3
API correctness	Groq API with correct model strings: llama-3.3-70b-versatile / mixtral-8x7b-32768

10. Roadmap

- Streaming debate output (real-time token display via Groq streaming)
- Watchlist / favourites with session or cloud persistence
- Unit tests for search_movies(), fetch_movie_by_id(), and fetch_trailer()
- Dark / light mode toggle
- Director / actor filmography deep-dives
- YouTube quota monitoring and graceful fallback messaging