

[< polymorphismMystery6](#)[Main Page](#) → [Exercises](#) → [Project 5](#) →  
[C++](#) → [Solve an Exercise](#)[polymorphismMysteryHamburger >](#)

You are working on problem  
set: [Project 5](#) ( [Pause](#) )



## ? polymorphismMystery10

Language/Type: C++ [inheritance](#)  
[polymorphism](#)

Consider the following classes; assume that each is defined in its own file.

```
class Jesse : public Tulip {  
public:  
    virtual void m1() {  
        cout << "Js1 ";  
        Cassidy::m1();  
    }  
  
    virtual void m4() {  
        cout << "Js4 ";  
        m2();  
    }  
};  
  
class Cassidy {  
public:  
    virtual void m1() {  
        cout << "Ca1 ";  
        m2();  
    }  
  
    virtual void m2() {  
        cout << "Ca2 ";  
    }  
};  
  
class Tulip : public Cassidy {  
public:  
    virtual void m2() {  
        cout << "Tu2 ";  
    }  
};
```

```

        Cassidy::m2();
    }

    virtual void m3() {
        cout << "Tu3 ";
        m1();
    }
};

```

Now assume that the following variables are defined:

```

Cassidy* var1 = new Tulip();
Tulip* var2 = new Jesse();

```

In the table below, indicate in the right-hand column the output produced by the statement in the left-hand column. If the statement produces more than one line of output, indicate the line breaks with slashes as in "x / y / z" to indicate three lines of output with "x" followed by "y" followed by "z". If the statement does not compile, write "COMPILER ERROR". If a statement would crash at runtime or cause unpredictable behavior, write "CRASH".

.

var1->m1();	Ca1 Tu2 Ca2
var1->m3();	COMPILER ERROR
var2->m2();	Tu2 Ca2
var2->m3();	Tu3 Js1 Ca1 Tu2 Ca2
var2->m4();	COMPILER ERROR
((Tulip*) var1)->m3();	Tu3 Ca1 Tu2 Ca2
((Tulip*) var1)->m4();	COMPILER ERROR
((Jesse*) var1)->m4();	CRASH
((Cassidy*) var2)->m3();	COMPILER ERROR
((Jesse*) var2)->m4();	Js4 Tu2 Ca2



Submit





✓ You passed 10 of 10 tests.

#	question	your answer	result
1	var1->m1();	Ca1 Tu2 Ca2	✓ pass
2	var1->m3();	COMPILER ERROR	✓ pass
3	var2->m2();	Tu2 Ca2	✓ pass
4	var2->m3();	Tu3 Js1 Ca1 Tu2 Ca2	✓ pass
5	var2->m4();	COMPILER ERROR	✓ pass
6	((Tulip*) var1)->m3();	Tu3 Ca1 Tu2 Ca2	✓ pass
7	((Tulip*) var1)->m4();	COMPILER ERROR	✓ pass
8	((Jesse*) var1)->m4();	CRASH	✓ pass
9	((Cassidy*) var2)->m3();	COMPILER ERROR	✓ pass
10	((Jesse*) var2)->m4();	Js4 Tu2 Ca2	✓ pass

#### Need help?



Stuck on an exercise? [Contact your TA or instructor](#) .

If something seems wrong with our site, please [contact us](#).