

[< helloWorld](#)[Main Page](#) → [Exercises](#) → [C++](#) → Solve an Exercise[evenSumMax >](#)

✓ evenAverage

Language/Type: C++ [basics](#) [user input](#)**Related Links:** [simpio.h](#)

Write C++ code that prompts the user for nonzero integers, and then prints the average of all even numbers typed. (When the user types 0, stop asking for input.) You may assume that the user types at least one even integer. The following is an example output from one run of your code:

```
Integer? 1
Integer? 3
Integer? 2
Integer? 6
Integer? 4
Integer? 10
Integer? 9
Integer? 0
Average: 5.5
```

```
1 int integer = 0;
2 int totalint = 0;
3 double avg = 0;
4 bool zerocheck = true;
5
6 do {
7
8     cout << "Integer? ";
9     cin >> integer;
10    if(integer <= 0){
11        cout << "Average: " << avg/totalint << endl;
12        zerocheck = false;
13    }
14    else if(integer%2 == 0){
15        avg += integer;
16        totalint++;
17    }
```

```
18 } while (zerocheck);
```

Bare code. Write a fragment of C++ code as described, without any main function or heading around your code.

**Submit**

✓ You passed 3 of 3 tests.



test #1: test1
console output: Integer? 1
Integer? 3
Integer? 2
Integer? 6
Integer? 4
Integer? 10
Integer? 9
Integer? 0
Average: 5.5

result: ✓ pass

test #2: test2
console output: Integer? 4
Integer? 6
Integer? 158
Integer? 2
Integer? 19
Integer? 44
Integer? 3
Integer? 98375
Integer? 746
Integer? 37
Integer? 123456789
Integer? 4
Integer? 2
Integer? 0
Average: 120.75

result: ✓ pass

test #3: test3
console output: Integer? 42
Integer? 0
Average: 42

result: ✓ pass

Need help?

Stuck on an exercise? Contact your TA or instructor.

If something seems wrong with our site, please [contact us](#).