


Mixed-effects design under a moving topology
sample 1 of 11, MCMC state 0



design column

- background (intercept only) [4 branches]
- cladeA x4 [3 branches]
- cladeB x0.2 [2 branches]
- cladeC x10 [1 branch]

time before present

150 100 50 0

0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.0016 0.0016 0.08


t6 *t5* *t2* *t4* *t3* *t1*

design column


- cladeA x4 [7 branches]
- cladeA+cladeB x0.8 [2 branches]
- cladeA+cladeC x40 [1 branch]

- cladeA x4 [7 branches]
- cladeA+cladeB x0.8 [2 branches]
- cladeA+cladeC x40 [1 branch]


Mixed-effects design under a moving topology
sample 3 of 11, MCMC state 2000




Mixed-effects design under a moving topology
sample 4 of 11, MCMC state 3000




Mixed-effects design under a moving topology
sample 5 of 11, MCMC state 4000




Mixed-effects design under a moving topology
sample 6 of 11, MCMC state 5000




Mixed-effects design under a moving topology
sample 7 of 11, MCMC state 6000




Mixed-effects design under a moving topology
sample 8 of 11, MCMC state 7000



Mixed-effects design under a moving topology
sample 9 of 11, MCMC state 8000



Mixed-effects design under a moving topology
sample 10 of 11, MCMC state 9000



Mixed-effects design under a moving topology
sample 11 of 11, MCMC state 10000

