Data Visualization Lab

library(tidyverse)


```
## -- Attaching core tidyverse packages ---
                                                   ----- tidyverse 2.0.0 --
## v dplyr 1.1.4
                     v readr
                                    2.1.5
## v forcats 1.0.0
                        v stringr
                                    1.5.1
## v ggplot2 3.5.1
                        v tibble
                                    3.2.1
## v lubridate 1.9.3
                        v tidyr
                                    1.3.1
## v purrr
              1.0.2
## -- Conflicts ----- tidyverse conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                    masks stats::lag()
## i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become error
```

Assignment Instructions In this assignment you will recreate five graphs using ggplot2 and the mpg dataset. You will need to run the code block for each question to view the graph you will need to reproduce.

After completing the assignment, knit your document, and download both your .Rmd and knitted output. Upload your files for peer review.

For each response, include comments detailing your response and what each argument in the ggplot function does.


```
## RUN TO VIEW THE GRAPH YOU WILL NEED TO REPRODUCE
knitr::include_graphics("images/question-1.png")
```



Question 1.


```
# creating a ggplot from the mpg dataset
ggplot(data = mpg, mapping = aes(x = displ, y = hwy)) +
# create a point geom
geom_point() +
# create a smooth geom for the line
geom_smooth(se = FALSE)
```

'geom_smooth()' using method = 'loess' and formula = 'y ~ x'



RUN TO VIEW THE GRAPH YOU WILL NEED TO REPRODUCE


knitr::include_graphics("images/question-2.png")



Question 2.


```
# using the ggplot from the first question
ggplot(data = mpg, mapping = aes(x = displ, y = hwy)) +
# assigning the color for the point geom to drv from the dataset
geom_point(mapping = aes(color = drv)) +
geom_smooth(se = FALSE)
```

'geom_smooth()' using method = 'loess' and formula = 'y ~ x'



RUN TO VIEW THE GRAPH YOU WILL NEED TO REPRODUCE


knitr::include_graphics("images/question-3.png")



Question 3.

RUN TO VIEW THE GRAPH YOU WILL NEED TO REPRODUCE

knitr::include_graphics("images/question-4.png")



Question 4.

RUN TO VIEW THE GRAPH YOU WILL NEED TO REPRODUCE

knitr::include_graphics("images/question-5.png")

