

2

Training Simple Machine Learning Algorithms for Classification

In this chapter, we will make use of two of the first algorithmically described machine learning algorithms for classification: the perceptron and adaptive linear neurons. We will start by implementing a perceptron step by step in Python and training it to classify different flower species in the Iris dataset. This will help us to understand the concept of machine learning algorithms for classification and how they can be efficiently implemented in Python.


Discussing the basics of optimization using adaptive linear neurons will then lay the groundwork for using more sophisticated classifiers via the scikit-learn machine learning library in *Chapter 3, A Tour of Machine Learning Classifiers Using scikit-learn*.

The topics that we will cover in this chapter are as follows:

- Building an understanding of machine learning algorithms
- Using pandas, NumPy, and Matplotlib to read in, process, and visualize data
- Implementing linear classification algorithms in Python

Artificial neurons – a brief glimpse into the early history of machine learning

Before we discuss the perceptron and related algorithms in more detail, let's take a brief tour of the beginnings of machine learning. Trying to understand how the biological brain works, in order to design artificial intelligence (AI), Warren McCulloch and Walter Pitts published the first concept of a simplified brain cell, the so-called **McCulloch-Pitts (MCP)** neuron, in 1943 (*A Logical Calculus of the Ideas Immanent in Nervous Activity*, W. S. McCulloch and W. Pitts, *Bulletin of Mathematical Biophysics*, 5(4): 115-133, 1943). Biological neurons are interconnected nerve cells in the brain that are involved in the processing and transmitting of chemical and electrical signals, which is illustrated in the following figure:



McCulloch and Pitts described such a nerve cell as a simple logic gate with binary outputs; multiple signals arrive at the dendrites, they are then integrated into the cell body, and, if the accumulated signal exceeds a certain threshold, an output signal is generated that will be passed on by the axon.

Only a few years later, Frank Rosenblatt published the first concept of the perceptron learning rule based on the MCP neuron model (*The Perceptron: A Perceiving and Recognizing Automaton*, F. Rosenblatt, *Cornell Aeronautical Laboratory*, 1957). With his perceptron rule, Rosenblatt proposed an algorithm that would automatically learn the optimal weight coefficients that would then be multiplied with the input features in order to make the decision of whether a neuron fires (transmits a signal) or not. In the context of supervised learning and classification, such an algorithm could then be used to predict whether a new data point belongs to one class or the other.

The formal definition of an artificial neuron

More formally, we can put the idea behind **artificial neurons** into the context of a binary classification task where we refer to our two classes as 1 (positive class) and -1 (negative class) for simplicity. We can then define a decision function ($\phi(z)$) that takes a linear combination of certain input values, \mathbf{x} , and a corresponding weight vector, \mathbf{w} , where z is the so-called net input $z = w_1x_1 + w_2x_2 + \dots + w_mx_m$:

$$\mathbf{w} = \begin{bmatrix} w_1 \\ \vdots \\ w_m \end{bmatrix}, \quad \mathbf{x} = \begin{bmatrix} x_1 \\ \vdots \\ x_m \end{bmatrix}$$

Now, if the net input of a particular example, $\mathbf{x}^{(i)}$, is greater than a defined threshold, θ , we predict class 1 , and class -1 otherwise. In the perceptron algorithm, the decision function, $\phi(\cdot)$, is a variant of a **unit step function**:

$$\phi(z) = \begin{cases} 1 & \text{if } z \geq \theta, \\ -1 & \text{otherwise.} \end{cases}$$

For simplicity, we can bring the threshold, θ , to the left side of the equation and define a weight-zero as $w_0 = -\theta$ and $x_0 = 1$ so that we write z in a more compact form:

$$z = w_0x_0 + w_1x_1 + \dots + w_mx_m = \mathbf{w}^T \mathbf{x}$$

And:

$$\phi(z) = \begin{cases} 1 & \text{if } z \geq 0, \\ -1 & \text{otherwise.} \end{cases}$$

In machine learning literature, the negative threshold, or weight, $w_0 = -\theta$, is usually called the **bias unit**.

Linear algebra basics: dot product and matrix transpose

In the following sections, we will often make use of basic notations from linear algebra. For example, we will abbreviate the sum of the products of the values in \mathbf{x} and \mathbf{w} using a vector dot product, whereas superscript T stands for transpose, which is an operation that transforms a column vector into a row vector and vice versa:

$$z = w_0x_0 + w_1x_1 + \dots + w_mx_m = \sum_{j=0}^m x_jw_j = \mathbf{w}^T\mathbf{x}$$

For example:

$$\begin{bmatrix} 1 & 2 & 3 \end{bmatrix} \times \begin{bmatrix} 4 \\ 5 \\ 6 \end{bmatrix} = 1 \times 4 + 2 \times 5 + 3 \times 6 = 32$$


Furthermore, the transpose operation can also be applied to matrices to reflect it over its diagonal, for example:

$$\begin{bmatrix} 1 & 2 \\ 3 & 4 \\ 5 & 6 \end{bmatrix}^T = \begin{bmatrix} 1 & 3 & 5 \\ 2 & 4 & 6 \end{bmatrix}$$

Please note that the transpose operation is strictly only defined for matrices; however, in the context of machine learning, we refer to $n \times 1$ or $1 \times m$ matrices when we use the term "vector."

In this book, we will only use very basic concepts from linear algebra; however, if you need a quick refresher, please take a look at Zico Kolter's excellent *Linear Algebra Review and Reference*, which is freely available at http://www.cs.cmu.edu/~zkolter/course/linalg/linalg_notes.pdf.

The following figure illustrates how the net input $z = \mathbf{w}^T\mathbf{x}$ is squashed into a binary output (-1 or 1) by the decision function of the perceptron (left subfigure) and how it can be used to discriminate between **two linearly separable classes** (right subfigure):



The perceptron learning rule

The whole idea behind the MCP neuron and Rosenblatt's *thresholded* perceptron model is to use a reductionist approach to mimic how a single neuron in the brain works: it either *fires* or it doesn't. Thus, Rosenblatt's initial perceptron rule is fairly simple, and the perceptron algorithm can be summarized by the following steps:

1. Initialize the weights to 0 or small random numbers.
2. For each training example, $\mathbf{x}^{(i)}$:
 - a. Compute the output value, \hat{y} .
 - b. Update the weights.

Here, the output value is the class label predicted by the unit step function that we defined earlier, and the simultaneous update of each weight, w_j , in the weight vector, \mathbf{w} , can be more formally written as:

$$w_j := w_j + \Delta w_j$$

The update value for w_j (or change in w_j), which we refer to as Δw_j , is calculated by the perceptron learning rule as follows:

$$\Delta w_j = \eta(y^{(i)} - \hat{y}^{(i)})x_j^{(i)}$$

Where η is the **learning rate** (typically a constant between 0.0 and 1.0), $y^{(i)}$ is the **true class label** of the i th training example, and $\hat{y}^{(i)}$ is the **predicted class label**. It is important to note that all weights in the weight vector are being updated simultaneously, which means that we don't recompute the predicted label, $\hat{y}^{(i)}$, before all of the weights are updated via the respective update values, Δw_j . Concretely, for a two-dimensional dataset, we would write the update as:

$$\Delta w_0 = \eta(y^{(i)} - \text{output}^{(i)})$$

$$\Delta w_1 = \eta(y^{(i)} - \text{output}^{(i)})x_1^{(i)}$$

$$\Delta w_2 = \eta(y^{(i)} - \text{output}^{(i)})x_2^{(i)}$$

Before we implement the perceptron rule in Python, let's go through a simple thought experiment to illustrate how beautifully simple this learning rule really is. In the two scenarios where the perceptron predicts the class label correctly, the weights remain unchanged, since the update values are 0:

$$(1) \quad y^{(i)} = -1, \quad \hat{y}^{(i)} = -1, \quad \Delta w_j = \eta(-1 - (-1))x_j^{(i)} = 0$$

$$(2) \quad y^{(i)} = 1, \quad \hat{y}^{(i)} = 1, \quad \Delta w_j = \eta(1 - 1)x_j^{(i)} = 0$$

However, in the case of a wrong prediction, the weights are being pushed toward the direction of the positive or negative target class:

$$(3) \quad y^{(i)} = 1, \quad \hat{y}^{(i)} = -1, \quad \Delta w_j = \eta(1 - (-1))x_j^{(i)} = \eta(2)x_j^{(i)}$$

$$(4) \quad y^{(i)} = -1, \quad \hat{y}^{(i)} = 1, \quad \Delta w_j = \eta(-1 - 1)x_j^{(i)} = \eta(-2)x_j^{(i)}$$

To get a better understanding of the multiplicative factor, $x_j^{(i)}$, let's go through another simple example, where:

$$\hat{y}^{(i)} = -1, \quad y^{(i)} = +1, \quad \eta = 1$$


Let's assume that $x_j^{(i)} = 0.5$, and we misclassify this example as -1 . In this case, we would increase the corresponding weight by 1 so that the net input, $x_j^{(i)} \times w_j$, would be more positive the next time we encounter this example, and thus be more likely to be above the threshold of the unit step function to classify the example as $+1$:

$$\Delta w_j = (1 - (-1))0.5 = (2)0.5 = 1$$

The weight update is proportional to the value of $x_j^{(i)}$. For instance, if we have another example, $x_j^{(i)} = 2$, that is incorrectly classified as -1 , we will push the decision boundary by an even larger extent to classify this example correctly the next time:

$$\Delta w_j = (1^{(i)} - (-1)^{(i)})2^{(i)} = (2)2^{(i)} = 4$$


It is important to note that the convergence of the perceptron is only guaranteed if the two classes are linearly separable and the learning rate is sufficiently small (interested readers can find the mathematical proof in my lecture notes: https://sebastianraschka.com/pdf/lecture-notes/stat479ss19/L03_perceptron_slides.pdf). If the two classes can't be separated by a linear decision boundary, we can set a maximum number of passes over the training dataset (**epochs**) and/or a threshold for the number of tolerated misclassifications—the perceptron would never stop updating the weights otherwise:



Downloading the example code

If you bought this book directly from Packt, you can download the example code files from your account at <http://www.packtpub.com>. If you purchased this book elsewhere, you can download all code examples and datasets directly from <https://github.com/rasbt/python-machine-learning-book-3rd-edition>.

Now, before we jump into the implementation in the next section, what you just learned can be summarized in a simple diagram that illustrates the general concept of the perceptron:



The preceding diagram illustrates how the perceptron receives the inputs of an example, \mathbf{x} , and combines them with the weights, \mathbf{w} , to compute the net input. The net input is then passed on to the threshold function, which generates a binary output of -1 or $+1$ – the predicted class label of the example. During the learning phase, this output is used to calculate the error of the prediction and update the weights.

Implementing a perceptron learning algorithm in Python

In the previous section, we learned how Rosenblatt's perceptron rule works; let's now implement it in Python and apply it to the Iris dataset that we introduced in *Chapter 1, Giving Computers the Ability to Learn from Data*.

An object-oriented perceptron API

We will take an object-oriented approach to defining the perceptron interface as a Python class, which will allow us to initialize new `Perceptron` objects that can learn from data via a `fit` method, and make predictions via a separate `predict` method. As a convention, we append an underscore (`_`) to attributes that are not created upon the initialization of the object, but we do this by calling the object's other methods, for example, `self.w_`.



Additional resources for Python's scientific computing stack

If you are not yet familiar with Python's scientific libraries or need a refresher, please see the following resources:

- **NumPy**: https://sebastianraschka.com/pdf/books/dlb/appendix_f_numpy-intro.pdf
- **pandas**: <https://pandas.pydata.org/pandas-docs/stable/10min.html>
- **Matplotlib**: <https://matplotlib.org/tutorials/introductory/usage.html>

The following is the implementation of a perceptron in Python:

```
import numpy as np

class Perceptron(object):
    """Perceptron classifier.

    Parameters
    -----
    eta : float
        Learning rate (between 0.0 and 1.0)
    n_iter : int
        Passes over the training dataset.
    random_state : int
        Random number generator seed for random weight
        initialization.

    Attributes
    -----
    w_ : 1d-array
        Weights after fitting.
    errors_ : list
        Number of misclassifications (updates) in each epoch.

    """
    def __init__(self, eta=0.01, n_iter=50, random_state=1):
        self.eta = eta
        self.n_iter = n_iter
```

```
        self.random_state = random_state

def fit(self, X, y):
    """Fit training data.

    Parameters
    -----
    X : {array-like}, shape = [n_examples, n_features]
        Training vectors, where n_examples is the number of
        examples and n_features is the number of features.
    y : array-like, shape = [n_examples]
        Target values.

    Returns
    -----
    self : object

    """
    rgen = np.random.RandomState(self.random_state)
    self.w_ = rgen.normal(loc=0.0, scale=0.01,
                          size=1 + X.shape[1])
    self.errors_ = []

    for _ in range(self.n_iter):
        errors = 0
        for xi, target in zip(X, y):
            update = self.eta * (target - self.predict(xi))
            self.w_[1:] += update * xi
            self.w_[0] += update
            errors += int(update != 0.0)
        self.errors_.append(errors)
    return self

def net_input(self, X):
    """Calculate net input"""
    return np.dot(X, self.w_[1:]) + self.w_[0]

def predict(self, X):
    """Return class label after unit step"""
    return np.where(self.net_input(X) >= 0.0, 1, -1)
```

Using this perceptron implementation, we can now initialize new Perceptron objects with a given learning rate, *eta*, and the number of epochs, *n_iter* (passes over the training dataset).


Via the `fit` method, we initialize the weights in `self.w_` to a vector, \mathbb{R}^{m+1} , where m stands for the number of dimensions (features) in the dataset, and we add 1 for the first element in this vector that represents the bias unit. Remember that the first element in this vector, `self.w_[0]`, represents the so-called bias unit that we discussed earlier.

Also notice that this vector contains small random numbers drawn from a normal distribution with standard deviation 0.01 via `rgen.normal(loc=0.0, scale=0.01, size=1 + X.shape[1])`, where `rgen` is a NumPy random number generator that we seeded with a user-specified random seed so that we can reproduce previous results if desired.

It is important to keep in mind that we don't initialize the weights to zero because the learning rate, η (eta), only has an effect on the classification outcome if the weights are initialized to non-zero values. If all the weights are initialized to zero, the learning rate parameter, `eta`, affects only the scale of the weight vector, not the direction. If you are familiar with trigonometry, consider a vector, $v1 = [1 \ 2 \ 3]$, where the angle between $v1$ and a vector, $v2 = 0.5 \times v1$, would be exactly zero, as demonstrated by the following code snippet:

```
>>> v1 = np.array([1, 2, 3])
>>> v2 = 0.5 * v1
>>> np.arccos(v1.dot(v2) / (np.linalg.norm(v1) *
...           np.linalg.norm(v2)))
0.0
```

Here, `np.arccos` is the trigonometric inverse cosine, and `np.linalg.norm` is a function that computes the length of a vector (our decision to draw the random numbers from a random normal distribution—for example, instead of from a uniform distribution—and to use a standard deviation of 0.01 was arbitrary; remember, we are just interested in small random values to avoid the properties of all-zero vectors, as discussed earlier).



NumPy array indexing

NumPy indexing for one-dimensional arrays works similarly to Python lists using the square-bracket (`[]`) notation. For two-dimensional arrays, the first indexer refers to the row number and the second indexer to the column number. For example, we would use `X[2, 3]` to select the third row and fourth column of a two-dimensional array, `X`.

After the weights have been initialized, the `fit` method loops over all individual examples in the training dataset and updates the weights according to the perceptron learning rule that we discussed in the previous section.

The class labels are predicted by the `predict` method, which is called in the `fit` method during training to get the class label for the weight update; but `predict` can also be used to predict the class labels of new data after we have fitted our model. Furthermore, we also collect the number of misclassifications during each epoch in the `self.errors_` list so that we can later analyze how well our perceptron performed during the training. The `np.dot` function that is used in the `net_input` method simply calculates the vector dot product, $w^T x$.



Instead of using NumPy to calculate the vector dot product between two arrays, `a` and `b`, via `a.dot(b)` or `np.dot(a, b)`, we could also perform the calculation in pure Python via `sum([i * j for i, j in zip(a, b)])`. However, the advantage of using NumPy over classic Python for loop structures is that its arithmetic operations are vectorized.

Vectorization means that an elemental arithmetic operation is automatically applied to all elements in an array. By formulating our arithmetic operations as a sequence of instructions on an array, rather than performing a set of operations for each element at a time, we can make better use of our modern central processing unit (CPU) architectures with **single instruction, multiple data (SIMD)** support. Furthermore, NumPy uses highly optimized linear algebra libraries, such as **Basic Linear Algebra Subprograms (BLAS)** and **Linear Algebra Package (LAPACK)**, that have been written in C or Fortran. Lastly, NumPy also allows us to write our code in a more compact and intuitive way using the basics of linear algebra, such as vector and matrix dot products.

Training a perceptron model on the Iris dataset

To test our perceptron implementation, we will restrict the following analyses and examples in the remainder of this chapter to two feature variables (dimensions). Although the perceptron rule is not restricted to two dimensions, considering only two features, sepal length and petal length, will allow us to visualize the decision regions of the trained model in a scatter plot for learning purposes.

Note that we will also only consider two flower classes, *Setosa* and *Versicolor*, from the Iris dataset for practical reasons – remember, the perceptron is a binary classifier. However, the perceptron algorithm can be extended to multi-class classification – for example, the **one-vs.-all (OvA)** technique.



The OvA method for multi-class classification

OvA, which is sometimes also called **one-vs.-rest (OvR)**, is a technique that allows us to extend any binary classifier to multi-class problems. Using OvA, we can train one classifier per class, where the particular class is treated as the positive class and the examples from all other classes are considered negative classes. If we were to classify a new, unlabeled data instance, we would use our n classifiers, where n is the number of class labels, and assign the class label with the highest confidence to the particular instance we want to classify. In the case of the perceptron, we would use OvA to choose the class label that is associated with the largest absolute net input value.

First, we will use the pandas library to load the Iris dataset directly from the *UCI Machine Learning Repository* into a DataFrame object and print the last five lines via the `tail` method to check that the data was loaded correctly:

```
>>> import os
>>> import pandas as pd
>>> s = os.path.join('https://archive.ics.uci.edu', 'ml',
...                  'machine-learning-databases',
...                  'iris', 'iris.data')
>>> print('URL:', s)
URL: https://archive.ics.uci.edu/ml/machine-learning-databases/iris/iris.data
>>> df = pd.read_csv(s,
...                  header=None,
...                  encoding='utf-8')
>>> df.tail()
```

	0	1	2	3	4
145	6.7	3.0	5.2	2.3	Iris-virginica
146	6.3	2.5	5.0	1.9	Iris-virginica
147	6.5	3.0	5.2	2.0	Iris-virginica
148	6.2	3.4	5.4	2.3	Iris-virginica
149	5.9	3.0	5.1	1.8	Iris-virginica



Loading the Iris dataset

You can find a copy of the Iris dataset (and all other datasets used in this book) in the code bundle of this book, which you can use if you are working offline or the UCI server at <https://archive.ics.uci.edu/ml/machine-learning-databases/iris/iris.data> is temporarily unavailable. For instance, to load the Iris dataset from a local directory, you can replace this line,

```
df = pd.read_csv(
    'https://archive.ics.uci.edu/ml/'
    'machine-learning-databases/iris/iris.data',
    header=None, encoding='utf-8')
```

with the following one:

```
df = pd.read_csv(
    'your/local/path/to/iris.data',
    header=None, encoding='utf-8')
```

Next, we extract the first 100 class labels that correspond to the 50 Iris-setosa and 50 Iris-versicolor flowers and convert the class labels into the two integer class labels, 1 (versicolor) and -1 (setosa), that we assign to a vector, *y*, where the *values* method of a pandas DataFrame yields the corresponding NumPy representation.

Similarly, we extract the first feature column (sepal length) and the third feature column (petal length) of those 100 training examples and assign them to a feature matrix, *X*, which we can visualize via a two-dimensional scatterplot:

```
>>> import matplotlib.pyplot as plt
>>> import numpy as np


>>> # select setosa and versicolor
>>> y = df.iloc[0:100, 4].values
>>> y = np.where(y == 'Iris-setosa', -1, 1)

>>> # extract sepal length and petal length
>>> X = df.iloc[0:100, [0, 2]].values

>>> # plot data
>>> plt.scatter(X[:50, 0], X[:50, 1],
...             color='red', marker='o', label='setosa')
>>> plt.scatter(X[50:100, 0], X[50:100, 1],
...             color='blue', marker='x', label='versicolor')
```

```
>>> plt.xlabel('sepal length [cm]')
>>> plt.ylabel('petal length [cm]')
>>> plt.legend(loc='upper left')
>>> plt.show()
```

After executing the preceding code example, we should now see the following scatterplot:




The preceding scatterplot shows the distribution of flower examples in the Iris dataset along the two feature axes: petal length and sepal length (measured in centimeters). In this two-dimensional feature subspace, we can see that a linear decision boundary should be sufficient to separate Setosa from Versicolor flowers.

Thus, a linear classifier such as the perceptron should be able to classify the flowers in this dataset perfectly.

Now, it's time to train our perceptron algorithm on the Iris data subset that we just extracted. Also, we will plot the misclassification error for each epoch to check whether the algorithm converged and found a decision boundary that separates the two Iris flower classes:

```
>>> ppn = Perceptron(eta=0.1, n_iter=10)
>>> ppn.fit(X, y)
>>> plt.plot(range(1, len(ppn.errors_) + 1),
...          ppn.errors_, marker='o')
>>> plt.xlabel('Epochs')
>>> plt.ylabel('Number of updates')
>>> plt.show()
```

After executing the preceding code, we should see the plot of the misclassification errors versus the number of epochs, as shown in the following graph:



As we can see in the preceding plot, our perceptron converged after the sixth epoch and should now be able to classify the training examples perfectly. Let's implement a small convenience function to visualize the decision boundaries for two-dimensional datasets:

```
from matplotlib.colors import ListedColormap
def plot_decision_regions(X, y, classifier, resolution=0.02):
    # setup marker generator and color map
    markers = ('s', 'x', 'o', '^', 'v')
    colors = ('red', 'blue', 'lightgreen', 'gray', 'cyan')
    cmap = ListedColormap(colors[:len(np.unique(y))])

    # plot the decision surface
    x1_min, x1_max = X[:, 0].min() - 1, X[:, 0].max() + 1
    x2_min, x2_max = X[:, 1].min() - 1, X[:, 1].max() + 1
    xx1, xx2 = np.meshgrid(np.arange(x1_min, x1_max, resolution),
                           np.arange(x2_min, x2_max, resolution))
    Z = classifier.predict(np.array([xx1.ravel(), xx2.ravel()]).T)
    Z = Z.reshape(xx1.shape)
    plt.contourf(xx1, xx2, Z, alpha=0.3, cmap=cmap)
    plt.xlim(xx1.min(), xx1.max())
    plt.ylim(xx2.min(), xx2.max())

    # plot class examples
    for idx, c1 in enumerate(np.unique(y)):
        plt.scatter(x=X[y == c1, 0],
```

```

y=X[y == cl, 1],
alpha=0.8,
c=colors[idx],
marker=markers[idx],
label=cl,
edgecolor='black')

```

First, we define a number of colors and markers and create a colormap from the list of colors via `ListedColormap`. Then, we determine the minimum and maximum values for the two features and use those feature vectors to create a pair of grid arrays, `xx1` and `xx2`, via the NumPy `meshgrid` function. Since we trained our perceptron classifier on two feature dimensions, we need to flatten the grid arrays and create a matrix that has the same number of columns as the Iris training subset so that we can use the `predict` method to predict the class labels, `z`, of the corresponding grid points.


After reshaping the predicted class labels, `z`, into a grid with the same dimensions as `xx1` and `xx2`, we can now draw a contour plot via Matplotlib's `contourf` function, which maps the different decision regions to different colors for each predicted class in the grid array:

```

>>> plot_decision_regions(X, y, classifier=ppn)
>>> plt.xlabel('sepal length [cm]')
>>> plt.ylabel('petal length [cm]')
>>> plt.legend(loc='upper left')
>>> plt.show()

```

After executing the preceding code example, we should now see a plot of the decision regions, as shown in the following figure:



As we can see in the plot, the perceptron learned a decision boundary that is able to classify all flower examples in the Iris training subset perfectly.



Perceptron convergence

Although the perceptron classified the two Iris flower classes perfectly, convergence is one of the biggest problems of the perceptron. Rosenblatt proved mathematically that the perceptron learning rule converges if the two classes can be separated by a linear hyperplane. However, if the classes cannot be separated perfectly by such a linear decision boundary, the weights will never stop updating unless we set a maximum number of epochs. Interested readers can find a summary of the proof in my lecture notes at https://sebastianraschka.com/pdf/lecture-notes/stat479ss19/L03_perceptron_slides.pdf.

Adaptive linear neurons and the convergence of learning

In this section, we will take a look at another type of single-layer neural network (NN): **ADaptive Linear NEuron (Adaline)**. Adaline was published by Bernard Widrow and his doctoral student Tedd Hoff only a few years after Rosenblatt's perceptron algorithm, and it can be considered an improvement on the latter (*An Adaptive "Adaline" Neuron Using Chemical "Memistors"*, Technical Report Number 1553-2, B. Widrow and others, Stanford Electron Labs, Stanford, CA, October 1960).


The Adaline algorithm is particularly interesting because it illustrates the key concepts of defining and minimizing continuous cost functions. This lays the groundwork for understanding more advanced machine learning algorithms for classification, such as logistic regression, support vector machines, and regression models, which we will discuss in future chapters.

The key difference between the Adaline rule (also known as the **Widrow-Hoff rule**) and Rosenblatt's perceptron is that the weights are updated based on a linear activation function rather than a unit step function like in the perceptron. In Adaline, this linear activation function, $\phi(z)$, is simply the identity function of the net input, so that:

$$\phi(\mathbf{w}^T \mathbf{x}) = \mathbf{w}^T \mathbf{x}$$

While the linear activation function is used for learning the weights, we still use a threshold function to make the final prediction, which is similar to the unit step function that we covered earlier.

The main differences between the perceptron and Adaline algorithm are highlighted in the following figure:



As the illustration indicates, the Adaline algorithm compares the true class labels with the linear activation function's continuous valued output to compute the model error and update the weights. In contrast, the perceptron compares the true class labels to the predicted class labels.


Minimizing cost functions with gradient descent

One of the key ingredients of supervised machine learning algorithms is a defined **objective function** that is to be optimized during the learning process. This objective function is often a cost function that we want to minimize. In the case of Adaline, we can define the cost function, J , to learn the weights as the **sum of squared errors (SSE)** between the calculated outcome and the true class label:

$$J(\mathbf{w}) = \frac{1}{2} \sum_i \left(y^{(i)} - \phi(z^{(i)}) \right)^2$$

The term $\frac{1}{2}$ is just added for our convenience and will make it easier to derive the gradient of the cost or loss function with respect to the weight parameters, as we will see in the following paragraphs. The main advantage of this continuous linear activation function, in contrast to the unit step function, is that the cost function becomes differentiable. Another nice property of this cost function is that it is convex; thus, we can use a very simple yet powerful optimization algorithm called **gradient descent** to find the weights that minimize our cost function to classify the examples in the Iris dataset.

As illustrated in the following figure, we can describe the main idea behind gradient descent as *climbing down a hill* until a local or global cost minimum is reached. In each iteration, we take a step in the opposite direction of the gradient, where the step size is determined by the value of the learning rate, as well as the slope of the gradient:



Using gradient descent, we can now update the weights by taking a step in the opposite direction of the gradient, $\nabla J(\mathbf{w})$, of our cost function, $J(\mathbf{w})$:

$$\mathbf{w} := \mathbf{w} + \Delta \mathbf{w}$$

The weight change, $\Delta \mathbf{w}$, is defined as the negative gradient multiplied by the learning rate, η :

$$\Delta \mathbf{w} = -\eta \nabla J(\mathbf{w})$$

To compute the gradient of the cost function, we need to compute the partial derivative of the cost function with respect to each weight, w_j :

$$\frac{\partial J}{\partial w_j} = - \sum_i (y^{(i)} - \phi(z^{(i)})) x_j^{(i)}$$

So we can write the update of weight w_j as:

$$\Delta w_j = -\eta \frac{\partial J}{\partial w_j} = \eta \sum_i (y^{(i)} - \phi(z^{(i)})) x_j^{(i)}$$

Since we update all weights simultaneously, our Adaline learning rule becomes:

$$\mathbf{w} := \mathbf{w} + \Delta \mathbf{w}$$



The squared error derivative

If you are familiar with calculus, the partial derivative of the SSE cost function with respect to the j th weight can be obtained as follows:

$$\begin{aligned} \frac{\partial J}{\partial w_j} &= \frac{\partial}{\partial w_j} \frac{1}{2} \sum_i (y^{(i)} - \phi(z^{(i)}))^2 \\ &= \frac{1}{2} \frac{\partial}{\partial w_j} \sum_i (y^{(i)} - \phi(z^{(i)}))^2 \\ &= \frac{1}{2} \sum_i 2 (y^{(i)} - \phi(z^{(i)})) \frac{\partial}{\partial w_j} (y^{(i)} - \phi(z^{(i)})) \\ &= \sum_i (y^{(i)} - \phi(z^{(i)})) \frac{\partial}{\partial w_j} \left(y^{(i)} - \sum_i (w_j^{(i)} x_j^{(i)}) \right) \\ &= \sum_i (y^{(i)} - \phi(z^{(i)})) (-x_j^{(i)}) \\ &= - \sum_i (y^{(i)} - \phi(z^{(i)})) x_j^{(i)} \end{aligned}$$

Although the Adaline learning rule looks identical to the perceptron rule, we should note that $\phi(z^{(i)})$ with $z^{(i)} = \mathbf{w}^T \mathbf{x}^{(i)}$ is a real number and not an integer class label. Furthermore, the weight update is calculated based on all examples in the training dataset (instead of updating the weights incrementally after each training example), which is why this approach is also referred to as **batch gradient descent**.

Implementing Adaline in Python

Since the perceptron rule and Adaline are very similar, we will take the perceptron implementation that we defined earlier and change the `fit` method so that the weights are updated by minimizing the cost function via gradient descent:

```
class AdalineGD(object):
    """ADaptive LInear NEuron classifier.

    Parameters
    -----
    eta : float
        Learning rate (between 0.0 and 1.0)
    n_iter : int
        Passes over the training dataset.
    random_state : int
        Random number generator seed for random weight initialization.

    Attributes
    -----
    w_ : 1d-array
        Weights after fitting.
    cost_ : list
        Sum-of-squares cost function value in each epoch.

    """
    def __init__(self, eta=0.01, n_iter=50, random_state=1):
        self.eta = eta
        self.n_iter = n_iter
        self.random_state = random_state

    def fit(self, X, y):
        """ Fit training data.

        Parameters
        -----
        X : {array-like}, shape = [n_examples, n_features]
            Training vectors, where n_examples
            is the number of examples and
            n_features is the number of features.
        y : array-like, shape = [n_examples]
            Target values.

        Returns
```

```

-----
self : object

"""
rgen = np.random.RandomState(self.random_state)
self.w_ = rgen.normal(loc=0.0, scale=0.01,
                      size=1 + X.shape[1])
self.cost_ = []

for i in range(self.n_iter):
    net_input = self.net_input(X)
    output = self.activation(net_input)
    errors = (y - output)
    self.w_[1:] += self.eta * X.T.dot(errors)
    self.w_[0] += self.eta * errors.sum()
    cost = (errors**2).sum() / 2.0
    self.cost_.append(cost)
return self

def net_input(self, X):
    """Calculate net input"""
    return np.dot(X, self.w_[1:]) + self.w_[0]

def activation(self, X):
    """Compute linear activation"""
    return X

def predict(self, X):
    """Return class label after unit step"""
    return np.where(self.activation(self.net_input(X))
                    >= 0.0, 1, -1)

```

Instead of updating the weights after evaluating each individual training example, as in the perceptron, we calculate the gradient based on the whole training dataset via `self.eta * errors.sum()` for the bias unit (zero-weight), and via `self.eta * X.T.dot(errors)` for the weights 1 to m , where `X.T.dot(errors)` is a matrix-vector multiplication between our feature matrix and the error vector.

Please note that the `activation` method has no effect in the code since it is simply an identity function. Here, we added the activation function (computed via the `activation` method) to illustrate the general concept with regard to how information flows through a single-layer NN: features from the input data, net input, activation, and output.

In the next chapter, we will learn about a logistic regression classifier that uses a non-identity, nonlinear activation function. We will see that a logistic regression model is closely related to Adaline, with the only difference being its activation and cost function.

Now, similar to the previous perceptron implementation, we collect the cost values in a `self.cost_list` to check whether the algorithm converged after training.



Matrix multiplication

Performing a matrix multiplication is similar to calculating a vector dot-product where each row in the matrix is treated as a single row vector. This vectorized approach represents a more compact notation and results in a more efficient computation using NumPy. For example:

$$\begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{bmatrix} \times \begin{bmatrix} 7 \\ 8 \\ 9 \end{bmatrix} = \begin{bmatrix} 1 \times 7 + 2 \times 8 + 3 \times 9 \\ 4 \times 7 + 5 \times 8 + 6 \times 9 \end{bmatrix} = \begin{bmatrix} 50 \\ 122 \end{bmatrix}$$

Please note that in the preceding equation, we are multiplying a matrix with a vector, which is mathematically not defined. However, remember that we use the convention that this preceding vector is regarded as a 3×1 matrix.

In practice, it often requires some experimentation to find a good learning rate, η , for optimal convergence. So, let's choose two different learning rates, $\eta = 0.1$ and $\eta = 0.0001$, to start with and plot the cost functions versus the number of epochs to see how well the Adaline implementation learns from the training data.



Perceptron hyperparameters

The learning rate, η , (eta), as well as the number of epochs (`n_iter`), are the so-called hyperparameters (or tuning parameters) of the perceptron and Adaline learning algorithms. In *Chapter 6, Learning Best Practices for Model Evaluation and Hyperparameter Tuning*, we will take a look at different techniques to automatically find the values of different hyperparameters that yield optimal performance of the classification model.

Let's now plot the cost against the number of epochs for the two different learning rates:

```
>>> fig, ax = plt.subplots(nrows=1, ncols=2, figsize=(10, 4))

>>> adal = AdalineGD(n_iter=10, eta=0.01).fit(X, y)
```




```

>>> ax[0].plot(range(1, len(ada1.cost_) + 1),
...             np.log10(ada1.cost_), marker='o')
>>> ax[0].set_xlabel('Epochs')
>>> ax[0].set_ylabel('log(Sum-squared-error)')
>>> ax[0].set_title('Adaline - Learning rate 0.01')

>>> ada2 = AdalineGD(n_iter=10, eta=0.0001).fit(X, y)
>>> ax[1].plot(range(1, len(ada2.cost_) + 1),
...             ada2.cost_, marker='o')
>>> ax[1].set_xlabel('Epochs')
>>> ax[1].set_ylabel('Sum-squared-error')
>>> ax[1].set_title('Adaline - Learning rate 0.0001')
>>> plt.show()


```

As we can see in the resulting cost-function plots, we encountered two different types of problem. The left chart shows what could happen if we choose a learning rate that is too large. Instead of minimizing the cost function, the error becomes larger in every epoch, because we *overshoot* the global minimum. On the other hand, we can see that the cost decreases on the right plot, but the chosen learning rate, $\eta = 0.0001$, is so small that the algorithm would require a very large number of epochs to converge to the global cost minimum:



The following figure illustrates what might happen if we change the value of a particular weight parameter to minimize the cost function, J . The left subfigure illustrates the case of a well-chosen learning rate, where the cost decreases gradually, moving in the direction of the global minimum.

The subfigure on the right, however, illustrates what happens if we choose a learning rate that is too large – we overshoot the global minimum:



Improving gradient descent through feature scaling

Many machine learning algorithms that we will encounter throughout this book require some sort of feature scaling for optimal performance, which we will discuss in more detail in *Chapter 3, A Tour of Machine Learning Classifiers Using scikit-learn*, and *Chapter 4, Building Good Training Datasets – Data Preprocessing*.

Gradient descent is one of the many algorithms that benefit from feature scaling. In this section, we will use a feature scaling method called **standardization**, which gives our data the properties of a standard normal distribution: zero-mean and unit variance. This normalization procedure helps gradient descent learning to converge more quickly; however, it does not make the original dataset normally distributed. Standardization shifts the mean of each feature so that it is centered at zero and each feature has a standard deviation of 1 (unit variance). For instance, to standardize the j th feature, we can simply subtract the sample mean, μ_j , from every training example and divide it by its standard deviation, σ_j :

$$x'_j = \frac{x_j - \mu_j}{\sigma_j}$$

Here, x_j is a vector consisting of the j th feature values of all training examples, n , and this standardization technique is applied to each feature, j , in our dataset.

One of the reasons why standardization helps with gradient descent learning is that the optimizer has to go through fewer steps to find a good or optimal solution (the global cost minimum), as illustrated in the following figure, where the subfigures represent the cost surface as a function of two model weights in a two-dimensional classification problem: