

EPS
01
COLLECTOR'S
FIRST EDITION

THE ULTIMATE GUIDE TO CLASSIC CAR CULTURE

ASPHALT ATTITUDE

CHROME, SPEED & STYLE
FOREVER

**FUN.
FUN.
FUN.**

PURE FREEDOM.
PURE AMERICAN.

**COLLECTOR'S
EDITION**

SUMMER 2025

**CHROME THAT
DEFIES TIME**

THE ART OF
AUTOMOTIVE BEAUTY

ICONIC MACHINES
LEGENDARY STORIES

TECH • DESIGN
PERFORMANCE

EXCLUSIVE FEATURES
INSIDE



FIRST DRIVE

1957 THUNDERBIRD
THE ROAD WAS MADE FOR THIS

RESTORATION SECRETS ★ PERFECT PAINT ★ PERFORMANCE UPGRADES

US \$7.99 CAN \$8.99 UK £6.99





Chapter 1: Automotive Surfaces. 1.1 Chrome: The Mirror That Lies Beautifully.

Chrome has no intrinsic colour; it is a relationship with its environment. Rendering it successfully requires defining three zones: the sky reflection band on top, the ground reflection band on bottom, and the razor-thin horizon line at the equator.

[RD-01.F01] — Macro detail: 1957 Chevrolet Bel Air front bumper. Sky gradient, sharp equatorial horizon, and warm asphalt ground bands define the perfect mirror-gloss finish.



1.2 Paint: The Decade You Are Reading. Automotive paint finish acts as a precise historical document, communicating an era before details are even parsed.

Era palettes: 1950s two-tone liquid lacquer; 1960s solid Racing Green or Rosso Corsa; 1970s earth tones and high-impact Hemi Orange; 1980s metallic silver, charcoal, and color-shifting pearlescents.

[RD-01.F02] — Profile view: 1966 Mustang Fastback in Candy Apple Red lacquer. Pure saturated red with deep, near-black shadows and sharp specular beltline highlights.




1.3 Glass: Translucent & Reflective. Windscreen rendering requires a dual-zone approach: sky reflections on the upper curves and interior elements visible through period-correct tinted glass below.

[RD-01.F03] — Medium close-up: 1969 Dodge Charger windscreen. 60 percent blue-tinted sky reflection, 40 percent interior panel details visible through historic green-cast glass.



Chapter 2: Angle Architecture. 2.1 The Seven Classic Automotive Angles. Framing creates machine mythology. Professional photography relies on seven canonical views, each serving a specific emotional or commercial role. Views include: Three-Quarter Front (commercial brochure), Ground-Level Front (dramatic architecture), Tracking Rear-Quarter (speed), Detail Isolation (materiality), Interior Overhead, Environmental Establishing, and Silhouette.

[RD-01.F04] — Composite diagram of seven core camera angles mapped onto a 1965 Pontiac GTO, showcasing the layout standard of classic automotive design media.





Chapter 3: Speed Effects. 3.1 The Visual Grammar of Motion. Speed is a constructed lie. Panning tracks the subject, blurring the background into parallel horizontal lines while keeping the body tack-sharp.

Motion codes: Radial blur defines spoke rotation; horizontal background blur communicates camera tracking; and frozen focus captures high action at the peak of structural drama.

[RD-01.F06] — Action shot: 1973 Datsun 240Z on mountain curves. Tracking shot speed panning, horizontal streak blur, and crisp radial wheel-rotation blur.



3.2 Environmental Speed Cues. Context carries speed. Vanishing-point highways, rubber on corner apexes, and active pitlanes imply velocity. Lighting choices select the mythological tone.

Time of day notes: Golden hour yields nostalgic cinema; post-sunset blue hour evokes urban secrecy; and high noon hard sun defines the rugged endurance of desert highway myth.

[RD-01.F07] — Wide view: 1968 Shelby GT500. Lower-center composition on straight Nevada highway. Bleached sky and tarmac vanishing into heat-shimmer horizon.

A VISUAL HISTORY OF SPEED AND STYLE

Automotive typography reflects more than just design trends—it captures the spirit of its era. From chrome scripts to digital-age minimalism, these four decades show how letterforms have driven the identity of iconic machines.

1950s

DREAMLINER

AMERICAN OPTIMISM
IN CHROME AND COLOR



The 1950s embraced exuberance and forward motion. Brush scripts in chrome—often paired with pastel or coral tones—conveyed a sense of futuristic luxury and boundless possibility.

TYPE CHARACTERISTICS

Brush Script
Chrome Effect
Fluid Motion
Optimistic

Aa

TYPICAL USE

Model Names, Trim Levels,
Concept Cars

1960s

CHARGER

BOLD. CONDENSED.
BUILT FOR IMPACT.



The 1960s demanded typography that could be seen at speed. Bold, condensed gothic forms projected power, performance, and a no-nonsense attitude.

TYPE CHARACTERISTICS

Condensed
Gothic Sans
High Impact
Masculine

AA

TYPICAL USE

Muscle Cars, Performance
Badging, Racing

1980s

TESTAROSSA

DESIGN AS ARCHITECTURE.
TYPOGRAPHY AS SPACE.



The 1980s brought influence from Italian design—clean, geometric, and precise. Wide tracking and technical letterforms reflected a new, sophisticated understanding of performance.

TYPE CHARACTERISTICS

Wide Tracking
Geometric Sans
Technical
Sophisticated

Aa

TYPICAL USE

Exotic Models, High-End Branding,
Limited Editions

CONTEMPORARY

Veloce

HANDCRAFTED. ANACHRONISTIC.
UNDENIABLY MODERN.



Today's typography blends nostalgia with individuality. Hand-lettered scripts and custom wordmarks create emotional connection in an increasingly digital and homogeneous world.

TYPE CHARACTERISTICS

Script / Custom
Hand-Lettered
Emotional
Distinctive

Aa

TYPICAL USE

Boutique Brands, Lifestyle Vehicles,
Digital & Global Markets

From chrome to custom, automotive typography continues to evolve—fuelled by culture, design, and the pursuit of speed.
DIFFERENT ERAS. DISTINCT VOICES. ONE OBSESSION.



Chapter 4: Commercial Overlay. 4.1 Typography in Automotive Culture. Layout typography acts as a precise era stamp. Wrong typefaces break historical layout authenticity.

Era type: 1950s heavy brush scripts and slab serifs; 1960s–70s bold, blocky sans-serifs; 1980s thin, wide-spaced supercar branding; and contemporary resto-mod retro-revival scripts.

[RD-01.F08] — Typographic decade comparison: 1950s Dreamliner chrome script, 1960s Charger gothic sans-serif, 1980s Testarossa architecture, and gold Gold-on-Black modern script.

1965 SHELBY GT350

DUAL LE MANS STRIPE

STRIPE PLACEMENT & GEOMETRY GUIDE


STRIPE SPECIFICATIONS

STRIPE WIDTH (EACH)	6.00 INCHES
CENTER GAP	6.00 INCHES
TOTAL STRIPE WIDTH	18.00 INCHES
COLOR	GUARDSMAN BLUE (WIMBLEDON WHITE BODY)
FINISH	GLOSS
APPLICATION	CENTERED ON VEHICLE LONGITUDINAL CENTERLINE

STRIPE GEOMETRY - TOP VIEW



BODY CROWN REFERENCE




STRIPE ALIGNMENT TO THE VEHICLE'S BODY CROWN LINE. THIS IS THE HIGHEST POINT ALONG THE VEHICLE'S LONGITUDINAL CENTERLINE FROM NOSE TO TAIL.

ALIGNMENT POINTS

- (A) FRONT BUMPER CENTERLINE
- (B) HOOD CROWN (HIGHEST POINT)
- (C) ROOF CENTER (APEX)
- (D) TRUNK LID CENTER
- (E) REAR BUMPER CENTERLINE



MODEL	1965 SHELBY GT350
DOCUMENT	STRIPE PLACEMENT GUIDE
DATE	05 / 1965
DRAWN BY	SHELBY DESIGN STUDIO
REVISION	A



STRIPE BEHAVIOR OVER BODY

FRONT SECTION (HOOD)



STRIPE FOLLOW THE CURVATURE OF THE HOOD CROWN. WIDTH MEASURED PERPENDICULAR TO CENTERLINE.

ROOF SECTION (APEX)



STRIPE APPEAR NARROWER AT THE ROOF APEX DUE TO PERSPECTIVE AND CURVATURE.

SIDE FLANK VIEW




STRIPE WIDEN OVER THE FRONT AND REAR FENDERS DUE TO BODY FLARE.

REAR SECTION (TRUNK)



STRIPE FOLLOW TRUNK LID CROWN. WIDTH MEASURED PERPENDICULAR TO CENTERLINE.

PERSPECTIVE EFFECT



AT THE ROOF APEX, THE STRIPE APPEAR NARROWER DUE TO PERSPECTIVE. THIS IS CORRECT AND INTENTIONAL.

NOTES

- ALL MEASUREMENTS TAKEN PERPENDICULAR TO CENTERLINE AT HIGHEST POINT OF PANEL.
- STRIPE MUST BE PARALLEL TO CENTERLINE THROUGHOUT.
- ENSURE EVEN GAP BETWEEN STRIPE FROM FRONT TO REAR.

APPROVED BY

Carroll Shelby

CARROLL SHELBY

4.2 Racing Stripes: Geometry as Identity. Stripes are historical international team markers (American white, French blue, British green, Italian red) translated to road builds.

Placement physics: Stripes must track the absolute topographic center peak of the body (hood crown, roofline, trunk spine), naturally narrowing at the roof apex due to perspective.

[RD-01.F09] — Overhead blueprint: 1965 Shelby GT350. Dual Le Mans stripe centerline geometry with technical specification labels on dark blue-grid design background.

1967 CHEVROLET CAMARO SS

NEW! Super Sport Performance!

POWER THAT PUTS YOU FIRST.

396 CU IN

375 BHP

Displacement.....	396 CU IN
Horsepower.....	375 BHP @ 5600 RPM
Torque.....	415 LB-FT @ 3400 RPM
Compression Ratio.....	10.25:1
Carburetion.....	4-BBL HOLLEY
Transmission.....	4-SPEED MUNCIE
Rear Axle.....	12-BOLT POSI-TRACTION

ALL THIS PERFORMANCE CAN BE YOURS FOR

\$2,899*

* Manufacturer's Suggested Retail Price. State and local taxes, license and transportation extra.

BUILT FOR THE OPEN ROAD

Anything less is just a car.

Camaro SS—engineered for those who demand more. More power. More road. More of what driving was meant to be.

The Mark of Performance

4.3 Feature Boxes & Callouts. The vintage feature box overlay acts as an active structural interrupt. It layers spec data, prices, or claims directly over the car imagery.


Anatomy standards: Thick outer borders, aligned tabular specifications, and primary colors pulled strictly from the car paint palette for deep cohesive integration.

[RD-01.F10] — Period advertisement: 1967 Chevrolet Camaro SS. Golden hour composition with offset specifications, price callouts, and heavy classic layout rule borders.

THE THREE DISTANCES OF AUTOMOTIVE COMMUNICATION

1970 DODGE CHALLENGER R/T

01 NEWSSTAND DISTANCE 3–5 FEET AWAY



COLOUR BLOCK & SILHOUETTE
Bold shapes and contrast establish instantly recognizable subject and attitude.

HEADLINE HIERARCHY
Magazine title is only text that must be legible from across the room.

MOOD & PROMISE
Colour and silhouette convey performance and era at a glance.

02 IN-HAND READING DISTANCE 12–18 INCHES AWAY



FULL INFORMATION HIERARCHY
All features, specs, and benefits are legible and scannable.

CRAFT & DETAIL
Chrome, paint, textures, and finishes reward closer inspection and build trust.

CONSIDERED LAYOUT
Clear visual flow guides the reader through story, specs, and details.

03 SOCIAL MEDIA DISTANCE THUMBNAIL SCALE (=50px WIDE)



PURE SHAPE LANGUAGE
Only the strongest curve survives at thumbnail scale.

INSTANT RECOGNITION
Colour + contour = instant recall in feed.

EMOTIONAL TRIGGER
Suggests speed, era, and attitude in a flash.



DESIGN PRINCIPLE

Great automotive communication is engineered for every distance. From across the room to in the hand to on the thumb—clarity, hierarchy, and emotion must scale.

Chapter 5: The Cover. 5.1 Cover Composition. Magazine covers are visual arguments that must scale across three viewing distances: newsstand, in-hand, and digital thumbnail.

Scales: 2-meter newsstand scale requires dominant color blocks; 40cm reading distance checks chrome and print finish; 50px digital thumbnail evaluates pure iconic silhouette.

[RD-01.F11] — Three-scale overview: 1970 Dodge Challenger R/T cover mockups demonstrating newsstand impact, editorial reading, and digital thumbnail legibility.



5.2 The Cover Formula. The optimal cover layout utilizes gradient sky backgrounds, low ground-level camera heights, and 45-degree cross-angled key lighting to grab details.

Key layout nodes: Title placed above the roofline; feature column stacked vertically along the right margins; and color accents unified with the hero vehicle body paint.

[RD-01.F12] — Complete cover design: 1959 Cadillac Eldorado Biarritz in pearl white, ground uptilt, golden gradient backdrop, retro chrome masthead, and spec feature blocks.



5.3 The European Counterpoint: 1973 Ford Capri RS3100. The Capri provides a compact muscular balance to American scale. [RD-01.F13] — Low angle: modified Ford Capri RS3100 on a rain-slick European city boulevard at blue hour. Production parameters: Hyper-realistic automotive photography, high-dynamic-range lighting, metallic, speed-culture vocabulary. RETRO DRIVE — Issue 01.