

THE ROOM

THE BOX. THE TEST. THE TRUTH.

同期か犠牲か

SYNC OR
SACRIFICEITERANT 06-R
STATUS: MUMMIFIED
ROLE: REFLECTION
THREAT LEVEL: UNKNOWN春日 蓮
REN KASUGACLEARANCE LEVEL: BLACK
ROLE: OBSERVERPULSE-LIGHT RING
FUSION PURPLE // PULSE WHITETHE ROOM
4m x 4m x 3mNO CORNERS.
NO ESCAPE.
NO LIES.TRI-LAYER
CONTAINMENTPRIMAL
EMOTIONAL
PSYCHICWALL CYCLE
MOJI-E // KANJI ENGRAVE
REACTIVE // ADAPTIVE

真実の非対称性

ASYMMETRY
OF TRUTHITERANT 06-M
STATUS: MUMMIFIED
ROLE: MIRROR
THREAT LEVEL: UNKNOWN

田中 美香 (ミク)

MIKA "MIKU" TANAKA

CLEARANCE LEVEL: GREY
ROLE: ADAPTIVE

1 覚醒
00:00:00

気づいた瞬間、
記憶は空白だった。



CONTAINMENT ROOM: THE BOX
LAYER 1 (PRIMAL LAYER)
4m x 4m x 3m / NO CORNERS / NO ESCAPE
SOUND-DAMPENING FIELD / OBSERVATION MODE

2 環境確認：受動
00:00:07

WALL FLUID
DISPENSER



PALM
PANEL
(L)



PALM
PANEL
(R)



視界、聴覚、触覚——
すべてが正常に機能している。

3 スキーマ展開
00:00:15

THE BOX SCHEMATIC



DIMENSIONS:
4.0m x 4.0m x 3.0m
VOLUME: 48.0m³
MATERIAL: LARC
(LIGHT-ABSORBING
REACTIVE COMPOSITE)
- SEAMLESS / NO CORNERS
NO ESCAPE

SYSTEMS

- PULSE-LIGHT RING (CEILING)
- WALL FLUID DISPENSER
- PALM PANEL (LEFT / RIGHT)
- SOUND-DAMPENING FIELD
- OBSERVATION MODE: ACTIVE
- EXIT: NONE

ENVIRONMENT: STABLE

4 プロトコル起動
00:00:28



混乱を切り離す。
思考を手順に接続する。

> PROTOCOL INITIATED...
> ID SYNC... OK
> NEURAL STABILITY... OK
> COGNITIVE FUNCTION... NORMAL
> OBJECTIVE: SITUATION ANALYSIS
> PRIORITY: SURVIVAL / ESCAPE

5 チェック項目
00:01:02

チェック項目：空気・水・出口・時間
[CHECKLIST: AIR / WATER / EXIT / TIME]

1. 空気 (AIR)

酸素濃度: 20.9% STATUS: OK
二酸化炭素濃度: 0.04%
気圧: 101.3 kPa
循環: 正常

2. 水 (WATER)

供給源: WALL FLUID DISPENSER
成分分析: H₂O STATUS: OK
純度: 99.9%
摂取可能

3. 出口 (EXIT)

扉: なし STATUS: NONE
隠しパネル: なし
構造: シームレス / 無角
脱出経路: なし

4. 時間 (TIME)

内部時計: 00:01:02 STATUS: UNKNOWN
外部との同期: 未知
経過時間: 不明

総合評価: 生存可能。観察継続。
OVERALL: SURVIVABLE. CONTINUE OBSERVATION.

6 結論
00:01:45



ここは檻ではない。
これは、試されるための箱だ。



> LOG SAVE... OK
> MEMORY FLAG: ENTRY UNKNOWN
> ADAPTATION: IN PROGRESS
> NEXT ACTION:
... ENVIRONMENT MAPPING
... PALM PANEL ANALYSIS
... OBSERVATION CONTINUATION

TO BE CONTINUED...

THE ROOM (THE BOX)
LAYER 1 (PRIMAL LAYER)
4m x 4m x 3m



01 | ROOM OVERVIEW

THE ROOM (THE BOX)
LAYER 1 (PRIMAL LAYER)
4m x 4m x 3m
SEAMLESS • MATTE • LIGHT ABSORBING
NO CORNERS • NO ESCAPE

CEILING
PULSE-LIGHT RING
PULSE WHITE |



02 | WALL FLUID DISPENSER



03 | VENTILATION SLIT



04 | DOOR (MAG-LOCK)



05 | REMOVABLE WALL PANELS



06 | CEILING HATCH



ROOM INVENTORY SUMMARY
THE ROOM (THE BOX) / LAYER 1



WALL FLUID
DISPENSER
1 UNIT



VENTILATION SLIT
(吸気口：溶接)
1 UNIT



MAGNETIC SEAL DOOR
(扉：電磁ロック)
1 UNIT



REMOVABLE WALL PANELS
4 UNITS



CEILING HATCH
1 UNIT

THE ROOM (THE BOX)
LAYER 1 (PRIMAL LAYER)

PULSE-LIGHT RING: ACTIVE
FREQUENCY: 18Hz
PULSE COLOR: #F5F0E8
CYCLE: 1 / 72

ドクン
(DOKUN)

THE PULSE-LIGHT RING
RECESSES. IT PULSES.
THE ROOM RESPONDS.
THE BODY REMEMBERS.



ONE PULSE
EVERY HEARTBEAT.

EIGHTEEN
PULSES PER
SECOND.

SIXTY MINUTES.

SEVENTY-TWO
PULSES PER
HOUR.

CYCLE ONE
OF SEVENTY-TWO.



NGH...!

ドクン
(DOKUN)



IT HURTS—
IT HURTS—
IT HURTS
—!

ドクン
(DOKUN)



EIGHTEEN
HERTZ.

RIGHT IN THE
VAGUS NERVE
RESONANCE
BAND.

NO WONDER
IT'S TEARING
THROUGH YOU.

ドクン
(DOKUN)



THE ROOM (THE BOX)
LAYER 1 (PRIMAL LAYER)
4m × 4m × 3m
Seamless Matte Composite
Sound-Dampening Field
Pulse-Light Ring
Pulse White (#F5F0E8)



THE ROOM (THE BOX)
LAYER 1 (PRIMAL LAYER)
SENSORY WATER TEST

試験
TEST

WALL FLUID DISPENSER
TEPID / CLEAR LIQUID
VOLUME SET

200ml

RULE: SAMPLE ALL
UNKNOWN SUBSTANCES.
VERIFY. ADAPT. SURVIVE.

TWO
HUNDRED
MILLILITERS.

STANDARD
SENSORY
PROTOCOL.

ゴクッ
(GULP)

CLEAR.
NO ODOR.
NO BURN.
NO AFTER-
TASTE.

NOTHING
IMMEDIATE.
PROCEED.

HM.
LET'S SEE
WHAT WE'RE
DEALING
WITH...

クン
クン
クン
(SNIFF)

祖母
(GRANDMOTHER)

薬湯
(MEDICINAL
BATH)

ホッ

BLECHH
HACHH!!

祖母

薬湯

LAVENDER...
OLD TILES...
MEDICINAL BATH...
GRANDMA'S...

UGH...!

THE ROOM (THE BOX)
LAYER 1 (PRIMAL LAYER)
4m × 4m × 3m
SEALLESS CONTAINMENT SPACE

VENTILATION SLIT IRIS
— CONSTRICTED
(SILENCE ≤ 60dB)

PULSE-LIGHT RING
STATUS: ACTIVE
MODE: PULSE WHITE

1

LISTEN UP,
MIKA.

THIS ISN'T
A PRISON.
IT'S AN
ENVIRONMENT.

ENVIRONMENTS
REQUIRE
MAINTENANCE.

REN KASUGA
28 / SPECIAL OPERATIVE
PRIMAL LAYER ADMIN

2

AUDIO MONITOR
SOURCE: VOICE
UNIT: dB SPL

VOICE LEVEL
42.7 dB
OXYGEN LEVEL
19.6%

OXYGEN SUPPLY
STATUS: NOMINAL
TREND: STABLE

3

MIKA "MIKU" TANAKA
24 / CIVILIAN
STATUS: NON-COMPLIANT

PSYCHOLOGICAL STATE
EXHAUSTION
APATHY
EMOTIONAL WITHDRAWAL

4

VOICE LEVEL RISING...

76.3 dB

SCHEDULED CONFLICT
PROTOCOL ENGAGED

OXYGEN LEVEL ADJUSTING...

15.2%

VENTILATION SLIT IRIS
— DILATED
(VOICE ≥ 60dB)

WHAT THE
HELL DO YOU
WANT FROM
ME?!

I'M NOT YOUR
EXPERIMENT!
I'M NOT YOUR
TOOL!

「衝突 = 酸素」
CONFLICT = OXYGEN
SYSTEM PRINCIPLE

5

EXACTLY.
THAT'S THE
POINT.

CONFLICT
GENERATES
OXYGEN.

SILENCE
CONSUMES IT.

PROTOCOL: SCHEDULED CONFLICT
1. INDUCE VOCAL ACTIVITY
2. MAINTAIN dB LEVELS ≥ 60
3. STABILIZE OXYGEN OUTPUT
4. PREVENT HYPOXIA
OBJECTIVE: SURVIVAL THROUGH DISSENSION

6

PULSE 36

THE ROOM (THE BOX)

LAYER 1
(PRIMAL LAYER)

OXYGEN QUALITY
14%

VENT IRIS
SEALED
PROTOCOL
ARGUMENT

I'M NOT
ASKING.

WE ARGUE.
NOW.

PULSE 36

ARGUMENT PROTOCOL ENGAGED

TRIGGER: VOCAL CONFLICT

RESPONSE: VENT IRIS UNLOCK

CONDITION: OXYGEN QUALITY INCREASE

ガガガ

ウィーン...

PULSE 36

OXYGEN QUALITY
14%

VENT IRIS
SEALED

PROTOCOL
ARGUMENT

...FINE.

YOU WANNA
ARGUE?

LET'S
ARGUE.

PULSE 36

YOU THINK
THIS IS
SOME GAME?

PEOPLE
DIE DOWN
HERE!

AND YOU
JUST—

PULSE 36→37

VENT IRIS: OPEN

OXYGEN QUALITY INCREASING

シュウウウウ...

OXYGEN QUALITY
14% → 28%

PULSE 37

PROTOCOL
COMPLETE.

WIN
CONDITION
MET.

REN KASUGA

ID: 01

プロトコル実行ログ

勝利条件: 達成

酸素増加 +14
(OXYGEN INCREASE +14)

PULSE: 37

STATUS: CLEARED

THE ROOM (THE BOX)
LAYER 1 (PRIMAL LAYER)

REN KASUGA, 28
USES FULL PHYSICAL
FORCE AND TORQUE
TO PRY WALL PANEL 1.

RESULT: NO YIELD.

NGH...!

MATERIAL ANALYSIS:
UNKNOWN COMPOSITE.
MICRO-LATTICE DENSITY:
OFF THE CHARTS.

YIELD POINT:
NONEXISTENT.

MIKU...?

MIKA "MIKU" TANAKA, 24
APPROACHES WITH
STEADY, ALERT GAIT.

ペリ...
(PERI...)

!?

ペリ...
(PERI...)

ANOMALY DETECTED:
CAUSE: UNKNOWN.
TRIGGER: TOUCH (NO FORCE)
RESPONSE: PANEL DELAMINATION
THRESHOLD: ZERO NEWTONS
LOGGED.

THE ROOM (THE BOX)

LAYER 1 (PRIMAL LAYER)

IT OPENED...!

ガ
シ
ャ
ン

0.0m

-3.0m

DEPTH: -3.0m
UPPER CHAMBER
(IDENTICAL LAYOUT)
4.0m × 4.0m × 4.0m

テスト07 —
被験体M：愛着度12

...WHAT IS
THIS PLACE?

[PRIMAL LAYER]
[OBJECTIVE: OBSERVATION + MEASUREMENT]

01

/??

THE ROOM (THE BOX) - LAYER 1 (PRIMAL LAYER)

PERCEPTION DIVERGENCE - CYCLE TWO

WALL FLUID DISPENSER ACTIVATED

SUBJECT: REN KASUGA
PERCEIVES: PURE WATER

SUBJECT: MIKA "MIKU" TANAKA
PERCEIVES: AMNIOTIC FLUID (37°C)

ROOM SPECS:
4m x 4m x 3m
SEAMLESS MATTE COMPOSITE
SOUND-DAMPENING FIELD
PULSE-LIGHT RING
EMITTING PULSE WHITE



SAME ROOM. SAME DEVICE.
DIFFERENT REALITIES.

THE ROOM (THE BOX)
LAYER 1 (PRIMAL LAYER)

MAPPING
PULSE CYCLES
TO VENTILATION
AIR CYCLES.

PULSE CYCLE = 72 PULSES



TOTAL: 216 PULSES

CALCULATION:

3 PULSE CYCLES (216 PULSES)



3 VENTILATION AIR CYCLES



RATIO:

216 PULSES : 3 AIR CYCLES

= 72 PULSES PER AIR CYCLE

ALIGNMENT: PERFECT



IT'S TOO
PERFECT...
THIS IS
A TRAP.

FOLLOW
PROTOCOL
AND WE
SURVIVE.

LOG CAPTION

「生存プロトコル確立」

(SURVIVAL PROTOCOL ESTABLISHED)



THE ROOM (THE BOX)
LAYER 1 (PRIMAL LAYER)



THE ROOM (THE BOX).

THIRD WALL FLUID DISPENSER CYCLE.

37°C.
BLOOD-WARM.
NOT WATER.
YŌSUI.

NOT
YOURS.

I JUST—



羊水

YŌSUI
AMNIOTIC
FLUID.

HYPER-PERCEPTION.

100%
MEMORY
TRACE.
UNFILTERED.

MIKA—!

REN BLUE
GRID:
SHATTERED.

MIKA RED
WASH:
OVERWRITE.

FUSION PURPLE
ACCENT:
STABILIZED.

THE ROOM
IS NOT
NEUTRAL.

CYCLE
COMPLETE.
BOND
ACTIVE.

THIRD WALL
ACKNOWLEDGED.

CONNECTION
ESTABLISHED.

PARTITION
DISSOLVED.

FUSION
INITIATED.

#4A1A5C



MIKA+REN



UNIFIED.
IRREVERSIBLE.

IT REMEMBERS.
IT CHOOSES.
IT BONDS.

THE ROOM
(THE BOX)

LAYER 1
(PRIMAL LAYER)

MY
BLUEPRINT...

IT'S—
IT'S GONE...!

浴室

(BATHROOM)

THE SMELL
OF THIS FLUID...

IT'S MY
CHILDHOOD
BATHROOM.

MIKA "MIKU" TANAKA
24 YEARS OLD
PRIMAL: MOTHER

THAT'S WHERE
I LEARNED
TO CLEAN
MYSELF.

THAT'S WHERE
I FIRST HEARD
WATER HIT
THE TILE.

THAT'S WHERE
I REALIZED...

I COULD
WASH AWAY
THE WORLD.

浴室

(BATHROOM)

石鹸

(SOAP)

MIKU...
YOU'RE—

THIS ISN'T
JUST A
MEMORY...

THE ROOM (THE BOX)
LAYER 1 (PRIMAL LAYER)

ピタリ...

SEALED.

VENTILATION SLIT
SEALED SHUT.

OXYGEN
酸素残量

00.0%

⚠ CRITICAL

OXYGEN LEVELS
CRASH.

告白が
鍵

"CONFESSION
IS THE KEY."

嘘ではない真実

"TRUTH THAT
IS NOT A LIE."

OXYGEN LEVEL
14%

拒絶 拒絶 拒絶 拒絶

I NEED TO
CONFESS SOMETHING.
SOMETHING THAT
HAPPENED BEFORE
I JOINED THE
BRIGADE.

拒絶 拒絶 拒絶 拒絶

IT'S A FACT.
A FINANCIAL
MISTAKE.

I MISREPORTED
EXPENSES DURING
MY INTERNSHIP.
I TOOK MONEY
THAT WASN'T
MINE.

拒絶 拒絶 拒絶 拒絶

I WAS YOUNG.
STUPID. GREEDY.

BUT IT'S THE
TRUTH.

拒絶
REJECTED

?!

IT WON'T
EVEN LET ME
SPEAK IT...

OXYGEN LEVEL
09%

IT'S
GETTING
HARDER TO
BREATHE...

REN...

YOU DON'T HAVE
TO PERFORM
IN HERE.

THIS ISN'T A
STAGE.

I CAN'T KEEP
DOING THAT.

NOT HERE.

NOT WITH
YOU WATCHING.

THERE'S SOMETHING
WORSE.

SOMETHING
I'VE NEVER SAID
OUT LOUD.

KASUGA
E-07

INCIDENT 7.

DURING THE COLLAPSE
AT SECTOR 11...

I LET HIM DROP.

A FIRE FIGHTER.

A FRIEND.

BECAUSE OF
SAFETY RULE #4.

不完全
INCOMPLETE

I FOLLOWED
PROTOCOL.

I STAYED
ABOVE.

HE FELL.

I DIDN'T
GO AFTER HIM.

I CHOSE THE
RULE OVER HIM.

...REN.

THAT'S NOT
SOMETHING
YOU JUST
SAY.

THANK YOU FOR
FINALLY LETTING
ME SEE IT.

ALL OF IT.

THE ROOM (THE BOX)
LAYER 1
PRIMAL LAYER

PULSE-LIGHT RING

182 BPM



受理

YOU SAID:
"I WANT THE TRUTH."

THE TRUTH IS—
I CAN'T PUT IT
INTO WORDS.

BUT YOU CAN
FEEL IT.

HERE.

MIKA "MIKU" TANAKA

HEART RATE

182 BPM

STATUS: OVERLOAD

⚠ SYNC LOCK

CONDITION:
TRUTH TRANSMISSION
IN PROGRESS...

REN KASUGA

HEART RATE

092 BPM



STATUS: STABLE


RESONANCE PHASE
THROAT CONTACT

COLOR MERGE:
RED (MIKA) + BLUE (REN)
= FUSION PURPLE
HEX: #4A1A5C

Signature

カチャッ (KACHI)

THE ROOM.
(THE BOX)



THE ROOM

LAYER 1

E-01

THE ROOM - LAYER 1 LOG
REN KASUGA

2036年11月12日

Layer 1・浸胎環境・胚培養槽群

気温: 36.7°C / 湿度: 98.9% / O₂: 21.3%

本層の構造は単純だが、異常なまでに
生命維持に最適化されている。

壁面はすべて有機ポリマー層。
再生速度、自己修復能力ともに規格外。

何よりも——“意図”を感じる。

12体の『胎児』を確認。
いずれもDNAは人間型、しかし成長速度に
ばらつきあり。対象の目的は不明。
観察を継続する。

プロトコル破綻。次の層へ。



THREW A PIECE
OF FLOOR
COMPOSITE
INTO THE VOID.

NO SOUND
RETURNS.

REN KASUGA

AGE: 28
HEIGHT: 181cm
WEIGHT: 69kg
ROLE: FIELD ANALYST
SPECIALTY: COGNITIVE
PATTERN DISRUPTION



PITCH-BLACK
THRESHOLD.
ZERO ECHO.
ZERO FEEDBACK.

NO ESCAPE.
NO CORNERS.
NO RETURN.




MIKA "MIKU" TANAKA
STEPPED THROUGH
THE THRESHOLD
WITHOUT HESITATION.

INTO TOTAL
DARKNESS.
WITHOUT FEAR.

MIKA "MIKU" TANAKA


AGE: 24
HEIGHT: 163cm
WEIGHT: 48kg
ROLE: EMOTIONAL
INTERFACE
SPECIALTY: AFFECTIVE
RESONANCE SYNC





WE MUST
PRESS THESE
PALMS
SIMULTANEOUSLY
WITHIN ± 0.3
SECONDS...

...WHILE
MAINTAINING
MATCHING
PULSE RATES.



REN KASUGA

PULSE 68 BPM ❤️



SYNCHRONIZATION WINDOW
 ± 0.3 SECONDS

00:00:00.0



PULSE MATCHING

----- %

LAYER 2 - EMOTIONAL LAYER



MIKA "MIKU" TANAKA

PULSE 67 BPM ❤️



MIKA "MIKU" TANAKA
AGE: 25



THE ROOM [THE BOX]

LAYER 2: EMOTIONAL LAYER

YOUR
MOTHER DIDN'T
ABANDON YOU.

SHE
DROWNED
SAVING YOU.

YOU FELT
HER FINGERS
LOOSEN.

PALM PANEL 1

同期率50
(SYNC RATE 50)

MIKA "MIKU" TANAKA

PULSE

♥ 72 BPM

STATUS: STABILIZED

PALM PANEL 2

「同期率100」
(SYNC RATE 100)

LAYER 2 - AUTHENTICITY ANALYSIS
EMOTIONAL RESONANCE: MAX
ACCESS GRANTED

YOU DIDN'T
FOLLOW THE
FIREFIGHTER
MANUAL...

...BECAUSE
YOU WERE
BRAVE.

YOU
FROZE.

YOU
WATCHED THE
GIRL REACH
FOR YOU...

...AND YOU
LET HER
DROP.

SUBJECT: REN KASUGA
EMOTIONAL KEY: TRAUMA_07

EVENT LOG:
"THIRD CALL"

FIRE. SMOKE. COLLAPSE.
GIRL. REACH. HAND.
NO GRAB.

RECORDING: CONFESSION_02


STATUS: SYNC 100%

REN KASUGA
EMOTIONAL STRUCTURE
UNSEALED

SCHEMATIC FRAGMENTATION
IN PROGRESS...

THE ROOM (THE BOX)

LAYER TRANSITION



FLASH

最終反復

FINAL ITERATION

LAYER 3
PSYCHIC LAYER

LAYER 3
PSYCHIC LAYER

CONFUSION / SURRENDER
PURPLE #4A1A5C

THE ROOM (THE BOX)

4m x 4m x 3m

SEALESS MATTE COMPOSITE
PULSE-LIGHT RING (CEILING)




AND NOW
WE'RE BACK
TO WATCH.

THE ROOM [THE BOX]

LAYER 3: PSYCHIC LAYER

RECURSIVE LOG ANALYSIS

SUBJECT: ITERANT 06-R



WRIST TAG SCAN
ID: 06-R
CLASS: ITERANT
LAYER: 3
STATUS: FAILED

...SCANNING...

RECURSIVE LOG ANALYSIS

ITERATION HISTORY: SUBJECT R

ITERATION 01 — FAIL — 00:12:44
ITERATION 02 — FAIL — 00:18:33
ITERATION 03 — FAIL — 00:09:21
ITERATION 04 — FAIL — 00:14:08
ITERATION 05 — FAIL — 00:11:47
ITERATION 06 — FAIL — 00:07:56

⚠ 失敗原因：真実の非対称性
(FAILURE CAUSE: ASYMMETRY OF TRUTH)
— SUBJECT R WITHHELD PRIMARY CHOICE

REN BLUEPRINT
#1A3C6E
INTEGRITY: 42%
STABILITY: CRITICAL

MIKA "MIKU" TANAKA
OBSERVER // LAYER 3 CLEARANCE



SIX
TIMES... HE
FAILED SIX
TIMES.



THE ROOM DOESN'T KILL.
IT REVEALS.
IT'S NOT A TEST OF STRENGTH—
IT'S A TEST OF TRUTH.
AND TRUTH,
DOESN'T LIKE SYMMETRY.

LOG END.
AWAITING NEXT ITERANT.

THE ROOM (THE BOX)
LAYER 3
(PSYCHIC LAYER)

THERE IS
NO EXIT.
ONLY
ITERATION.

ITERANT 06-M
STATUS: EXPIRED
TIME SINCE DEATH:
2H 43M



IDENTITY
REMAINS.
BOUND TO
THE LAYER.
AWAITING
NEXT CLAIMANT.



THE ROOM (THE BOX) - LAYER 3
PSYCHIC LAYER
PHASE 3: DECISION

REALIZATION:
WE ARE NOT TEST SUBJECTS.
WE ARE VARIABLES
IN A CLOSED-LOOP
EMPATHY ENGINE.

WE'VE
BEEN PLAYING
BY RULES THAT
WERE NEVER
OURS.

THAT ENDS
NOW.

REN KASUGA
28 YEARS OLD
STRATEGIST / OBSERVER

次元破壊

(PROTOCOL DISCARDED)

THEY DON'T
WANT OUR
VICTORY.

THEY WANT OUR
UNDERSTANDING.

BUT EMPATHY
WITHOUT FREEDOM
IS JUST ANOTHER
PRISON.

IF THIS IS
A LOOP...

THEN WE'LL
BREAK IT
TOGETHER.

I'M DONE
BEING A
VARIABLE.

I CHOOSE
US.

MIKA "MIKU" TANAKA
26 YEARS OLD
EMPATH / ANCHOR

CLOSED LOOP
EMPATHY ENGINE

STATUS:
ACTIVE

THEN
I'M WITH
YOU.

THE ROOM
(THE BOX)

LAYER 3
PSYCHIC LAYER

真実の
非対称性

Asymmetry of Truth—
One truth must break
the speaker.
Only one exits intact.

真実の非対称性

One truth must break
the speaker.
Only one exits intact.

真実の
非対称性

Asymmetry of Truth—
One truth must break
the speaker.
Only one exits intact.

THE WALLS...

THEY'RE NOT
JUST WORDS.

THEY'RE
EVALUATING
MY SOUL.

THIS ROOM
DOESN'T WANT
ANSWERS.
IT WANTS
A CONFESSION.

真実
非対称性

真実の
非対称性

One truth must break
the speaker.
Only one exits intact.

IT KEEPS
CHANGING...

LIKE IT'S
WRITING
US IN REAL
TIME.

CYCLE: MOJI-E

真実の
非対称性

One truth must break
the speaker.
Only one exits intact.

PHRASE SHIFT
+0.71 SECONDS
MEANING SHIFT
+1.00 SECONDS
PSYCHIC PRESSURE
RISING.

真実の
非対称性

One truth must break
the speaker.
Only one exits intact.

THE KANJI REWRITES.
THE MEANING DEEPENS.
THE PRESSURE ADAPTS.
THERE IS NO ESCAPE.

真実の
非対称性

One truth must break
the speaker.
Only one exits intact.

FINAL STATE
PENDING CONFESSION.
SYSTEM AWAITS
SPEAKER BREAK.

ONE TRUTH
MUST BREAK
THE SPEAKER.

WHAT TRUTH
IS LEFT...

THAT I HAVEN'T
ALREADY
DESTROYED?

IF I SPEAK IT...
I DON'T KNOW
IF ANY PART
OF ME WILL
SURVIVE.

ONLY
ONE
EXITS
INTACT.

THEN
THAT MEANS
YOU HAVE TO
CHOOSE.

WHAT TRUTH
ARE YOU
FINALLY
WILLING TO
LOSE
EVERYTHING
FOR?



[CALCULATED ABANDONMENT]



THE ROOM (THE BOX)
LAYER 3: PSYCHIC LAYER

MIKA'S
DEEPEST
FRACTURE.

ECHOES
OF
REGRET.

SHE
COULD HAVE
CURSED HIM.

SHE COULD
HAVE FLED.

BUT SHE
CHOSE
TRUTH.

THIS ISN'T
A GAME.

THIS IS
THE CORE.

NOT
FORGIVENESS,

BUT
CHOICE.

許しではなく選択

I DIDN'T
REACH FOR YOU
IN THIS ROOM OUT
OF BLIND PANIC.

I KNEW YOU HAD
CALCULATED AND
ABANDONED PEOPLE
BEFORE...

AND I REACHED
ANYWAY TO GIVE YOU
A SECOND CHANCE
TO CHOOSE A HUMAN
BEING OVER MATH.

EVERY
ABANDONMENT.

EVERY
CALCULATION
WITHOUT
MERCY.

EVERY TIME
HE CHOSE
THE EQUATION...

...SHE CHOSE
TO STILL SEE
THE HUMAN.

AND NOW...

HE MUST
CHOOSE.

THE ROOM (THE BOX)
LAYER 3 [PSYCHIC LAYER]

FINAL COUNTDOWN

THE CEILING PULSE-LIGHT RING
ACCELERATES TO A VIOLENT
1 BEAT PER PANEL STROBE.

30 BEATS REMAIN.

ドクン! ドクン! ドクン!
DOKUN! DOKUN!

ドクン! ドクン! ドクン!
DOKUN! DOKUN!

ONE
WRONG
BEAT...

30...

...AND
WE
DISAPPEAR.

ドクン! ドクン!
DOKUN! DOKUN!

ドクン! ドクン!
DOKUN! DOKUN!

29...

PALM
PANEL
LEFT WALL

PALM
PANEL
RIGHT WALL

ドクン! ドクン!

ドクン!

THIRTY
BEATS.
THAT'S ALL
WE GET.

28...

STAY IN
SYNC...
OR LOSE
EVERYTHING.

LAYER 3:
PSYCHIC LAYER
WHERE MIND AND
TIMING BECOME
ONE.

WELCOME TO
THE FINAL TEST
OF THE ROOM.

ドクン! ドクン! ドクン! ドクン! ドクン!
DOKUN! DOKUN! DOKUN! DOKUN! DOKUN!

THE ROOM (THE BOX)
LAYER 3 - PSYCHIC LAYER
SYNCHRONIZATION: 15 BEATS

PALM PANEL
- LEFT WALL -

15...

15

14...

14

13...

13

YOU DIDN'T
REACH TO BE
SAVED.

YOU REACHED
TO FORCE ME
TO SEE WHAT
I AM.

LAYER 3
PSYCHIC LAYER

A-R
03

REN BLUE LINES
CONVERT INTO
SOLID PULSE
WHITE LIGHT.

MIKA'S FINAL
TRUTH...

SPEAK IT.
BECOME IT.

ロック
(LOCKED)

READOUT:
LOCKED

THE ROOM (THE BOX)

LAYER 3: PSYCHIC LAYER

SYNCHRONIZATION IN PROGRESS

SUBJECT: MIKA "MIKU" TANAKA
AGE: 24
ROLE: KEY
STATUS: LINKING...

REN'S FINAL TRUTH
ACCEPTED.

YOU
AREN'T A
MACHINE.
YOU'RE JUST
TERRIFIED OF
FAILING.

RIGHT WALL
PALM PANEL

CONTACT: OK
PRESSURE: 100%
SYNC: 100%



MIKA RED
WASHES CONVERT
INTO PULSE WHITE.

ロック

(LOCKED)

08...

07...

06...

LEFT WALL
PALM PANEL

CONTACT: OK
PRESSURE: 100%
SYNC: 100%



RIGHT WALL
PALM PANEL

CONTACT: OK
PRESSURE: 100%
SYNC: 100%



TRUTH
ACCEPTED.

FEAR
ACKNOWLEDGED.

CONNECTION
ESTABLISHED.

SYNCHRONIZATION
COMPLETE.

SYNCHRONIZATION CONDITION:
[TRUTH + CONTACT + COMMITMENT]

— ALL MET.

THE ROOM ACKNOWLEDGES YOU.

THE BOX WILL OPEN
WHEN YOU DO.

田中

第三層：精神層
LAYER 3 : PSYCHIC LAYER

CLIMAX SYNCHRONIZATION

////

COUNTDOWN

00

STATUS: GO
PULSE SYNC: 100%

第三層：精神層
LAYER 3 : PSYCHIC LAYER

CLIMAX SYNCHRONIZATION

////

COUNTDOWN

00

STATUS: GO
PULSE SYNC: 100%

同期完了

(SYNC COMPLETE)

...IT'S
TIME.

REN...
TRUST
THE SYNC.

NOW.

I'M
WITH YOU.

EVERYTHING...

...RIDES ON
THIS PULSE.

LET'S
FINISH
THIS.

ONE MIND.
ONE PULSE.
ONE RESULT.

ズズズズズズ...
(ZUUUUU...)



THE ROOM.
THE BOX.

BEYOND THIS POINT,
THERE IS NO MAP.
ONLY CHOICE.

箱
の
中

INTO
THE
UNKNOWN.

WHO ARE
WE
WITHOUT
THE PAST?