



LOC I-PWB <b>111.9</b>	APP CRS <b>279°</b>	Rwy Idg TDZE Apt Elev <b>9189</b> <b>18</b> <b>20</b>
---------------------------	------------------------	--

DME or RADAR required. DME or RADAR required for procedure entry.	MISSED APPROACH: Climb to 500 then climbing right turn to 3000 on PBI VORTAC R-343 to MORG/ PBI 17.8 DME and hold.
---	--

D-ATIS <b>123.75</b>	PALM BEACH APP CON <b>128.3 317.4</b>	PALM BEACH TOWER <b>119.1 257.8</b>	GND CON <b>121.9 284.6</b>	CLNC DEL <b>121.6 284.6</b>
-------------------------	--	--	-------------------------------	--------------------------------



500	3000	PBI R-343	MORGA	VGSI and ILS glidepath not coincident (VGSI Angle 3.00/TCH 70).	One Minute Holding Pattern
RELTY PBI 4.8 RADAR	CAFEN PBI 6.4 RADAR	CUPED PBI 10.8 RADAR	GS 3.00° TCH 58		
4.5 NM	1.6 NM	4.4 NM			
A	B	C	D		
S-ILS 28R	218/40	200 (200-¾)			
S-LOC 28R	460/55	442 (500-1)	460-1⅓	442 (500-1⅓)	
CIRCLING	560-1	540 (600-1)	740-2	780-2½	760 (800-2½)