

How to read this

- Four families: **A** adoption & throughput · **B** quality & integrity · **C** scores & insight · **D** outcomes & impact.
- Global rules: `not_observed` excluded from every mean and σ ; only submitted (immutable) responses count; category display gate $n \geq 3$, org slices $n \geq 5$; cross-cycle trends only on same competency + template version.
- Exact formulas, slices, refresh rates and alert wiring live in the companion `jarvis2-360-indicators.json` — this page is the map, that file is the implementation.

A — Adoption & throughput · cycle ops

- A1 Reviewer completion rate**
submitted before `review_end` ÷ assigned (excl. replaced)
≥ 90% **warn < 75% at window midpoint**
- A2 Median time per evaluation**
median(submitted – started), resume-gaps > 30 min subtracted
≤ 4:00 mobile **warn > 6:00 sustained**
- A3 Mobile share of submissions**
mobile submits ÷ all submits
informational · baseline ~78%
- A4 Decline rate**
declined ÷ assigned
< 10%
≥ 25% for one subject → replace queue
- A5 Overdue assignments**
past due, not submitted/declined
0 at review_end
reminders T+1d, every 3d, max 3
- A6 Reviewer load**
active assignments per reviewer at nomination close
≤ 8 **> 8 blocks auto-approve**
- A7 Participants with < 3 eligible peers**
dry-run validation count
0 before activation
blocks draft → nomination

B — Quality & integrity · trust engine

- B1 Comments with a specific example**
example-classified ÷ non-empty comments (≥ 40 chars + concrete-event heuristic or AI label)
≥ 60%
- B2 Not-observed rate per question**
not_observed ÷ answers, per question
< 25%
≥ 25% → question rewritten next version
- B3 Single-rater outlier flag**
 $|rating - category\ mean| > 2\sigma$, category $n \geq 3$
flag for calibration — never edits, never identifies
- B4 Leniency / severity index**
mean given by dept – org mean given · per department, never per reviewer · $n \geq 5$
|LI| < 0.5
- B5 Score distribution drift**
cycle mean – prior cycle mean per competency, same template version
|drift| < 0.3
template change = visible series break
- B6 Anonymity enforcement**
report categories rendered with $n < 3$ — server-side gate
0 · hard invariant — violation blocks render & pages engineering
- B6 is not a dashboard number. It is a correctness gate in the report renderer with an audit-log trail. Treat any breach as a P1 bug, not a metric miss.

C — Scores & insight · per person

- C1 Category score**
mean(ratings in relationship category) · display
gate $n \geq 3$ · manager & self attributed at $n = 1$
display value
-
- C2 Others composite**
mean of category means — NOT pooled
responses, so a big peer group can't drown direct
reports
display value
-
- C3 Self-others gap**
self - others composite, per competency
|gap| ≥ 1.0 → Johari flag
largest negative gap seeds the dev plan
-
- C4 Johari classification**
split at 3.5 / 3.5 on (self, others): confirmed
strength · blind spot · hidden strength · agreed
growth
classification
-
- C5 Cycle-over-cycle trend**
category score - prior cycle · same competency +
template version only
display value · else explicit series break

Event inputs you must emit

Every indicator computes from these nine events —
instrument them first, indicators become queries:

```
assignment.created / .started / .submitted  
assignment.declined  
report.released / .acknowledged  
debrief.scheduled / .held  
devplan.created / .checkin_completed  
nudge.sent
```

Payload fields per event are specified in the JSON.
Timestamps + device on every event; answers ride only on
assignment.submitted.

D — Outcomes & impact · did it matter

- D1 Debrief within 14 days**
debrief.held $\leq$ release + 14d ÷ reports released
 $\geq 80\%$ 10d unscheduled → manager nudge
-
- D2 Report acknowledgment**
acknowledged $\leq$ 7d ÷ released
 $\geq 90\%$
7d silent → employee push w/ deep link
-
- D3 Development plan activation**
plan with ≥ 1 goal $\leq$ 30d post-release ÷ released
 $\geq 70\%$
day 21 empty → manager + employee nudge
-
- D4 Check-in completion**
check-ins done within 7d of schedule ÷ scheduled
 $\geq 75\%$

Where each family lives

- A** HR tiles + department bars + manager team
board; A5 also pins red in the mobile inbox
-
- B** HR org analytics + health checks; B3 surfaces
only in the manager calibration workspace
-
- C** Employee report (radar, gap chips, Johari) +
condensed mobile results
-
- D** HR org analytics + manager team board +
employee dev plan

Implementation order

- **1 · Events first.** Emit the nine events; backfill nothing.
- **2 · Gates before dashboards.** B6 anonymity gate and
C1's $n \geq 3$ display rule ship before any chart does.
- **3 · A-family live during cycle 1** — it's what keeps
completion $\geq 90\%$.
- **4 · B4, B5, C5 need cycle 2+** — don't fake trends with
one cycle of data.