

IDENTIFICATION OF AYURVEDIC PLANTS USING DEEP LEARNING

A MAIN PROJECT REPORT

SUBMITTED IN PARTIAL FULFILLMENT OF THE
REQUIREMENTS FOR THE AWARD OF DEGREE OF

BACHELOR OF TECHNOLOGY

in

COMPUTER SCIENCE AND ENGINEERING

of

APJ Abdul Kalam Technological University

by

MOHAMED SAYYAF

ROHITH S

SEBASTIAN T F

SUHAIM IBRAHIM KODANCHERY



(AN ISO 9001:2008 CERTIFIED INSTITUTION)

Department of Computer Science & Engineering

Vidya Academy of Science & Technology

Thalakkottukara, Thrissur - 680 501

(<http://www.vidyaacademy.ac.in>)

November 2019

Department of Computer Science & Engineering Vidya Academy of Science & Technology

Thalakkottukara, Thrissur - 680 501

(<http://www.vidyaacademy.ac.in>)



(AN ISO 9001:2008 CERTIFIED INSTITUTION)

Certificate

This is to certify that the Main Project Report titled **“IDENTIFICATION OF AYURVEDIC PLANTS USING DEEP LEARNING ”** is a bonafide record of the work carried out by **MOHAMED SAYYAF, ROHITH S, SEBASTIAN T F, SUHAIM IBRAHIM KODANCHERY** of Vidya Academy of Science & Technology, Thalakkottukara, Thrissur - 680 501 in partial fulfillment of the requirements for the award of **Degree of Bachelor of Technology in Computer Science and Engineering of APJ Abdul Kalam Technological University**, during the academic year 2019-2020. The Main Project report has been approved as it satisfies the academic requirements in the respect of main project work prescribed for the said degree.

Project Guide/Supervisor

Mr. Ravishankar S

Asst. Prof. Dept. of CSE

.....

Project Coordinator

.....

Head of Department

Dr. Ramani Bai V

Prof. Dept. of CSE

.....

Undertaking

We, **MOHAMED SAYYAF , ROHITH S , SEBASTIAN T F and SUHAIM IBRAHIM KODANCHERY** , hereby undertake that the main project work entitled **“IDENTIFICATION OF AYURVEDIC PLANTS USING DEEP LEARNING ”**, is carried out by us independently under the valuable guidance of **Mr. Ravishankar S** Asst. Prof., Dept. of Computer Science and Engineering, Vidya Academy of Science and Technology, Thalakkottukara, Thrissur, in partial fulfillment of the requirements for the award of degree of **Bachelor of Technology in Computer Science and Engineering** of **APJ Abdul Kalam Technological University**, during the academic year 2019-2020.

MOHAMED SAYYAF (VAS16CS075)

ROHITH S (VAS16CS093)

SEBASTIAN T F (VAS16CS102)

SUHAIM IBRAHIM KODANCHERY (VAS16CS118)

Thrissur

November 2019

Acknowledgement

During the course of our main project work several persons collaborated directly and indirectly with us. Without their support it would be impossible for us to finish our work. That is why we wish to dedicate this section to recognize their support.

We want to start by expressing our thanks to our project guide **Mr. Ravishankar S**, Asst. Prof. Dept. of Computer Science and Engineering, for his valuable advice and guidance towards this work. We received motivation, encouragement and hold up from him during the course of work.

We are grateful to express our thanks to **Ms. Vidya M.**, Asst. Prof. Dept. of Computer Science and Engineering and **Ms. Aswathy M. R.**, Asst. Prof. Dept. of Computer Science and Engineering and all the faculty members of our department for their support. We articulate our gratitude to all our friends for their support and help.

We are thankful to **Dr. Ramani Bai V**, Head of Computer Science & Engineering Department, and our Principal **Dr. Saji C B**, for their sole co-operation.

Last, but not the least we wish to express our gratitude to God Almighty for His abundant blessings without which this effort would not have been successful.

MOHAMED SAYYAF, ROHITH S
SEBASTIAN T F, SUHAIM IBRAHIM KODANCHERY

B.Tech (CSE) (2016 Admissions)

Vidya Academy of Science & Technology

November 2019

Thrissur - 680 501.

Abstract

Identification of the correct medicinal plants that go into the preparation of medicine is very important in the ayurvedic medicinal industry. The main features required to identify a medicinal plant are its leaf shape, colour, and texture. Colour and texture of the leaf contain deterministic parameters to identify the species. Use of the correct plant extracts is crucial in Ayurvedic treatment. There is a lot of emphasis on herbal and indigenous medicines worldwide, especially in India. But the major drawback is the difficulty in finding the ingredients for the medicine. A database of medicinal plant leaves is created from scanned images of the leaves of commonly used ayurvedic medicinal plants; 60 classes of images containing 1000 samples per class are acquired in the dataset. Existing solutions perform image processing to extract features of leaves from images and apply machine learning techniques to infer the unique features of each plant. Models thus developed take new images as input and predict the type of plant being identified. The solution we propose uses the huge dataset we possess, to train Artificial Neural Network (ANN) which then learns about the features of the leaves. This approach produces better results than existing methods that try to solve the same problem. We are also building a mobile application with which the users can identify the plant by capturing images or videos.

Contents

CERTIFICATE	
UNDERTAKING	
ACKNOWLEDGEMENT	i
ABSTRACT	ii
LIST OF FIGURES	iv
LIST OF TABLES	v
LIST OF SYMBOLS AND ABBREVIATIONS	vi
1 INTRODUCTION	1
1.1 General	1
1.2 Objectives of the Work	2
1.3 Motivation for this work	2
1.4 Methodologies Adopted	2
1.5 Outline of the Report	3
2 LITERATURE REVIEW	4
2.1 Identification of Philippine Herbal Medicine Plant Leaf Using Artificial Neural Network	4
2.2 Leaves Classification Using Neural Network Based on Ensemble Fea- tures	6
2.3 Identification of Ayurvedic Medicinal Plants by Image Processing of Leaf Samples	7

2.4	Plant Species Identification Based on Neural Network	9
3	SYSTEM DESIGN	11
3.1	System Architecture	11
3.1.1	Image Acquisition	11
3.1.2	Preprocessing	12
3.1.3	Apply Deep Learning Algorithms	13
3.1.4	Stages in Deep Learning	14
4	METHODOLOGY	16
4.1	Deep Neural Network	16
4.2	CNN (Convolutional Neural Network)	17
4.2.1	Layers in CNN	18
4.3	Transfer Image Learning	21
4.3.1	Transfer Learning Approaches	21
4.3.2	Transfer Learning with Image Data	23
4.3.3	Conditions to use Transfer Learning	23
5	CONCLUSION	25
	BIBLIOGRAPHY	26

List of Figures

3.1	System Architecture	12
4.1	Deep Neural Network	17
4.2	Convolution Process	19
4.3	Pooling	20
4.4	Convolutional Neural Network	21
4.5	Three ways in which transfer might improve learning.	24

List of Tables

3.1	Some plants in the database	15
-----	---------------------------------------	----

List of Symbols and Abbreviations

VAST	Vidya Academy of Science and Technology
SGD	Stochastic Gradient Descent
ReLU	Rectified Linear Unit
CNN	Convolutional Neural Network
GPU	Graphics Processing Unit

Chapter 1

INTRODUCTION

Ayurveda is an ancient system of medicine practiced in India and has its roots in the Vedic times, approximately 5000 years ago. More than 8000 plants of Indian origin have been found to be of medicinal value. Combinations of a small subset amounting to 1500 of these plants are used in herbal medicines of different systems of India. Incorrect use of medicinal plants makes the Ayurvedic medicine ineffective. It may produce unpredictable side effects also. In this situation, strict measures for quality control must be enforced on Ayurvedic medicines and raw materials used by the industry in order to sustain the present growth of the industry by maintaining the efficacy and credibility of medicines. This creates a need for a solution for the above scenario.

1.1 General

In the ancient past, the Ayurvedic physicians themselves picked the medicinal plants and prepared the medicines for their patients. Today, the plants are collected by women and children from forest areas, who are not professionally trained in identifying correct medicinal plants. Manufacturing units often receive incorrect or substituted medicinal plants. Most of these units lack adequate quality control mechanisms to screen these plants. In addition to this, confusion due to variations in the local names is also rampant. Some plants arrive in dried form and this makes the manual identification task much more difficult. The commercialization of the Ayurvedic sector has brought into focus several questions regarding the quality of raw materials used for Ayurvedic medicines.

1.2 Objectives of the Work

The solution that we are proposing here is an Android Application that identifies an ayurvedic plant by just capturing the image of the plant by the user. The input to this system is an image of leaf scanned through the camera of a mobile device. This leaf image is processed by Deep Learning Algorithms and it produces output as which class the ayurvedic plant belongs to and it also provides information about the plant like it's medicinal values, local name, botanical name and side effects of the plant. Such an application will help a lot of people who don't have knowledge about the ayurvedic industry or the medicinal benefits of ayurvedic plants in identifying their nearby ayurvedic plants and gather information about the medicinal benefits of the plant.

1.3 Motivation for this work

The identification of many medicinal plants often requires an expert, and there is a shortage of such experts in India. Furthermore, the conversion of rural lands and forests into commercial developments has an adverse impact on the number of medicinal plants that may be threatened. Safeguarding medicinal plants requires a concrete knowledge of the availability and spread of such plants across India, and how commercial development is affecting the survival and availability of medicinal plants. One specific aspect of this would involve the design and development of an automated medicinal plant identification system.

1.4 Methodologies Adopted

In this project, we use deep learning algorithms to solve the problem. There are many deep learning algorithms that can be applied. We'll be using three deep learning algorithms in our project. The algorithms are:

- Deep Neural Network
- Convolutional Neural Network
- Transfer Image Learning

These algorithms are implemented and evaluated and the one which gives the optimal results will be selected to be implemented in the Android application.

1.5 Outline of the Report

This report contains 4 chapters. Chapter 1 gives the introduction to the project work and describes the objectives of the work. Literature survey is described in Chapter 2. System Design is explained in the Chapter 3. Methodology is well explained in chapters 4 . The report concludes with a chapter describing the future development and scope.

Chapter 2

LITERATURE REVIEW

Many recent studies exist on plant classification and identification based on different plant features. However, to handle such features information, finding an efficient classification method has become an area of active study. Many researchers have attempted and worked very much in this area. Most papers propose and use Machine Learning techniques to tackle the problem. Some researchers have proposed the use of Deep Learning techniques such as Artificial Neural Networks. Many have achieved great accuracies with their models. But most of these papers are only research and their results are inaccessible or unavailable for use by the general public.

2.1 Identification of Philippine Herbal Medicine Plant Leaf Using Artificial Neural Network

[1] By Robert G. de Luna, Renann G. Baldovino, Ezekiel A. Cotoco, Anton Louise P. de Ocampo, Ira C. Valenzuela, Alvin B. Culaba, Elmer P. Dadios

The study described in this paper consists of a system that involves image processing techniques to extract relevant features related to leaf in conjunction with using artificial neural network in order to detect and identify some Philippine herbal plants. Real samples of twelve different herbal medicine plant leaves are collected where each leaf are isolated in single image. Several features are extracted using techniques in image processing. With the artificial neural network acting as an autonomous brain network, the system can identify the species of the herbal medicine plant leaves being tested. The

system can also provide information about the diseases the herbal plant can be used to cure.

For the training, a features dataset of 600 images coming from 50 images per herbal plant are used. With the aid of Python, a neural network model with optimized parameters is established producing 98.16% identification for the whole dataset. To evaluate the actual performance of the system, a separate 72 sample images of herbal plants are tested with the neural network model implemented in MATLAB. Experimental results demonstrate a 98.61% accuracy of herbal plant identification.

In the system, the researchers provided a program that will serve as the tool for the user in order to distinguish specific herbal medicine plant leaves, with the aid of a camera installed along with the system to capture image of a leaf specimen. The captured image will be processed and analyzed using different techniques of image processing in order to obtain defined parameters. Around 20 to 30 features are used for recognition of plant. For this study, several primary features will be used to obtain around 5 secondary features that will serve the purpose of identification.

They developed a computer program that has the ability to learn from examples and can thus also perform recognition of previously unseen patterns. A supervised multilayer perceptron (MLP) artificial neural network (ANN) will be used in this system. Training is carried out by presenting a succession of data records (the training set) to the network, each record containing data from a specimen or record of known identity.

The resultant ability of the network to recognize previously unseen patterns is periodically tested using an independent "validation" dataset, also containing data records of known classes. After identification, necessary display of result is presented. In this proposed work, experimental analysis was carried out with 12 herbal plant species approved by the Department of health (DOH) for medical applications. Fifty leaves were taken from each plant species and clustered.

2.2 Leaves Classification Using Neural Network Based on Ensemble Features

[2] By Sigit Adinugroho, Yuita Arum Sari

An automated plant identification is necessary to identify plants, especially rarely seen ones. In this paper a framework to identify plant species based on leaf's characteristics is introduced. First, 31 features of leaves from 13 species are extracted that represents color, shape and texture of the leaves. Then, the features are selected according to their correlation to the class label. The data with 25.8% pruned features are then used to train a feedforward neural network. The network is trained and tested using 975 images by implementing 10-fold mechanism yielding 95.54% accuracy.

This paper implements leaf-based plant recognition using ensemble features based on texture, color, and shape. Those features are used to recognize a plant using neural network classifier. Their main contribution is in determining appropriate features as well as selection of optimum parameters in neural network classifier. This research uses a publicly available leaves dataset named Swedish leaf dataset. The dataset contains 1125 Swedish tree leaf images from 15 species, with 75 images per species. This research focuses primarily on simple leaves. Their system consists of the phases: Segmentation, Feature Extraction, Feature Selection, Neural Network Training and Testing

This research uses 31 features extracted from three basic characteristics of a leaf: Shape, Color, and Texture. In order to reduce the number of neural networks input nodes which leads to reducing training and testing time, the importance of each feature is measured. To do that, Pearson correlation coefficient is calculated to assess how well a feature and the class label correlates.

Feedforward neural network (FFNN) is a type of neural network which has three types of layers: input layer, hidden layers and output layer. Each node in a layer is connected to each node in the following layer without any feedback connection. This experiment makes use of an FFNN with single layer of input, hidden, and output nodes. The number of nodes in the input layer depends on the number of features from the input data, while the number of nodes in the hidden layer is also tested to find most effective

number. On the other hand, the number of nodes in output layer is always 13 that is equal to the number of the class in the dataset.

It is shown that the accuracy increases as more are features added. However, the accuracy converges to values around 80% starting from 13 features. Adding more features does not significantly increase the accuracy. The maximum accuracy is 84% achieved by 23 features. In other words, the feature selection is able to reduce 25.8% of the features. The maximum accuracy is 95.54% with 14 hidden nodes. This paper proposes an approach for plant recognition based on leaf characteristics. Feature selection has managed to reduce the number of features by 25.8%. Experiment result from the dataset indicates that the method has a promising result shown by the accuracy of 95.54% by using 14 hidden nodes.

2.3 Identification of Ayurvedic Medicinal Plants by Image Processing of Leaf Samples

[3] By Manojkumar P., Surya C. M., Varun P. Gopi

Colour and texture from both sides of the leaf contain deterministic parameters to identify the species. This paper explores feature vectors from both the front and back side of a green leaf along with morphological features to arrive at a unique optimum combination of features that maximizes the identification rate. A database of medicinal plant leaves is created from scanned images of front and back side of leaves of commonly used ayurvedic medicinal plants. The leaves are classified based on the unique feature combination. Identification rates up to 99% have been obtained when tested over a wide spectrum of classifiers. The above work has been extended to include identification by dry leaves and a combination of feature vectors is obtained, using which, identification rates exceeding 94% have been achieved.

A set of medicinal plant leaf images were collected from a private botanical garden. 20 leaves were collected in a random manner from 40 different plant species used for Ayurvedic, herbal and folk medicines. The leaves were collected from their natural habitat and the selection of leaves and plants were quite random. The leaves were spread out on an ordinary document scanner and scanned with highest possible resolution. Both the

front and back sides were scanned and the images were stored in jpeg format for further processing.

Initially 131 features are extracted from the front and back side of each leaf image. This set includes 36 centroid-radii (CR) distances, 12 geometrical features, 24 colour features, 40 texture features, 7 HU invariant moments and 12 Zernike moments. These features are extracted from each of the 20 leaves belonging to 40 species.

In this proposed method, 800 and 400 samples are taken for training and testing respectively. Different combinations of feature vectors are tested using MLP and SVM to assess the performance. Highest identification rate (ID rate) of 99% is obtained in MLP using Geometric-Colour-Texture-Zernike combination with 38 features, followed closely by Geometric-Colour-Texture combination with 30 features with an ID rate of 98.7%. In SVM, maximum ID rate of 98.8% is for Geometric-Colour-Texture-Zernike combination with 38 features followed by 98.1% for CR-Geometric-colour-Texture combination having 48 features. From the results it can be concluded that Geometric-Colour-Texture-Zernike combination results in highest classification rate in MLP classifier and may be employed in the problem of identifying medicinal plants from samples of green leaves if the requirement is to maximize ID Rate.

In this proposed method, 800 and 400 samples are taken for training and testing respectively. Colour features cannot be employed for identifying plants using dry leaves. Texture features gets distorted when the leaves dry and we cannot depend on these two features for plant identification problem. Extraction of venation features is quite challenging from dry leaves. Geometric, centroid-radii, HU invariant moments and Zernike moments may, however be employed effectively for the dry leaf. In this paper total 37 features were extracted from dry leaf.

The effectiveness of individual feature sets along with their combinations are then analysed using SVM and MLP classifiers to find the optimum combination, which is then tested with different classifiers. Different classifiers were used to identify the plants using dry leaves. Among this MLP yields highest ID rate of 94.5%.

2.4 Plant Species Identification Based on Neural Network

[4] By Lei Zhang, Jun Kong, Xiaoyun Zeng, Jiayue Ren

Aided Plant Species Identification acts significantly on plant digital museum system and systematic botany, which is the groundwork for research and development of plant. This paper presents a new method for plant species identification using leaf image. It focuses on the stable features extraction of leaf, such as the geometrical features of shape and the texture features of venation. The 2-D moment invariants, Wavelet statistical features are used to extract leaf information. Self-Organizing Feature Map (SOM) neural network has the advantages of simple structure, ordered mapping topology and low complexity of learning. It is suitable for many complex problems such as multi-class pattern recognition, high dimension input vector and large quantity training data. So this paper uses SOM neural network to identify the plant species. The experimental results illustrate the effectiveness of this method.

In this paper, the geometrical feature and the texture feature are all extracted and used for plant species identification. The plant species identification system is operated in two phases: the training and the identification. In the training phase the leaves samples of known plant species are provided to the system. By feature extracting, the produced feature values are used to train the SOM neural network. In the identification phase, query plant leaf image passes through the feature extraction to obtain a set of feature values, which are input to the trained SOM artificial neural network, the trained SOM neural network will give decision of the query plant species.

The system contains several modules, which are described below:

1. Leaf image acquisition and preprocessing
2. Feature extraction:
 - Geometry feature can be computed by 2-D moment invariants and the ratio of leaf length to width, secondly the texture feature is extracted by multi-resolution Gabor filters and statistical moments.

3. Identification

- The feature values of known plant species are used to train the SOM neural network. And the trained SOM neural network can be used to identify the query leaf sample

In this paper, a plant identification method based on SOM neural network is proposed and performed. Firstly, the shape feature of the leaf is extracted by 2-D moment invariants and approximately ratio. Secondly, the Discrete Wavelet Transform and statistical moments are employed to capture the texture information of nervation. Finally, the SOM neural network is used to identify the species of the plant. Experimental results reveal this method is feasible and effective in some plant species identification. As the next step, they plan to involve in studying and implementing plant species identification in the complex background and illumination.

Chapter 3

SYSTEM DESIGN

System design is the process of designing the elements of a system such as the architecture, modules and components, the different interfaces of those components and the data that goes through that system.

3.1 System Architecture

The proposed system identifies the Ayurvedic plant with an image of its leaf taken using an android application. User captures image of the leaf of the Ayurvedic plant to be identified. App uses deep learning model to identify the class of the leaf and displays result. The major steps involved in identification are:

- Image Acquisition
- Preprocessing
- Apply Deep Learning Algorithms
- Feature Extraction
- Leaf Classification

3.1.1 Image Acquisition

The images of the leaf of the plant is captured using an android application.




Figure 3.1: System Architecture

3.1.2 Preprocessing

The image taken is first preprocessed in the system. Some of the various preprocessing techniques applied are

- **Uniform Aspect Ratio**

One of the first steps is to ensure that the images have the same size and aspect ratio. Most of the neural network models assume a square shape input image, which means that each image needs to be checked if it is a square or not, and cropped appropriately. Cropping can be done to select a square part of the image.

- **Image Scaling**

Once we have ensured that all images are square (or have some predetermined aspect ratio), its time to scale each image appropriately.

- **Dimensionality Reduction**

We could choose to collapse the RGB channels into a single gray-scale channel.

3.1.3 Apply Deep Learning Algorithms

Deep learning is a type of machine learning (ML) and artificial intelligence (AI) that imitates the way humans gain certain types of knowledge. It teaches the computer to learn by example.

Three different Deep Learning techniques are used to tackle the problem.

- Deep Neural Network
- Convolutional Neural Network (CNN)
- Transfer Learning

Deep Neural Network

Deep Neural Networks mainly involves neural networks. The structure of a neural network is like any other kind of network there is an interconnected web of nodes, which are called neurons, and the edges that join them together. A neural network's main function is to receive a set of inputs perform progressively complex calculations and then use the output to solve a problem.

Convolutional Neural Networks

It's essentially a Neural Network that uses convolution in place of general matrix multiplication in one of their layers. CNN uses some features of the visual cortex. CNN has the special ability to determine patterns in an image. It takes in an input image, assign learnable weights and biases to various aspects/objects in the image and be able to differentiate one from the other.

Transfer Learning

Transfer learning make use of the knowledge gained while solving one problem and applying it to a different but related problem. It's an optimization in general.

In transfer learning, we first train a base network on a base dataset and task, and then we transfer them, to a second network to be trained on another dataset and task. This process will tend to work if the features are general, meaning suitable to both base and target tasks.

Performance of these three Deep Learning techniques is analysed and evaluated and the one with the best accuracy is taken.

3.1.4 Stages in Deep Learning

60 classes of medicinal plants with 1000 samples per class is used in the system. The stages in the system are:-

- **Training Stage:** In this stage the Leaf images are preprocessed and the Deep Learning models learn the features from images. Trained models can now be used for identifying test samples.
- **Validation Stage:** Images from the training set are used to test the trained model.
- **Testing Stage:** The test leaf samples ie. the images of the leaves are used to test the model.

Ayurvedic Plant Leaves		
Sl No:	Local Name	Botanical Name
1	Indian Elm	Holoptelea Integrifolia
2	Willow-leaved justicia	Justicia Beddomei
3	Chabakam	Michelia Champaca
4	Adapathiyam	Holostemma Ada- Kodien
5	Aromatic Ginger	Kaempferia Galanga
6	Spanish Cherry	Mimusops Elendig
7	Chethi	Ixora Coccinea
8	Air Plant	Kalanchoe Pinnata
9	Curry leaf tree	Muraya Koenigii (Linn)
10	Licorice Weed	Scoparia Dulcis
11	Nutmeg	Myristica Fragrans
12	Malabar Plum	Syzygium Jambos
13	Scarlet Leadwort	Plumbago Indica
14	Canton Ginger	Zingiber Officinale
15	Common Gauva	Psidium Guajava
16	Chini	Acalypha Fruticosa
17	Cinnamon	Cinnamomum Zeylanicum
18	Aloe vera	Aloe Vera
19	Screw tree	Helicterus Isora
20	Sodom Apple	Calotropis Procera

Table 3.1: Some plants in the database

Chapter 4

METHODOLOGY

The purpose of project methodology is to allow for controlling the entire management process through effective decision making and problem solving, while ensuring the success of specific processes, approaches, techniques, methods and technologies.

4.1 Deep Neural Network

The structure of a deep neural network is like any other kind of network. There is an interconnected web of nodes, which are called neurons and the edges that join them together. A neural network's main function is to receive a set of inputs, perform progressively complex calculations, and then use the output to solve a problem. Neural nets are used for classification tasks where an object can fall into one of at least two different categories. A deep neural network is highly structured and comes in layers. The first layer is the input layer, the final layer is the output layer, and all layers in between are referred to as hidden layers. A neural net can be viewed as the result of spinning classifiers together in a layered web. This is because each node in the hidden and output layers has its own classifier. A set of inputs is passed to the first hidden layer, the activations from that layer are passed to the next layer and so on until you reach the output layer, where the results of the classification are determined by the scores at each node. This happens for each set of inputs. This series of events starting from the input where each activation is sent to the next layer, and then the next, all the way to the output, is known as forward propagation or forward prop.

Forward propagation is a neural net's way of classifying a set of inputs. Each node




Figure 4.1: Deep Neural Network

has the same classifier, and none of them fire randomly. If you repeat an input, you get the same output. Each edge has a unique weight, and each node has a unique bias. This means that the combination used for each activation is also unique, which explains why the nodes fire differently. The prediction accuracy of a neural net depends on its weights and biases. We want that accuracy to be high, meaning we want the neural net to predict a value that is as close to the actual output as possible, every single time.

The process of improving a neural nets accuracy is called training, just like with other machine learning methods. To train the neural network, the output from forward propagation is compared to the output that is known to be correct, and the cost is the difference between the two. The point of training is to make that cost as small as possible, across millions of training examples. To do this, the network tweaks the weights and biases step by step until the prediction closely matches the correct output. Once trained well, a deep neural net has the potential to make accurate predictions each time. This is a deep neural net in a nutshell.

4.2 CNN (Convolutional Neural Network)

CNN (Convolutional Neural Network) is so influential that theyve made Deep Learning one of the hottest topics in AI today. CNNs were pioneered by Yann Lecun of New York University, who also serves as the director of Facebook's AI group. It is currently believed that Facebook uses a CNN for its facial recognition software. A convolutional

net has been the go-to solution for machine vision projects in the last few years. Early in 2015, after a series of breakthroughs by Microsoft, Google, and Baidu, a machine was able to beat a human at an object recognition challenge for the first time in the history of AI. Its hard to mention a CNN without touching on the ImageNet challenge. ImageNet is a project that was inspired by the growing need for high-quality data in the image processing space

In neural networks, Convolutional Neural Network (ConvNets or CNNs) is one of the main techniques to perform image recognition and image classification. Objects detection, face recognition, etc. are some of the areas where CNNs are widely used. CNN-based image classifiers take an input image, process it and classify it under certain categories (Eg., Dog, Cat, Tiger, Lion). Computers sees an input image as an array of pixels and it depends on the image resolution. Based on the image resolution, it will see $h \times w \times d$ (h = Height, w = Width, d = Dimension).

4.2.1 Layers in CNN

There are many component layers in CNN:-

A typical deep CNN has four sets of layers:-

- Convolutional Layer
- ReLu Activation
- Pooling Layer
- Fully Connected Layer

Convolution Layer

Convolution is the first layer to extract features from an input image. Convolution preserves the relationship between pixels by learning image features using small squares of input data. It is a mathematical operation that takes two inputs such as image matrix and a filter or kernel.

Convolution of an image with different filters can perform operations such as edge detection, blur and sharpen by applying filters. Consider a 5x5 whose image pixel values




Figure 4.2: Convolution Process

are 0, 1 and filter matrix 3x3. Then the convolution process is done in which a 5x5 image matrix is multiplied with the 3x3 filter matrix which is called Feature Map. The matrix filter is slid over the pixels of the image and the dot product is computed which forms the convolved feature map.

ReLU Activation

ReLU activation function is applied to the convolution layer to get a rectified feature map. Each node in the convolutional layer is connected to a node that fires like in other nets. The activation used is called ReLu, or Rectified Linear Unit. CNNs are trained using backpropagation, so the vanishing gradient is once again a potential issue. For reasons that depend on the mathematical definition of ReLu, the gradient is held more or less constant at every layer of the net. So the ReLu activation allows the network to be properly trained, without harmful slowdowns in the crucial early layers. The ReLu activation function finally gives a rectified feature map.

Pooling

The pooling layer is used for dimensionality reduction. CNNs tile multiple instances of convolutional layers and ReLu layers together in a sequence, in order to build more and more complex patterns. The problem with this is that the number of possible patterns becomes exceedingly large. By introducing pooling layers, we ensure that the net focuses on only the most relevant patterns discovered by convolution and ReLu. This helps limit both the memory and processing requirements for running a CNN. The Pooling layer is responsible for reducing the spatial size of the convolved feature. This is to decrease the computational power required to process the data through dimensionality reduction.




Figure 4.3: Pooling

There are two types of Pooling:

- Max Pooling
- Average Pooling

Max Pooling returns the maximum value from the portion of the image covered by the Kernel. On the other hand, Average Pooling returns the average of all the values from the portion of the image covered by the Kernel.

Fully Connected Layer

Together, these three layers can discover a host of complex patterns, but the neural network will have no understanding of what these patterns mean. In the layer we call as the FC layer, we flatten our matrix into a vector and feed it into a fully connected layer like a neural network. So a fully connected layer is attached to the end of the network in order to equip the network with the ability to classify data samples. With the fully connected layers, we combine these features together to create a model. Finally, we have an activation function such as softmax or sigmoid to classify the outputs into any of the output class labels.

Since CNNs are such deep networks, they most likely need to be trained using server resources with GPUs. Despite the power of CNNs, these networks have one drawback. Since they are a supervised learning method, they require a large set of labeled data for training, which can be challenging to obtain in a real-world application.




Figure 4.4: Convolutional Neural Network

4.3 Transfer Image Learning

Transfer learning is popular in Deep learning given the enormous resources required to train deep learning models or the large and challenging datasets on which deep learning models are trained.

In transfer learning, we first train a base network on a base dataset and task, and then we transfer them, to a second network to be trained on another dataset and task. This process will tend to work if the features are general, meaning suitable to both base and target tasks.

The benefits of Transfer Learning are that it can speed up the time it takes to develop and train a model by reusing these pieces or modules of already developed models. This helps speed up the model training process and accelerate results. Transfer learning make use of the knowledge gained while solving one problem and applying it to a different but related problem.

4.3.1 Transfer Learning Approaches

Two common approaches are as follows:

- Develop Model Approach
- Pre-trained Model Approach

Develop Model Approach

Select Source Task

You must select a related predictive modeling problem with an abundance of data where there is some relationship in the input data, output data, and/or concepts learned during the mapping from input to output data.

Develop Source Model

Next, you must develop a skillful model for this first task. The model must be better than a naive model to ensure that some feature learning has been performed.

Reuse Model

The model fit on the source task can then be used as the starting point for a model on the second task of interest. This may involve using all or parts of the model, depending on the modeling technique used.

Tune Model

Optionally, the model may need to be adapted or refined on the input-output pair data available for the task of interest.

Pre-trained Model Approach

Select Source Model

A pre-trained source model is chosen from available models. Many research institutions release models on large and challenging datasets that may be included in the pool of candidate models from which to choose from.

Reuse Model

The model pre-trained model can then be used as the starting point for a model on the second task of interest. This may involve using all or parts of the model, depending on the modeling technique used.

Tune Model

Optionally, the model may need to be adapted or refined on the input-output pair data available for the task of interest.

This second type of transfer learning is common in the field of deep learning.

4.3.2 Transfer Learning with Image Data

It is common to use a deep learning model pre-trained for a large and challenging image classification task be used for other similar tasks. These models can be downloaded and incorporated directly into new models that expect image data as input. Three examples of models of this type includes

- Oxford VGG Model
- Google Inception Model
- Microsoft ResNet Model

Transfer learning is an optimization, a shortcut to saving time or getting better performance. In general, it is not obvious that there will be a benefit to using transfer learning in the domain until after the model has been developed and evaluated.

4.3.3 Conditions to use Transfer Learning

There are three possible benefits to look for when using transfer learning:

Higher start

The initial skill (before refining the model) on the source model is higher than it otherwise would be.

Higher slope

The rate of improvement of skill during training of the source model is steeper than it otherwise would be.

Higher Asymptote

The converged skill of the trained model is better than it otherwise would be.

Ideally, you would see all three benefits from a successful application of transfer learning.

It is an approach to try if you can identify a related task with abundant data and you have the resources to develop a model for that task and reuse it on your own problem, or there is a pre-trained model available that you can use as a starting point for your own model.

On some problems where you may not have very much data, transfer learning can enable you to develop skillful models that you simply could not develop in the absence of transfer learning.




Figure 4.5: Three ways in which transfer might improve learning.

Chapter 5

CONCLUSION

Ayurveda and herbal medicines are greatly used and followed worldwide, especially in India. Herbal medicine plants pose a big impact on the health of every people around the world. But the major issue we face is difficulty in efficiently and effectively identifying the plants that form the ingredients for the medicine.

Many recent studies exist on plant classification and identification based on different plant features. Solutions that are proposed in many of the recent papers and studies use image processing techniques to extract features from images of leaves and apply machine learning or deep learning techniques to learn the features of each plant. Models thus developed take new images as input and predict the type of plant being identified.

We will use a huge dataset of images of 60 species of leaves collected from a private botanical garden. The solution we propose aims to apply deep learning techniques to learn the features of leaves from leaf images. We will use three deep learning techniques viz. Deep Neural Network, Convolutional Neural Network, and Transfer Learning. We will evaluate and analyze the performance of all three techniques. This approach produces better results than the methods proposed in existing research.

We will build a mobile application that implements the technique with the best performance among the three. This application can be used by users from any background to identify ayurvedic medicinal plants by capturing images or videos of the same. Thus, we aim to solve the problem of effective identification of herbal plants and convey the results of our work for anyone to use in an efficient manner.

Bibliography

- [1] Identification of Philippine Herbal Medicine Plant Leaf Using Artificial Neural Network Robert G. de Luna, Renann G. Baldovino, Ezekiel A. Cotoco, Anton Louise P. de Ocampo, Ira C. Valenzuela, Alvin B. Culaba, Elmer P. Dadios Gokongwei College of Engineering, De La Salle University Manila, Philippines
- [2] Leaves Classification Using Neural Network Based on Ensemble Features, Sigit Adinugroho, Yuita Arum Sari
- [3] Identification of Ayurvedic Medicinal Plants by Image Processing of Leaf Samples, Manoj kumar P., Surya C. M., Varun P. Gopi, 2017 Third International Conference on Research in Computational Intelligence.
- [4] Plant Species Identification Based on Neural Network, Lei Zhang, Jun Kong, Xiaoyun Zeng, Jiayue Ren
- [5] Identification of Selected Medicinal Plant Leaves Using Image Features and ANN, R. Janani, A. Gopal
- [6] Plant Recognition System Based on Neural Networks, W.H. Rankothge, D.M.S.B. Dissanayake, U.V.K.T. Gunathilaka, S.A.C.M. Gunarathna, C.M. Mudalige
- [7] Leaf Features based approach for Automated Identification of Medicinal Plants, E. Sandeep Kumar and Viswanath Talasila, International Conference on Communication and Signal Processing, April 3-5, 2014, India
- [8] Leaf Recognition and Classification Algorithm to be used by Indigenous Medicine, Madhuka G. P. D. Udantha, Ayola D.N. Jayamaha, 2014 International Conference on Advances in ICT for Emerging Regions

- [9] Zhong-Qiu Zhao, Peng Zheng, Shou-tao Xu, and Xindong Wu, Object Detection with Deep Learning: A Review
- [10] Ross Girshick, Je Donahue, Trevor Darrell, and Jitendra Malik. Rich feature hierarchies for accurate object detection and semantic segmentation.
- [11] Joseph Redmon, Santosh Divvala, Ross Girshick, and Ali Farhadi. You only look once: Unified, real-time object detection. International Conference on Advances in ICt for Emerging Regions
- [12] Abdul Kadir, Lukito Edi Nugroho, Adhi Susanto, and Paulus Insap Santosa, Leaf classification using shape, color, and texture features, arXiv preprint arXiv:1401.4447, 2013.
- [13] <https://www.analyticsvidhya.com/blog/2017/09/understaing-support-vector-machine-example-code/>
- [14] https://en.wikipedia.org/wiki/Transfer_learning
- [15] https://en.wikipedia.org/wiki/Deep_learning
- [16] https://en.wikipedia.org/wiki/Support-vector_machine
- [17] https://en.wikipedia.org/wiki/Convolutional_neural_network
- [18] https://en.wikipedia.org/wiki/Multilayer_perceptron



Department of Computer Science & Engineering
Vidya Academy of Science & Technology
Thalakkottukara, Thrissur - 680 501
(<http://www.vidyaacademy.ac.in>)