# Conceptual Data Model (CDM)

**7 user-defined ENUMs**

- dish_types
  - Entrée
  - Plat principal
  - Accompagnement
  - Dessert

- equipement
  - Inclus
  - Non inclus
  - Retourné

- notes
  - Critique
  - À améliorer
  - Correct
  - Bien
  - Excellent

- order_status
  - En attente de validation
  - Accepté
  - Annulée
  - En préparation
  - En cours de livraison

    - Livrée
    - Terminée

- payment_status
    - En attente de règlement
    - Annulée
    - Réglée

- review_status
    - En attente
    - Approuvé
    - Répondu
    - Rejeté

- user_roles
    - Administrateur
    - Chef
    - Employé
    - Client

**Tables de liaison**

- menus_plats
- menus_themes
- plats_themes
- plats_regimes
- plats_allergènes

**Tables**

- Horaires
- Utilisateurs
- Avis
- Commandes
- Commandes_details
- Menus
- Plats
- Regimes
- Allergènes
- Themes

**Tables de liaison : détails**

- menus_plats
    - menu_id : INT (ref menus)
    - plat_id : INT (ref plats)
    - KEY (menu_id.plat_id)
- menus_themes
    - menu_id : INT (ref menus)
    - theme_id : INT (ref themes)
    - KEY (menu_id.theme_id)
- plats_allergenes
    - plat_id : INT (ref plats)
    - allergene_id : INT (ref allergenes)
    - KEY (plat_id.allergene_id)
- plats_regimes
    - plat_id : INT (ref plats)
    - regime_id : INT (ref regimes)
    - KEY (plat_id.regime_id)
- plats_themes
    - plat_id : INT (ref plats)
    - theme_id : INT (ref themes)
    - KEY (plat_id.theme_id)

**Tables : détails**

## horaires

| COLUMN | TYPE |
|---|---|
| horaire_id | int, primary_key |
| jour | varchar(50), not null |
| heure_ouvertue | time, not null |
| heure_fermeture | time, not null |
| created_at | timestamp |
| updated_at | timestamp |
| is_deleted | boolean |

utilisateurs

| COLUMN | TYPE |
| --- | --- |
| user_id | int, primary_key |
| email | varchar(50), not null |
| password_hash | varchar(255), not null |
| prenom | varchar(50), not null |
| nom | varchar(50), not null |
| telephone | varchar(50) |
| adresse | varchar(255) |
| code_postal | varchar(50) |
| ville | varchar(50) |
| pays | varchar(50) |
| role | user_role |
| created_at | timestamp |
| updated_at | timestamp |
| is_deleted | boolean |

Relations

- One-to-Many with **Commandes**
- One-to-Many with **Avis**

commandes

| COLUMN | TYPE |
|---|---|
| commande_id | int, primary_key |
| numero_commande | varchar(50) |
| user_id | int,  foreign_key |
| date_commande | timestamp |
| date_prestation | date |
| heure_livraison | timestamp |
| prix_total | double |
| remise_appliquee | double |
| statut | order_status |
| statut_paiement | payment_status |
| statut_materiel | material_status |
| updated_at | timestamp |
| is_deleted | boolean |

*Relations:*

- Many-to-One with **Utilisateurs**
- One-to-Many with **Commande_détails**

## commande_details

| COLUMN | TYPE |
| --- | --- |
| detail_id | int, primary_key |
| order_id | int, foreign_key |
| menu_id | int, foreign_key |
| quantite | int, not null |
| created_at | timestamp |
| updated_at | timestamp |
| is_deleted | boolean |

Relations

- Many-to-One with **Commandes**
- One-to-One with **Menus**

## avis

| COLUMN | TYPE |
| --- | --- |
| avis_id | int, primary_key |
| description | text, not null |
| user_id | int, foreign_key |
| menu_id | int, foreign_key |
| statut | enum review_status |
| qualité | enum notes |
| service | enum notes |
| prix | enum notes |
| created_at | timestamp |
| updated_at | timestamp |
| is_deleted | boolean |

Relations :

- Many-to-One with **Utilisateurs**
- Many-to-One with **Menus**

menus

| COLUMN | TYPE |
|---|---|
| menu_id | int, primary_key |
| titre | varche(50), not null |
| nombre_personnes_min | int, not null |
| prix_par_personne | double, not null |
| description | text, not null |
| quantite_disponible | int, not null |
| images_url | varchar(255), not null |
| is_active | boolean, not null |
| created_at | timestamp |
| updated_at | timestamp |
| is_deleted | boolean |

*Relations*:

- Many-to-Many with **Commandes** (commandes_details)
- Many-to–Many with **Plats** (menus_plats)
- Many-to-Many with **Themes** (menus_themes)
- One-to-Many with **Avis**
- Many-to–many with **Regimes** (handled on 'Plat' level by property in Python)
- Many-to–many with **Allergenes** (handled on 'Plat' level by property in Python)

plats

| COLUMN | TYPE |
| --- | --- |
| menu_id | int, primary_key |
| titre | varche(50), not null |
| nombre_personnes_min | int, not null |
| prix_par_personne | double, not null |
| description | text, not null |
| quantite_disponible | int, not null |
| images_url | varchar(255), not null |
| is_active | boolean, not null |
| created_at | timestamp |
| updated_at | timestamp |
| is_deleted | boolean |

*Relations:*

- Many-to-Many with **Menus**
- Many-to-Many with **Regimes**

allergenes

| COLUMN | TYPE |
| --- | --- |
| allergene_id | int, primary_key |
| libelle | varche(50), not null |
| created_at | timestamp |
| updated_at | timestamp |
| is_deleted | boolean |

*Relations*:

- Many-to-Many with **Plats**

## Regimes

| COLUMN | TYPE |
|---|---|
| regime_id | int, primary_key |
| libelle | varche(50), not null |
| created_at | timestamp |
| updated_at | timestamp |
| is_deleted | boolean |

Relations

- Many-to-Many with **Menus**
- Many-to-Many with **Plats**

Themes**:**

| COLUMN | TYPE |
|---|---|
| theme_id | int, primary_key |
| libelle | varche(50), not null |
| created_at | timestamp |
| updated_at | timestamp |
| is_deleted | boolean |

*Relations*:

- Many-to-Many with **Menus**.

○