

Original File	Output of diff -u	Final File	
Α	file.txt	A	
В	+++updated.txt	B	
В	В	\$	
C	+\$	C	
D	C	#	
D	-D	%	
E	+#		
F	+%	E	
	E	F	


Git command review


For each action, type the name of the corresponding Git command.

- Compare two commits, printing each line that is present in one commit but not the other.
 git diff
- Make a copy of an entire Git repository, including the history, onto your own computer.

 git clone
- Temporarily reset all files in a repository to their state at the time of a specific commit.

 git checkout
- Show the commits made in a repository, starting with the most recent.
 git log





Behavior of git checkout

Select when each statement would be true.

	Never	Sametimes true	Always
Checking out an earlier commit will change the state of at least one file.	0		0
Checking out an earlier commit will change the state of more than one file.	0		0
Checking out an earlier commit will change the state of every file in the repository.	0.		0
After checking out a commit, the state of all the files in the repository will be from the same point in time.	0	٥	

Behavior of git clone

Select when each statement would be true.

	True when you copy	True when you clone	True in both cases
If someone else gives you the location of their directory or repository, you can copy or clone it to your own computer.	0	0	
The history of changes to the directory or repository is copied.	o		0
If you make changes to the copied directory or cloned repository, the original will not change.	0	0	*
The state of every file in the directory or repository is copied.	o	0	

commit 7be5a12f1567866b0d77ccdf2055d1a33831da78

Date: Fri Jul 11 12:56:26 2014 -0300

Add sound for the wing.

commit 06d72e1f95f046002ec46f41cf71957227111141

Date: Wed Jul 9 23:42:55 2014 -0300

Add mute button.

commit 3d4d45b246aad6a1cd0afaf7cfae26966110727e

Date: Mon Jul 7 17:35:47 2014 -0300

Fix leaderboard button

For this git log output, check all the commits you would expect to contain code for a mute button.

 \P commit 7be5a12f1567866b8d77ccdf2855d1a33831da78 (the top commit listed)

ommit 06d72e1f95f046002ec46f41cf71957227111141 (the middle commit listed)

commit 3d4d45b246aad6a1cd8afaf7cfae26966118727e (the bottom commit listed)

commit 7be5a12f1567866b0d77ccdf2055d1a33831da78 Date: Fri Jul 11 12:56:26 2014 -0300

Add sound for the wing.

commit 06d72e1f95f046002ec46f41cf71957227111141 Date: Wed Jul 9 23:42:55 2014 -0300

Add mute button.

commit 3d4d45b246aad6alcd0afaf7cfae26966110727e

Mon Jul. 7 17:35:47 2014 -0300

Fix leaderboard button

Select the command for which the mute button code lines would be shown as additions.


○ git diff 7be5al 06d72e


git diff 06d72e 7be5al

@ git diff 06d72e 3d4d45 # git diff 3d4d45 05d72e

Reachability unreachable commits listed for branch (250) commits: a: [3fc, f26, e3d] f36 b: 4d9,7dc,2c4,e3d Merging files










Where was your commit present?

Right before you ran git push, where do you think your commit adding a new recipe was present? Similarly, now that you have run git push, where do you think this commit is present? Check all that apply, and remember that it's possible for a commit to be present in a repository both before and after running git push.

	Right before running git push	Right after running git push
In your local repository (visible via git log)	5	8
On your fork (visible via the commit history on GitHub)	0	5
On Larry's repository (visible via the commit history on GitHub)	0	D







Check if merging b into a would be a fast-forward

