

Install Cucumber

Install Cucumber and other Ruby gem.

- To install Cucumber, first update the current gem setup

```
C:\Users\Admin> gem update --system
```

- Next, install the gems you need for Cucumber web testing.

```
C:\Users\Admin> gem install --no-ri --no-rdoc rspec
```

```
C:\Users\Admin> gem install --no-ri --no-rdoc win32console
```

```
C:\Users\Admin> gem install --no-ri --no-rdoc watir-webdriver
```


```
C:\Users\Admin> gem install --no-ri --no-rdoc cucumber
```

- Run Cucumber

```
C:\Users\Admin\Documents>cucumber --init
```

```
C:\Users\Admin\Documents>cucumber
```

Fuente By>> <https://goo.gl/DLdwiL>




```
Símbolo del sistema
RubyGems installed the following executables:
  C:/RailsInstaller/Ruby1.9.3/bin/gem

Ruby Interactive (ri) documentation was installed. ri is kind of like man
pages for ruby libraries. You may access it like this:
  ri Classname
  ri Classname.class_method
  ri Classname#instance_method
If you do not wish to install this documentation in the future, use the
--no-document flag, or set it as the default in your ~/.gemrc file. See
'gem help env' for details.

RubyGems system software updated

C:\Users>
```

Nota: El comando “gem update --system” es ambiguo. Ok, check es: “gem update --system”



Nota: Check box, redes privadas.

```
Símbolo del sistema

ri Classname#instance_method
If you do not wish to install this documentation in the future, use the
--no-document flag, or set it as the default in your ~/.gemrc file. See
'gem help env' for details.

RubyGems system software updated

C:\Users>gem install --no-ri --no-rdoc rspec
Fetching: rspec-support-3.6.0.gem (100%)
Successfully installed rspec-support-3.6.0
Fetching: rspec-core-3.6.0.gem (100%)
Successfully installed rspec-core-3.6.0
Fetching: rspec-expectations-3.6.0.gem (100%)
Successfully installed rspec-expectations-3.6.0
Fetching: rspec-mocks-3.6.0.gem (100%)
Successfully installed rspec-mocks-3.6.0
Fetching: rspec-3.6.0.gem (100%)
Successfully installed rspec-3.6.0
5 gems installed

C:\Users>
```

Nota: Instalación gem install --no-ri --no-rdoc rspec

```
Símbolo del sistema

RubyGems system software updated

C:\Users>gem install --no-ri --no-rdoc rspec
Fetching: rspec-support-3.6.0.gem (100%)
Successfully installed rspec-support-3.6.0
Fetching: rspec-core-3.6.0.gem (100%)
Successfully installed rspec-core-3.6.0
Fetching: rspec-expectations-3.6.0.gem (100%)
Successfully installed rspec-expectations-3.6.0
Fetching: rspec-mocks-3.6.0.gem (100%)
Successfully installed rspec-mocks-3.6.0
Fetching: rspec-3.6.0.gem (100%)
Successfully installed rspec-3.6.0
5 gems installed

C:\Users>gem install --no-ri --no-rdoc win32console
Fetching: win32console-1.3.2-x86-mingw32.gem (100%)
Successfully installed win32console-1.3.2-x86-mingw32
1 gem installed

C:\Users>
```


Nota: Uso de: gem install --no-ri --no-rdoc win32console

```
Símbolo del sistema

C:\Users>gem install --no-ri --no-rdoc cucumber
Successfully installed cucumber-2.4.0
1 gem installed

C:\Users>
```

Nota: Uso: gem install --no-ri --no-rdoc cucumber



```
C:\Users>gem install --no-ri --no-rdoc cucumber
Successfully installed cucumber-2.4.0
1 gem installed

C:\Users>gem install cucumber
Successfully installed cucumber-2.4.0
1 gem installed

C:\Users>
```

Nota: gem install cucumber. By>> <https://github.com/cucumber/cucumber/wiki/Install>