
## Gene presence per taxon in Candidatus Verstraetearchaeota (phylum) (1/1)

Gene presence per taxon in Candidatus verstraetearchiaeota (phytum) (1/1)																				
2 0	2 1 0 0 0	2 2	1 0																0 1 0 0	Sum
1 0	1 0 0 0 0 1 1 0 0 0	1 1	0 0																	Candidatus Methanosuratus subterraneum Candidatus Verstraetearchaeota archaeon
LinkerHistone Histone	MOZ_SAS KAT11 Hat1_N GNAT_acetyltr_2 Acetyltransf_1	SIR2 Hist_deacetyl	SET DOT1	CupinJmjC SWIRM	BAH ADD_DNMT3 ADD_ATRX	ING Chromo Bromodomain BIR	PWWP PHD MRG MBT	YEATS zf-CW TUDOR TTD TTD SAWADEE	SNF2_N	CHZ CAF1A ASF1_hist_chap	NAP HJURP_mid Hira	ZF-CCHH SSrecog SPT16 Rtt106	Nucleoplasmin	ATF7IP	PTIP NCOA6 Menin Dpy-30 PA1	AF9 TRRAP	SLED SAM YAF2_RYBP PCRing	CAF1C Suz12	WD40 zf-CXXC zf-C2H2 Kelch	





## num species per group

