
Gene presence per taxon in Candidatus Nezhaarchaeota (phylum) (1/1)

															•••		•				
2 0	22000	2 2	2 0																		Sum
1 0	1 1 0 0 0 1 1 0 0 0	1 1 1 1	1 0																		Candidatus Nezhaarchaeota archaeon WYZ-LMO7 Candidatus Nezhaarchaeota archaeon WYZ-LMO8
LinkerHistone Histone	MOZ_SAS KAT11 Hat1_N GNAT_acetyltr Acetyltransf_1	SIR2 Hist_deacetyl	SET DOT1	CupinJmjC SWIRM	BAH ADD_DNMT3 ADD_ATRX	ING Chromo Bromodomain BIR	MRG MBT	SAWADEE PWWP	YEATS zf-CW TUDOR	SNF2_N	CHZ CAF1A ASF1_hist_ch	HJURP_mid Hira	SSrecog SPT16 Rtt106	Nucleoplasmir UBN_AB zf-CCHH	ATF7IP	PTIP NCOA6 Menin Dpy-30 PA1	AF9 TRRAP	SLED SAM YAF2_RYBP PCRing	CAF1C Suz12	WD40 zf-CXXC zf-C2H2 Kelch	
	2										ap										





0.2

num species per group

