

Raw Security Data Profile

```
{
  "ftp": {
    "service": {
      "name": "vsftpd",
      "installed": "true",
      "enabled": "true",
      "running": "true"
    },
    "network": {
      "port": 21,
      "port_open": "true",
      "listening_interfaces": [
        "all"
      ],
      "raw_bind_addresses": [
        "*:21"
      ]
    },
    "configuration": {
      "anonymous_enable": "true",
      "local_enable": "true",
      "write_enable": "false",
      "chroot_local_user": "false",
      "ssl_enabled": "false",
      "force_tls": "false",
      "userlist_enable": "false",
      "userlist_deny": "true"
    },
    "firewall": {
      "type": "ufw",
      "port_21_blocked": "unknown"
    },
    "activity": {
      "active_connections": 0
    },
    "tftp_server_packages": "not installed",
    "tftp_service_status": "not running",
    "ftp_client_packages": "ii  curl                        8.5.0-2ubuntu10.11 amd64"
  },
  "telnet": {
    "service": {
      "installed": "true",
      "enabled": "false",
      "running": "false"
    },
    "network": {
      "port": 23,
      "port_open": "true",
      "listening_interfaces": [
```

```

        "all"
    ],
    "raw_bind_addresses": [
        "0.0.0.0:23"
    ]
},
"configuration": {
    "inetd_enabled": "true",
    "xinetd_enabled": "false",
    "config_file_status": "enabled"
},
"firewall": {
    "type": "ufw",
    "port_23_blocked": "unknown"
},
"sessions": {
    "active_connections": 0
},
"telnet_client_packages": "ii telnet          0.17+2.5-3ubuntu4.2 a
},
"ssh": {
    "version": "OpenSSH 9.6p1",
    "banner": "OpenSSH_9.6p1",
    "port": 22,
    "network": {
        "address_family": {
            "value": "any",
            "risk": "low"
        },
    },
    "listen_address": "0.0.0.0:22"
},
"authentication": {
    "usepam": true,
    "max_auth_tries": 6,
    "permit_root_login": "without-password",
    "ignorerhosts": true,
    "hostbasedauthentication": false,
    "pubkey_authentication": true,
    "gssapiauthentication": false,
    "password_authentication": {
        "value": true,
        "risk": "high"
    },
    "permit_empty_passwords": false,
    "authentication_methods": {
        "value": "any",
        "risk": "high"
    }
},
"session": {
    "login_grace_time": 120,
    "max_sessions": 10,
    "client_alive_interval": {

```

```
    "value": 0,
    "risk": "medium"
  },
  "client_alive_count_max": 3,
  "maxstartups": "10:30:100"
},
"forwarding": {
  "gateway_ports": false,
  "allow_tcp_forwarding": {
    "value": true,
    "risk": "medium"
  },
  "allow_agent_forwarding": {
    "value": true,
    "risk": "medium"
  },
  "allow_streamlocal_forwarding": {
    "value": true,
    "risk": "medium"
  },
  "permit_open": {
    "value": "any",
    "risk": "medium"
  },
  "permit_listen": {
    "value": "any",
    "risk": "medium"
  }
},
"features": {
  "x11_forwarding": {
    "value": true,
    "risk": "medium"
  },
  "strict_modes": true,
  "compression": true,
  "use_dns": {
    "value": false,
    "risk": "low"
  },
  "banner": "none",
  "permit_user_environment": false,
  "log_level": "INFO",
  "syslog_facility": "AUTH"
},
"compression": "enabled (zlib@openssh.com)",
"all_ciphers": [
  "chacha20-poly1305@openssh.com",
  "aes128-ctr",
  "aes192-ctr",
  "aes256-ctr",
  "aes128-gcm@openssh.com",
  "aes256-gcm@openssh.com"
```

```
],
"sshd_config_permissions": "644 root root /etc/ssh/sshd_config",
"ssh_privkey_permissions": "600 root root /etc/ssh/ssh_host_ecdsa_k
"ssh_pubkey_permissions": "644 root root /etc/ssh/ssh_host_ecdsa_ke
},
"crypto": {
  "weak_macs": [
    {
      "algorithm": "umac-64-etm@openssh.com",
      "severity": "medium",
      "reason": "UMAC-64 in EtM; 64-bit birthday bound too small for
    },
    {
      "algorithm": "hmac-sha1-etm@openssh.com",
      "severity": "high",
      "reason": "SHA-1 in EtM mode; enables Terrapin attack (CVE-2023
    },
    {
      "algorithm": "umac-64@openssh.com",
      "severity": "medium",
      "reason": "UMAC with 64-bit tag; birthday attack risk at ~2^32
    },
    {
      "algorithm": "umac-128@openssh.com",
      "severity": "medium",
      "reason": "Algorithm is deprecated or has known cryptographic w
    },
    {
      "algorithm": "hmac-sha2-256",
      "severity": "medium",
      "reason": "Algorithm is deprecated or has known cryptographic w
    },
    {
      "algorithm": "hmac-sha2-512",
      "severity": "medium",
      "reason": "Algorithm is deprecated or has known cryptographic w
    },
    {
      "algorithm": "hmac-sha1",
      "severity": "high",
      "reason": "SHA-1 hash; collision attacks demonstrated; deprecate
    }
  ],
  "weak_kex": [
    {
      "algorithm": "ecdh-sha2-nistp256",
      "severity": "high",
      "reason": "NIST P-256 curve has suspected NIST/NSA backdoor per
    },
    {
      "algorithm": "ecdh-sha2-nistp384",
      "severity": "high",
      "reason": "NIST P-384 curve; same NSA-standardized curve trust
```

```

    },
    {
      "algorithm": "ecdh-sha2-nistp521",
      "severity": "high",
      "reason": "NIST P-521 curve; same NSA-standardized curve trust
    },
    {
      "algorithm": "diffie-hellman-group14-sha256",
      "severity": "medium",
      "reason": "Algorithm is deprecated or has known cryptographic w
    }
  ],
  "weak_host_keys": [
    {
      "algorithm": "ecdsa-sha2-nistp256",
      "severity": "high",
      "reason": "Algorithm is deprecated or has known cryptographic w
    }
  ]
},
"vulnerabilities": [
  {
    "cve": "CVE-2023-48795",
    "name": "Terrapin Attack",
    "risk": "high",
    "description": "Prefix truncation attack on SSH handshake via Cha
    "affected_algorithms": [
      "hmac-sha1-etm@openssh.com"
    ],
    "notes": "Mitigated by removing CBC-EtM MACs and ensuring strict
  },
  {
    "cve": "CVE-2002-20001",
    "name": "DROWN (Diffie-Hellman Key Reuse)",
    "risk": "high",
    "description": "Use of weak Diffie-Hellman groups allows a man-in
    "affected_algorithms": [
      "ecdh-sha2-nistp256",
      "ecdh-sha2-nistp384",
      "ecdh-sha2-nistp521"
    ],
    "notes": "Remove DH group sizes below 3072 bits."
  }
],
"privilege_escalation": {
  "sudo_installed": {
    "installed": true,
    "version_output": "Sudo version 1.9.15p5",
    "dpkg_status": "ii  sudo 1.9.15p5-3ubuntu5.24.04.2 amd6
  },
  "sudoers_files_scanned": [
    "/etc/sudoers",
    "/etc/sudoers.d/README"
  ]
}

```

```

],
"sudoers_defaults_lines": [
  {
    "file": "/etc/sudoers",
    "line_number": 9,
    "content": "Defaults\tenv_reset"
  },
  {
    "file": "/etc/sudoers",
    "line_number": 10,
    "content": "Defaults\tmail_badpass"
  },
  {
    "file": "/etc/sudoers",
    "line_number": 11,
    "content": "Defaults\tsecure_path=\"/usr/local/sbin:/usr/local/"
  },
  {
    "file": "/etc/sudoers",
    "line_number": 15,
    "content": "Defaults\tuse_pty"
  }
],
"use_pty_entries": [
  {
    "file": "/etc/sudoers",
    "content": "Defaults\tuse_pty"
  }
],
"logfile_entries": [],
"logfile_exists_checks": [],
"sudo_syslog_logging": {
  "auth_log_exists": true,
  "syslog_log_exists": true,
  "rsyslog_authpriv_configured": true,
  "rsyslog_configs_checked": [
    "/etc/rsyslog.conf",
    "/etc/rsyslog.d/20-ufw.conf",
    "/etc/rsyslog.d/21-cloudinit.conf",
    "/etc/rsyslog.d/50-default.conf"
  ],
  "syslog_ng_config_exists": false,
  "journald_sudo_evidence": "Jul 28 10:24:55 sebti sudo[3124]: pam_
",
  "nopasswd_entries": [],
  "noauthenticate_entries": [],
  "timestamp_timeout_entries": [],
  "su_restriction": {
    "pam_su_config": "#\n# The PAM configuration file for the Shadow
    "pam_wheel_line": "# auth          required    pam_wheel.so",
    "wheel_group_members": [
      "sebti"
    ]
  }
],

```

```
    "wheel_group_source": "sudo"
  },
  "errors": []
},
"file_permissions": {
  "fixed_files": [
    {
      "path": "/etc/passwd",
      "exists": true,
      "mode_octal": "0644",
      "owner": "root",
      "owner_uid": 0,
      "group": "root",
      "group_gid": 0,
      "error": null
    },
    {
      "path": "/etc/passwd-",
      "exists": true,
      "mode_octal": "0644",
      "owner": "root",
      "owner_uid": 0,
      "group": "root",
      "group_gid": 0,
      "error": null
    },
    {
      "path": "/etc/group",
      "exists": true,
      "mode_octal": "0644",
      "owner": "root",
      "owner_uid": 0,
      "group": "root",
      "group_gid": 0,
      "error": null
    },
    {
      "path": "/etc/group-",
      "exists": true,
      "mode_octal": "0644",
      "owner": "root",
      "owner_uid": 0,
      "group": "root",
      "group_gid": 0,
      "error": null
    },
    {
      "path": "/etc/shadow",
      "exists": true,
      "mode_octal": "0640",
      "owner": "root",
      "owner_uid": 0,
      "group": "shadow",
```

```
    "group_gid": 42,  
    "error": null  
  },  
  {  
    "path": "/etc/shadow-",  
    "exists": true,  
    "mode_octal": "0640",  
    "owner": "root",  
    "owner_uid": 0,  
    "group": "shadow",  
    "group_gid": 42,  
    "error": null  
  },  
  {  
    "path": "/etc/gshadow",  
    "exists": true,  
    "mode_octal": "0640",  
    "owner": "root",  
    "owner_uid": 0,  
    "group": "shadow",  
    "group_gid": 42,  
    "error": null  
  },  
  {  
    "path": "/etc/gshadow-",  
    "exists": true,  
    "mode_octal": "0640",  
    "owner": "root",  
    "owner_uid": 0,  
    "group": "shadow",  
    "group_gid": 42,  
    "error": null  
  },  
  {  
    "path": "/etc/shells",  
    "exists": true,  
    "mode_octal": "0644",  
    "owner": "root",  
    "owner_uid": 0,  
    "group": "root",  
    "group_gid": 0,  
    "error": null  
  },  
  {  
    "path": "/etc/security/opasswd",  
    "exists": true,  
    "mode_octal": "0600",  
    "owner": "root",  
    "owner_uid": 0,  
    "group": "root",  
    "group_gid": 0,  
    "error": null  
  }  
}
```



```
],
"world_writable": {
  "mounts_scanned": [
    "/",
    "\u2514\u2500/boot"
  ],
  "mounts_skipped": [
    {
      "mount": "\u251c\u2500/sys",
      "fstype": "sysfs"
    },
    {
      "mount": "\u2502",
      "fstype": "\u251c\u2500/sys/kernel/security"
    },
    {
      "mount": "\u2502",
      "fstype": "\u251c\u2500/sys/fs/cgroup"
    },
    {
      "mount": "\u2502",
      "fstype": "\u251c\u2500/sys/fs/pstore"
    },
    {
      "mount": "\u2502",
      "fstype": "\u251c\u2500/sys/fs/bpf"
    },
    {
      "mount": "\u2502",
      "fstype": "\u251c\u2500/sys/kernel/debug"
    },
    {
      "mount": "\u2502",
      "fstype": "\u251c\u2500/sys/kernel/tracing"
    },
    {
      "mount": "\u2502",
      "fstype": "\u251c\u2500/sys/fs/fuse/connections"
    },
    {
      "mount": "\u2502",
      "fstype": "\u2514\u2500/sys/kernel/config"
    },
    {
      "mount": "\u251c\u2500/proc",
      "fstype": "proc"
    },
    {
      "mount": "\u2502",
      "fstype": "\u2514\u2500/proc/sys/fs/binfmt_misc"
    },
    {
      "mount": "\u2502",
```

```

    "fstype": "\u2514\u2500/proc/sys/fs/binfmt_misc"
  },
  {
    "mount": "\u251c\u2500/dev",
    "fstype": "devtmpfs"
  },
  {
    "mount": "\u2502",
    "fstype": "\u251c\u2500/dev/pts"
  },
  {
    "mount": "\u2502",
    "fstype": "\u251c\u2500/dev/shm"
  },
  {
    "mount": "\u2502",
    "fstype": "\u251c\u2500/dev/hugepages"
  },
  {
    "mount": "\u2502",
    "fstype": "\u2514\u2500/dev/mqueue"
  },
  {
    "mount": "\u251c\u2500/run",
    "fstype": "tmpfs"
  },
  {
    "mount": "\u2502",
    "fstype": "\u251c\u2500/run/lock"
  },
  {
    "mount": "\u2502",
    "fstype": "\u2514\u2500/run/user/1000"
  }
],
"world_writable_files": [
  {
    "mount": "/",
    "paths": [],
    "truncated": false
  },
  {
    "mount": "\u2514\u2500/boot",
    "paths": [],
    "truncated": false
  }
],
"world_writable_dirs_no_sticky": [
  {
    "mount": "/",
    "paths": [],
    "truncated": false
  },

```

```

    {
      "mount": "\u2514\u2500/boot",
      "paths": [],
      "truncated": false
    }
  ],
  "errors": []
},
"unowned": {
  "unowned_or_ungrouped": [
    {
      "mount": "/",
      "paths": [],
      "truncated": false
    },
    {
      "mount": "\u2514\u2500/boot",
      "paths": [],
      "truncated": false
    }
  ]
},
"suid_sgid": {
  "suid_sgid_files": [
    {
      "mount": "/",
      "path": "/usr/bin/umount",
      "mode_octal": "4755",
      "owner_uid": 0,
      "owner": "root",
      "group_gid": 0,
      "group": "root"
    },
    {
      "mount": "/",
      "path": "/usr/bin/chsh",
      "mode_octal": "4755",
      "owner_uid": 0,
      "owner": "root",
      "group_gid": 0,
      "group": "root"
    },
    {
      "mount": "/",
      "path": "/usr/bin/sudo",
      "mode_octal": "4755",
      "owner_uid": 0,
      "owner": "root",
      "group_gid": 0,
      "group": "root"
    },
    {
      "mount": "/",

```

```

    "path": "/usr/bin/su",
    "mode_octal": "4755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 0,
    "group": "root"
  },
  {
    "mount": "/",
    "path": "/usr/bin/passwd",
    "mode_octal": "4755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 0,
    "group": "root"
  },
  {
    "mount": "/",
    "path": "/usr/bin/ssh-agent",
    "mode_octal": "2755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 103,
    "group": "_ssh"
  },
  {
    "mount": "/",
    "path": "/usr/bin/fusermount3",
    "mode_octal": "4755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 0,
    "group": "root"
  },
  {
    "mount": "/",
    "path": "/usr/bin/newgrp",
    "mode_octal": "4755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 0,
    "group": "root"
  },
  {
    "mount": "/",
    "path": "/usr/bin/chage",
    "mode_octal": "2755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 42,
    "group": "shadow"
  },
  {

```

```

    "mount": "/",
    "path": "/usr/bin/expiry",
    "mode_octal": "2755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 42,
    "group": "shadow"
},
{
    "mount": "/",
    "path": "/usr/bin/gpasswd",
    "mode_octal": "4755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 0,
    "group": "root"
},
{
    "mount": "/",
    "path": "/usr/bin/crontab",
    "mode_octal": "2755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 990,
    "group": "crontab"
},
{
    "mount": "/",
    "path": "/usr/bin/mount",
    "mode_octal": "4755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 0,
    "group": "root"
},
{
    "mount": "/",
    "path": "/usr/bin/chfn",
    "mode_octal": "4755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 0,
    "group": "root"
},
{
    "mount": "/",
    "path": "/usr/lib/dbus-1.0/dbus-daemon-launch-helper",
    "mode_octal": "4754",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 102,
    "group": "messagebus"
},

```

```

{
  "mount": "/",
  "path": "/usr/lib/x86_64-linux-gnu/utempter/utempter",
  "mode_octal": "2755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 43,
  "group": "utmp"
},
{
  "mount": "/",
  "path": "/usr/lib/openssh/ssh-keysign",
  "mode_octal": "4755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 0,
  "group": "root"
},
{
  "mount": "/",
  "path": "/usr/lib/polkit-1/polkit-agent-helper-1",
  "mode_octal": "4755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 0,
  "group": "root"
},
{
  "mount": "/",
  "path": "/usr/sbin/pam_extrausers_chkpwd",
  "mode_octal": "2755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 42,
  "group": "shadow"
},
{
  "mount": "/",
  "path": "/usr/sbin/unix_chkpwd",
  "mode_octal": "2755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 42,
  "group": "shadow"
}
],
"truncated": false
},
"mount_scan_meta": {
  "mounts_scanned": [
    "/",
    "\u2514\u2500/boot"
  ]
},

```

```
"mounts_skipped": [  
  "\u251c\u2500/sys",  
  "\u2502",  
  "\u2502",  
  "\u2502",  
  "\u2502",  
  "\u2502",  
  "\u2502",  
  "\u2502",  
  "\u2502",  
  "\u251c\u2500/proc",  
  "\u2502",  
  "\u2502",  
  "\u251c\u2500/dev",  
  "\u2502",  
  "\u2502",  
  "\u2502",  
  "\u2502",  
  "\u251c\u2500/run",  
  "\u2502",  
  "\u2502"  
],  
  "scan_duration_seconds": 17.876  
},  
  "errors": []  
},  
  "user_accounts": {  
    "shadow_password_suite": {  
      "login_defs": {  
        "PASS_MAX_DAYS": "99999",  
        "PASS_MIN_DAYS": "0",  
        "PASS_WARN_AGE": "7",  
        "ENCRYPT_METHOD": "SHA512"  
      },  
      "pam_unix_hashing": "password [success=1 default=ignore] pam_unix  
      "useradd_inactive": "-1",  
      "user_chage_info": [  
        {  
          "user": "root",  
          "pass_max_days": "99999",  
          "pass_min_days": "0",  
          "pass_warn_days": "7",  
          "account_inactive": "never",  
          "last_password_change": "Feb 16, 2025"  
        },  
        {  
          "user": "daemon",  
          "pass_max_days": "99999",  
          "pass_min_days": "0",  
          "pass_warn_days": "7",  
          "account_inactive": "never",  
          "last_password_change": "Feb 16, 2025"  
        }  
      ],  
    }  
  }  
}
```

```
{
  "user": "bin",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "sys",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "sync",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "games",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "man",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "lp",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "mail",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
```



```
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "news",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "uucp",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "proxy",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "www-data",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "backup",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "list",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "irc",
```

```
"pass_max_days": "99999",
"pass_min_days": "0",
"pass_warn_days": "7",
"account_inactive": "never",
"last_password_change": "Feb 16, 2025"
},
{
  "user": "_apt",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "nobody",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "systemd-network",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "systemd-timesync",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "dhcpcd",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "messagebus",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
```

```
},
{
  "user": "systemd-resolve",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "pollinate",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "polkitd",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "syslog",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "uidd",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "tcpdump",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "tss",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
```

```
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
    "user": "landscape",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
    "user": "fwupd-refresh",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
    "user": "usbmux",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Apr 19, 2026"
  },
  {
    "user": "sebti",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Apr 19, 2026"
  },
  {
    "user": "wazuh-indexer",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Apr 19, 2026"
  },
  {
    "user": "wazuh",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Apr 19, 2026"
  },
  {
```

```
    "user": "wazuh-dashboard",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Apr 19, 2026"
  },
  {
    "user": "sshd",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Jun 25, 2026"
  },
  {
    "user": "ftp",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Jun 25, 2026"
  }
],
"errors": []
},
"root_and_system_accounts": {
  "uid_0_accounts": [
    "root"
  ],
  "primary_gid_0_accounts": [
    "root"
  ],
  "gid_0_groups": [
    "root"
  ],
  "root_shadow_password_status": "*",
  "securetty_exists": false,
  "securetty_contents": null,
  "root_umask": {
    "/root/.bash_profile": null,
    "/root/.bashrc": null,
    "/etc/profile": null,
    "/etc/bash.bashrc": null,
    "/etc/login.defs": "022"
  },
  "system_accounts": [
    {
      "user": "daemon",
      "uid": 1,
      "shell": "/usr/sbin/nologin",
      "passwd_status": "L"
    },
  ],
}
```

```
{
  "user": "bin",
  "uid": 2,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "sys",
  "uid": 3,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "sync",
  "uid": 4,
  "shell": "/bin/sync",
  "passwd_status": "L"
},
{
  "user": "games",
  "uid": 5,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "man",
  "uid": 6,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "lp",
  "uid": 7,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "mail",
  "uid": 8,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "news",
  "uid": 9,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "uucp",
  "uid": 10,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
}
```

```
},
{
  "user": "proxy",
  "uid": 13,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "www-data",
  "uid": 33,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "backup",
  "uid": 34,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "list",
  "uid": 38,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "irc",
  "uid": 39,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "_apt",
  "uid": 42,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "systemd-network",
  "uid": 998,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "systemd-timesync",
  "uid": 997,
  "shell": "/usr/sbin/nologin",
  "passwd_status": "L"
},
{
  "user": "dhcpcd",
  "uid": 100,
  "shell": "/bin/false",
```

```
    "passwd_status": "L"
},
{
    "user": "messagebus",
    "uid": 101,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "systemd-resolve",
    "uid": 992,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "pollinate",
    "uid": 102,
    "shell": "/bin/false",
    "passwd_status": "L"
},
{
    "user": "polkitd",
    "uid": 991,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "syslog",
    "uid": 103,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "uuiidd",
    "uid": 104,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "tcpdump",
    "uid": 105,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "tss",
    "uid": 106,
    "shell": "/bin/false",
    "passwd_status": "L"
},
{
    "user": "landscape",
    "uid": 107,
```



```
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
  },
  {
    "user": "fwupd-refresh",
    "uid": 989,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
  },
  {
    "user": "usbmux",
    "uid": 108,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
  },
  {
    "user": "wazuh-indexer",
    "uid": 109,
    "shell": "/bin/false",
    "passwd_status": "L"
  },
  {
    "user": "wazuh",
    "uid": 110,
    "shell": "/sbin/nologin",
    "passwd_status": "L"
  },
  {
    "user": "wazuh-dashboard",
    "uid": 111,
    "shell": "/bin/false",
    "passwd_status": "L"
  },
  {
    "user": "sshd",
    "uid": 112,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
  },
  {
    "user": "ftp",
    "uid": 113,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
  }
],
"root_path": "/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/",
"errors": [],
},
"default_user_environment": {
  "nologin_in_shells": false,
  "shells_file_contents": [
    "/bin/sh",
```

```

    "/usr/bin/sh",
    "/bin/bash",
    "/usr/bin/bash",
    "/bin/rbash",
    "/usr/bin/rbash",
    "/usr/bin/dash",
    "/usr/bin/screen",
    "/usr/bin/tmux"
  ],
  "tmout_settings": {
    "/etc/profile": [],
    "/etc/profile.d": [],
    "/etc/bash.bashrc": []
  },
  "default_user_umask": {
    "login_defs": "022",
    "profile": null,
    "bash_bashrc": null,
    "pam_umask": "session optional\t\t\tpam_umask.so"
  },
  "errors": []
},
"local_users_and_groups_evidence": {
  "orphan_gids_in_passwd": [],
  "shadow_group_members": [],
  "duplicate_uids": {},
  "duplicate_gids": {},
  "duplicate_usernames": {},
  "duplicate_groupnames": {},
  "home_directory_issues": [],
  "dotfile_permission_issues": []
},
"errors": []
},
"ufw_firewall": {
  "ufw_installed": true,
  "ufw_dpkg_status": "install ok installed",
  "alternative_firewalls_active": {
    "nftables": false,
    "iptables-persistent": false
  },
  "service_configured": {
    "is_enabled": "enabled",
    "is_active": "active",
    "status_verbose": "Status: inactive",
    "other_firewall_services_running": []
  },
  "default_policies": {
    "incoming": null,
    "outgoing": null,
    "routed": null,
    "etc_default_ufw": {
      "DEFAULT_INPUT_POLICY": "DROP",

```

```

        "DEFAULT_OUTPUT_POLICY": "ACCEPT",
        "DEFAULT_FORWARD_POLICY": "DROP"
    },
    "errors": []
},
"system_auditing": {
    "auditd_installed": false,
    "audispd_plugins_installed": false,
    "errors": [
        {
            "check": "auditd_installed",
            "error": "auditd package is not installed."
        }
    ]
},
"aide_integrity_checking": {
    "aide_installed": false,
    "scheduled_checking": null,
    "audit_tools_integrity_tracked": null,
    "errors": []
},
"system_logging": {
    "journald": {
        "systemd-journald_active": "active",
        "systemd-journald_enabled": "static",
        "systemd-journal-remote_installed": false,
        "systemd-journal-upload_active": "inactive",
        "systemd-journal-upload_enabled": "not-found",
        "systemd-journal-remote_socket_active": "inactive",
        "systemd-journal-remote_socket_enabled": "not-found",
        "journald_configs": [
            {
                "path": "/etc/systemd/journald.conf",
                "content": "# This file is part of systemd.\n#\n# systemd i
            }
        ],
        "journald_log_dirs": [
            {
                "path": "/run/log/journal",
                "mode": "2755",
                "owner_uid": 0,
                "group_gid": 999,
                "children": []
            },
            {
                "path": "/var/log/journal",
                "mode": "2755",
                "owner_uid": 0,
                "group_gid": 999,
                "children": [
                    {
                        "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746

```

```
"mode": "2755",  
    "owner_uid": 0,  
    "group_gid": 999  
}  
]  
  
},  
"  
rsyslog": {  
    "  
rsyslog_installed": true,  
    "  
rsyslog_active": "active",  
    "  
rsyslog_enabled": "enabled",  
    "  
rsyslog_configs": [  
        {  
            "  
path": "/etc/rsyslog.conf",  
            "  
content": "# /etc/rsyslog.conf configuration file for rsyslo  
        },  
        {  
            "  
path": "/etc/rsyslog.d/20-ufw.conf",  
            "  
content": "# Log kernel generated UFW log messages to file\n  
        },  
        {  
            "  
path": "/etc/rsyslog.d/21-cloudinit.conf",  
            "  
content": "# Log cloudinit generated log messages to file\n:  
        },  
        {  
            "  
path": "/etc/rsyslog.d/50-default.conf",  
            "  
content": "# Default rules for rsyslog.\n#\nt\ttFor more  
        }  
    ],  
    "  
logrotate_configs": [  
        {  
            "  
path": "/etc/logrotate.conf",  
            "  
content": "# see \"man logrotate\" for details\n\n# global o  
        },  
        {  
            "  
path": "/etc/logrotate.d/alte...rnatives",  
            "  
content": "/var/log/alte...rnatives.log {\n\ntmonthly\n\trate  
        },  
        {  
            "  
path": "/etc/logrotate.d/apport",  
            "  
content": "/var/log/apport.log {\n                daily\n                    rotat  
        },  
        {  
            "  
path": "/etc/logrotate.d/apt",  
            "  
content": "/var/log/apt/term.log {\n        rotate 12\n        monthly\n  
        },  
        {  
            "  
path": "/etc/logrotate.d/bootlog",  
            "  
content": "/var/log/boot.log{\n        missingok\n        daily\n  
        },  
        {  
            "  
path": "/etc/logqrotate.d/btmp",
```

```

        "content": "# no packages own btmp -- we'll rotate it here\n/
    },
    {
        "path": "/etc/logrotate.d/cloud-init",
        "content": "/var/log/cloud-init*.log\n{\n    su root root\n
    },
    {
        "path": "/etc/logrotate.d/dpkg",
        "content": "/var/log/dpkg.log {\n\tmonthly\n\trotate 12\n\tco
    },
    {
        "path": "/etc/logrotate.d/rsyslog",
        "content": "/var/log/syslog\n/var/log/mail.log\n/var/log/kern
    },
    {
        "path": "/etc/logrotate.d/ubuntu-pro-client",
        "content": "# use the root group by default, since this is th
    },
    {
        "path": "/etc/logrotate.d/ufw",
        "content": "/var/log/ufw.log\n{\n\trotate 4\n\tweekly\n\tmiss
    },
    {
        "path": "/etc/logrotate.d/unattended-upgrades",
        "content": "/var/log/unattended-upgrades/unattended-upgrades.
    },
    {
        "path": "/etc/logrotate.d/vsftpd",
        "content": "/var/log/vsftpd.log\n{\n\tcreate 640 root adm\n\n
    },
    {
        "path": "/etc/logrotate.d/wtmp",
        "content": "# no packages own wtmp -- we'll rotate it here\n/
    }
],
"logrotate_timer_active": "active",
"logrotate_timer_enabled": "enabled",
"rsyslog_gnutls_installed": false
},
"logfiles": [
    {
        "path": "/var/log/wtmp",
        "mode": "0664",
        "owner_uid": 0,
        "group_gid": 43
    },
    {
        "path": "/var/log/bootstrap.log",
        "mode": "0644",
        "owner_uid": 0,
        "group_gid": 0
    },
    {

```

```
"path": "/var/log/auth.log",
"mode": "0640",
"owner_uid": 103,
"group_gid": 4
},
{
  "path": "/var/log/wazuh-install.log",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/dmesg",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 4
},
{
  "path": "/var/log/syslog",
  "mode": "0640",
  "owner_uid": 103,
  "group_gid": 4
},
{
  "path": "/var/log/btmp",
  "mode": "0660",
  "owner_uid": 0,
  "group_gid": 43
},
{
  "path": "/var/log/lastlog",
  "mode": "0664",
  "owner_uid": 0,
  "group_gid": 43
},
{
  "path": "/var/log/alternatives.log",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/kern.log",
  "mode": "0640",
  "owner_uid": 103,
  "group_gid": 4
},
{
  "path": "/var/log/faillog",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
}
```

```
{
  "path": "/var/log/cloud-init-output.log",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 4
},
{
  "path": "/var/log/README",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/dpkg.log",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/apport.log",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 4
},
{
  "path": "/var/log/cloud-init.log",
  "mode": "0640",
  "owner_uid": 103,
  "group_gid": 4
},
{
  "path": "/var/log/installer/installer-journal.txt",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/casper-md5check.json",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/autoinstall-user-data",
  "mode": "0400",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/media-info",
  "mode": "0444",
  "owner_uid": 0,
  "group_gid": 0
}
```

```
},
{
  "path": "/var/log/installer/device-map.json",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/subiquity-server-info.log",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/subiquity-client-debug.log",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/subiquity-server-debug.log",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/cloud-init-output.log",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/subiquity-client-info.log",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/curtin-install.log",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/cloud-init.log",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/curtin-install/subiquity-curtin-apt",
  "mode": "0600",
  "owner_uid": 0,
```



```
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/curtin-install/subiquity-initial.co
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/curtin-install/subiquity-partitioni
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/curtin-install/subiquity-extract.co
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/curtin-install/subiquity-curthooks.
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/block/discover.log",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/block/probe-data.json",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/filebeat/filebeat",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/sysstat/sa14",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/sysstat/sa29",
    "mode": "0644",
```

```
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/sysstat/sa13",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/sysstat/sa06",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/sysstat/sa08",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/sysstat/sa28",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/sysstat/sa26",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/sysstat/sa16",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/sysstat/sa25",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/sysstat/sar25",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/sysstat/sa09",
```

```
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/sysstat/sa15",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/wazuh-indexer/gc.log",
    "mode": "0644",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_index_search_slow",
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster.log",
    "mode": "0644",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_server.json",
    "mode": "0644",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_task_detailslog.1",
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_task_detailslog.j",
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_index_indexing_sl",
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
```

```
"path": "/var/log/wazuh-indexer/wazuh-cluster_index_indexing_sl
"mode": "0640",
"owner_uid": 109,
"group_gid": 110
},
{
  "path": "/var/log/wazuh-indexer/wazuh-cluster_index_search_slow
"mode": "0640",
"owner_uid": 109,
"group_gid": 110
},
{
  "path": "/var/log/wazuh-indexer/wazuh-cluster_deprecation.json"
"mode": "0640",
"owner_uid": 109,
"group_gid": 110
},
{
  "path": "/var/log/wazuh-indexer/wazuh-cluster_deprecation.log",
"mode": "0640",
"owner_uid": 109,
"group_gid": 110
},
{
  "path": "/var/log/landscape/sysinfo.log",
"mode": "0644",
"owner_uid": 0,
"group_gid": 0
},
{
  "path": "/var/log/apt/term.log",
"mode": "0640",
"owner_uid": 0,
"group_gid": 4
},
{
  "path": "/var/log/apt/history.log",
"mode": "0644",
"owner_uid": 0,
"group_gid": 0
},
{
  "path": "/var/log/unattended-upgrades/unattended-upgrades.log",
"mode": "0644",
"owner_uid": 0,
"group_gid": 0
},
{
  "path": "/var/log/unattended-upgrades/unattended-upgrades-dpkg.
"mode": "0644",
"owner_uid": 0,
"group_gid": 4
},
}
```

```
{
  "path": "/var/log/unattended-upgrades/unattended-upgrades-shutd
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
}
```

```
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
```

```
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
```

```
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
```



```
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
```

```
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
}
```

```

{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
}
],
"errors": []
},
"network_config": {
  "network_devices": {
    "ipv6_status": {
      "sysfs_disable_value": "0",
      "grub_cmdline_linux_raw": "GRUB_CMDLINE_LINUX=\"\\\"\",
      "grub_ipv6_disable_flag": false,
      "inet6_addresses_found": [
        "inet6 ::1/128 scope host noprefixroute",
        "inet6 fe80::a00:27ff:fee5:e092/64 scope link"
      ],
      "inet6_address_count": 2
    },
    "wireless_interfaces": {
      "wireless_devices_ip_link": [],
      "wireless_devices_nmcli": [],
      "nmcli_available": false,
      "loaded_wireless_kernel_modules": [
        "cfg80211"
      ],
      "any_wireless_found": true
    }
  }
}

```

```

    },
    "bluetooth": {
        "bluez_installed": false,
        "bluez_dpkg_status": null,
        "bluetooth_service_enabled": "not-found",
        "bluetooth_service_active": "inactive"
    }
},
"kernel_modules": {
    "atm": {
        "module_name": "atm",
        "currently_loaded": false,
        "modprobe_config_lines": []
    },
    "can": {
        "module_name": "can",
        "currently_loaded": false,
        "modprobe_config_lines": []
    },
    "dccp": {
        "module_name": "dccp",
        "currently_loaded": false,
        "modprobe_config_lines": []
    },
    "rds": {
        "module_name": "rds",
        "currently_loaded": false,
        "modprobe_config_lines": []
    },
    "sctp": {
        "module_name": "sctp",
        "currently_loaded": false,
        "modprobe_config_lines": []
    },
    "tipc": {
        "module_name": "tipc",
        "currently_loaded": false,
        "modprobe_config_lines": []
    }
},
"sysctl_ipv4": {
    "net.ipv4.ip_forward": {
        "key": "net.ipv4.ip_forward",
        "runtime_value": "0",
        "persisted_value": null,
        "persisted_config_source_file": null
    },
    "net.ipv4.conf.all.forwarding": {
        "key": "net.ipv4.conf.all.forwarding",
        "runtime_value": "0",
        "persisted_value": null,
        "persisted_config_source_file": null
    }
},

```

```
"net.ipv4.conf.default.forwarding": {
  "key": "net.ipv4.conf.default.forwarding",
  "runtime_value": "0",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.conf.all.send_redirects": {
  "key": "net.ipv4.conf.all.send_redirects",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.conf.default.send_redirects": {
  "key": "net.ipv4.conf.default.send_redirects",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.icmp_ignore_bogus_error_responses": {
  "key": "net.ipv4.icmp_ignore_bogus_error_responses",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.icmp_echo_ignore_broadcasts": {
  "key": "net.ipv4.icmp_echo_ignore_broadcasts",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.conf.all.accept_redirects": {
  "key": "net.ipv4.conf.all.accept_redirects",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.conf.default.accept_redirects": {
  "key": "net.ipv4.conf.default.accept_redirects",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.conf.all.secure_redirects": {
  "key": "net.ipv4.conf.all.secure_redirects",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.conf.default.secure_redirects": {
  "key": "net.ipv4.conf.default.secure_redirects",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
}
```

```
},
"net.ipv4.conf.all.rp_filter": {
  "key": "net.ipv4.conf.all.rp_filter",
  "runtime_value": "2",
  "persisted_value": "2",
  "persisted_config_source_file": "/etc/sysctl.d/10-network-secur
},
"net.ipv4.conf.default.rp_filter": {
  "key": "net.ipv4.conf.default.rp_filter",
  "runtime_value": "2",
  "persisted_value": "2",
  "persisted_config_source_file": "/etc/sysctl.d/10-network-secur
},
"net.ipv4.conf.all.accept_source_route": {
  "key": "net.ipv4.conf.all.accept_source_route",
  "runtime_value": "0",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.conf.default.accept_source_route": {
  "key": "net.ipv4.conf.default.accept_source_route",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.conf.all.log_martians": {
  "key": "net.ipv4.conf.all.log_martians",
  "runtime_value": "0",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.conf.default.log_martians": {
  "key": "net.ipv4.conf.default.log_martians",
  "runtime_value": "0",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv4.tcp_syncookies": {
  "key": "net.ipv4.tcp_syncookies",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
}
},
"sysctl_ipv6": {
  "net.ipv6.conf.all.forwarding": {
    "key": "net.ipv6.conf.all.forwarding",
    "runtime_value": "0",
    "persisted_value": null,
    "persisted_config_source_file": null
  },
  "net.ipv6.conf.default.forwarding": {
    "key": "net.ipv6.conf.default.forwarding",
```

```

        "runtime_value": "0",
        "persisted_value": null,
        "persisted_config_source_file": null
    },
    "net.ipv6.conf.all.accept_redirects": {
        "key": "net.ipv6.conf.all.accept_redirects",
        "runtime_value": "1",
        "persisted_value": null,
        "persisted_config_source_file": null
    },
    "net.ipv6.conf.default.accept_redirects": {
        "key": "net.ipv6.conf.default.accept_redirects",
        "runtime_value": "1",
        "persisted_value": null,
        "persisted_config_source_file": null
    },
    "net.ipv6.conf.all.accept_source_route": {
        "key": "net.ipv6.conf.all.accept_source_route",
        "runtime_value": "0",
        "persisted_value": null,
        "persisted_config_source_file": null
    },
    "net.ipv6.conf.default.accept_source_route": {
        "key": "net.ipv6.conf.default.accept_source_route",
        "runtime_value": "0",
        "persisted_value": null,
        "persisted_config_source_file": null
    },
    "net.ipv6.conf.all.accept_ra": {
        "key": "net.ipv6.conf.all.accept_ra",
        "runtime_value": "1",
        "persisted_value": null,
        "persisted_config_source_file": null
    },
    "net.ipv6.conf.default.accept_ra": {
        "key": "net.ipv6.conf.default.accept_ra",
        "runtime_value": "1",
        "persisted_value": null,
        "persisted_config_source_file": null
    }
},
"errors": []
},
"pam": {
    "pam_packages": [
        {
            "package": "libpam-runtime",
            "installed": true,
            "installed_version": "1.5.3-5ubuntu5.5",
            "candidate_version": "1.5.3-5ubuntu5.5",
            "candidate_version_error": null
        },
        {

```

```

    "package": "libpam-modules",
    "installed": true,
    "installed_version": "1.5.3-5ubuntu5.5",
    "candidate_version": "1.5.3-5ubuntu5.5",
    "candidate_version_error": null
  },
  {
    "package": "libpam-pwquality",
    "installed": false,
    "installed_version": null,
    "candidate_version": "1.4.5-3build1",
    "candidate_version_error": null
  },
  {
    "package": "cracklib-runtime",
    "installed": false,
    "installed_version": null,
    "candidate_version": "2.9.6-5.1build2",
    "candidate_version_error": null
  }
],
"pam_profiles_raw": {
  "pam_d_files_raw": {
    "/etc/pam.d/common-auth": "#\n# /etc/pam.d/common-auth - authen
    "/etc/pam.d/common-account": "#\n# /etc/pam.d/common-account -
    "/etc/pam.d/common-password": "#\n# /etc/pam.d/common-password
    "/etc/pam.d/common-session": "#\n# /etc/pam.d/common-session -
  },
  "pam_auth_update_list": null,
  "module_lines": {
    "pam_unix.so": [
      {
        "file": "/etc/pam.d/common-auth",
        "line": "auth\t[success=1 default=ignore]\tpam_unix.so null
      },
      {
        "file": "/etc/pam.d/common-account",
        "line": "account\t[success=1 new_authtok_reqd=done default=
      },
      {
        "file": "/etc/pam.d/common-password",
        "line": "password\t[success=1 default=ignore]\tpam_unix.so
      },
      {
        "file": "/etc/pam.d/common-session",
        "line": "session\trequired\tpam_unix.so"
      }
    ],
    "pam_faillock.so": [],
    "pam_pwquality.so": [],
    "pam_pwhistory.so": []
  }
},

```



```
"pam_faillock": {
  "faillock_conf_raw": "# Configuration for locking the user after
  "faillock_conf_settings": {
    "deny": null,
    "fail_interval": null,
    "unlock_time": null,
    "even_deny_root": null,
    "root_unlock_time": null,
    "audit": null,
    "silent": null
  },
  "faillock_pam_lines": [],
  "faillock_inline_pam_settings": {
    "deny": null,
    "fail_interval": null,
    "unlock_time": null,
    "even_deny_root": null,
    "root_unlock_time": null,
    "audit": null,
    "silent": null
  }
},
"pam_pwquality": {
  "pwquality_conf_raw": null,
  "pwquality_conf_d": [],
  "pwquality_conf_settings": {
    "difok": null,
    "minlen": null,
    "dcredit": null,
    "ucredit": null,
    "lcredit": null,
    "ocredit": null,
    "maxrepeat": null,
    "maxsequence": null,
    "dictcheck": null,
    "enforcing": null,
    "enforce_for_root": null,
    "retry": null
  },
  "pwquality_pam_lines": [],
  "pwquality_inline_pam_settings": {
    "difok": null,
    "minlen": null,
    "dcredit": null,
    "ucredit": null,
    "lcredit": null,
    "ocredit": null,
    "maxrepeat": null,
    "maxsequence": null,
    "dictcheck": null,
    "enforcing": null,
    "enforce_for_root": null,
    "retry": null
  }
}
```

```

    }
  },
  "pam_pwhistory": {
    "pwhistory_pam_lines": [],
    "pwhistory_inline_pam_settings": {
      "remember": null,
      "enforce_for_root": null,
      "use_authtok": null
    },
    "opasswd_exists": true
  },
  "pam_unix": {
    "pam_unix_lines": [
      {
        "file": "/etc/pam.d/common-auth",
        "line": "auth\t[success=1 default=ignore]\tpam_unix.so nullok
      },
      {
        "file": "/etc/pam.d/common-account",
        "line": "account\t[success=1 new_authtok_reqd=done default=ig
      },
      {
        "file": "/etc/pam.d/common-password",
        "line": "password\t[success=1 default=ignore]\tpam_unix.so ob
      },
      {
        "file": "/etc/pam.d/common-session",
        "line": "session\trequired\tpam_unix.so"
      }
    ],
    "pam_unix_flag_presence": {
      "nullok": "present",
      "remember": null,
      "use_authtok": null,
      "yescrypt": "present",
      "sha512": null,
      "blowfish": null,
      "md5": null
    }
  },
  "errors": [
    {
      "check": "pam-auth-update --list",
      "error": "Command '['pam-auth-update', '--list']' timed out aft
    }
  ]
}

```