

Raw Security Data Profile

```
{
  "ssh": {
    "version": "OpenSSH 9.6p1",
    "banner": "OpenSSH_9.6p1",
    "port": 22,
    "network": {
      "address_family": {
        "value": "any",
        "risk": "low"
      },
      "listen_address": "0.0.0.0:22"
    },
    "authentication": {
      "usepam": true,
      "max_auth_tries": 6,
      "permit_root_login": "without-password",
      "ignorerhosts": true,
      "hostbasedauthentication": false,
      "pubkey_authentication": true,
      "gssapiauthentication": false,
      "password_authentication": {
        "value": true,
        "risk": "high"
      },
      "permit_empty_passwords": false,
      "authentication_methods": {
        "value": "any",
        "risk": "high"
      }
    },
    "session": {
      "login_grace_time": 120,
      "max_sessions": 10,
      "client_alive_interval": {
        "value": 0,
        "risk": "medium"
      },
      "client_alive_count_max": 3,
      "maxstartups": "10:30:100"
    },
    "forwarding": {
      "gateway_ports": false,
      "allow_tcp_forwarding": {
        "value": true,
        "risk": "medium"
      },
      "allow_agent_forwarding": {
        "value": true,
        "risk": "medium"
      }
    }
  }
}
```

```

    },
    "allow_streamlocal_forwarding": {
        "value": true,
        "risk": "medium"
    },
    "permit_open": {
        "value": "any",
        "risk": "medium"
    },
    "permit_listen": {
        "value": "any",
        "risk": "medium"
    }
},
"features": {
    "x11_forwarding": {
        "value": true,
        "risk": "medium"
    },
    "strict_modes": true,
    "compression": true,
    "use_dns": {
        "value": false,
        "risk": "low"
    },
    "banner": "none",
    "permit_user_environment": false,
    "log_level": "INFO",
    "syslog_facility": "AUTH"
},
"compression": "enabled (zlib@openssh.com)",
"all_ciphers": [
    "chacha20-poly1305@openssh.com",
    "aes128-ctr",
    "aes192-ctr",
    "aes256-ctr",
    "aes128-gcm@openssh.com",
    "aes256-gcm@openssh.com"
],
"sshd_config_permissions": "644 root root /etc/ssh/sshd_config",
"ssh_privkey_permissions": "600 root root /etc/ssh/ssh_host_ecdsa_k
"ssh_pubkey_permissions": "644 root root /etc/ssh/ssh_host_ecdsa_ke
},
"crypto": {
    "weak_macs": [
        {
            "algorithm": "umac-64-etm@openssh.com",
            "severity": "medium",
            "reason": "UMAC-64 in EtM; 64-bit birthday bound too small for
        },
        {
            "algorithm": "hmac-shal-etm@openssh.com",
            "severity": "high",

```

```

    "reason": "SHA-1 in EtM mode; enables Terrapin attack (CVE-2023
  },
  {
    "algorithm": "umac-64@openssh.com",
    "severity": "medium",
    "reason": "UMAC with 64-bit tag; birthday attack risk at ~2^32
  },
  {
    "algorithm": "umac-128@openssh.com",
    "severity": "medium",
    "reason": "Algorithm is deprecated or has known cryptographic w
  },
  {
    "algorithm": "hmac-sha2-256",
    "severity": "medium",
    "reason": "Algorithm is deprecated or has known cryptographic w
  },
  {
    "algorithm": "hmac-sha2-512",
    "severity": "medium",
    "reason": "Algorithm is deprecated or has known cryptographic w
  },
  {
    "algorithm": "hmac-sha1",
    "severity": "high",
    "reason": "SHA-1 hash; collision attacks demonstrated; deprecat
  }
],
"weak_kex": [
  {
    "algorithm": "ecdh-sha2-nistp256",
    "severity": "high",
    "reason": "NIST P-256 curve has suspected NIST/NSA backdoor per
  },
  {
    "algorithm": "ecdh-sha2-nistp384",
    "severity": "high",
    "reason": "NIST P-384 curve; same NSA-standardized curve trust
  },
  {
    "algorithm": "ecdh-sha2-nistp521",
    "severity": "high",
    "reason": "NIST P-521 curve; same NSA-standardized curve trust
  },
  {
    "algorithm": "diffie-hellman-group14-sha256",
    "severity": "medium",
    "reason": "Algorithm is deprecated or has known cryptographic w
  }
],
"weak_host_keys": [
  {
    "algorithm": "ecdsa-sha2-nistp256",

```

```

        "severity": "high",
        "reason": "Algorithm is deprecated or has known cryptographic w
    }
]
},
"vulnerabilities": [
    {
        "cve": "CVE-2023-48795",
        "name": "Terrapin Attack",
        "risk": "high",
        "description": "Prefix truncation attack on SSH handshake via Cha
        "affected_algorithms": [
            "hmac-sha1-etm@openssh.com"
        ],
        "notes": "Mitigated by removing CBC-EtM MACs and ensuring strict
    },
    {
        "cve": "CVE-2002-20001",
        "name": "DROWN (Diffie-Hellman Key Reuse)",
        "risk": "high",
        "description": "Use of weak Diffie-Hellman groups allows a man-in
        "affected_algorithms": [
            "ecdh-sha2-nistp256",
            "ecdh-sha2-nistp384",
            "ecdh-sha2-nistp521"
        ],
        "notes": "Remove DH group sizes below 3072 bits."
    }
],
"privilege_escalation": {
    "sudo_installed": {
        "installed": true,
        "version_output": "Sudo version 1.9.15p5",
        "dpkg_status": "ii  sudo                    1.9.15p5-3ubuntu5.24.04.2 amd6
    },
    "sudoers_files_scanned": [
        "/etc/sudoers",
        "/etc/sudoers.d/README"
    ],
    "sudoers_defaults_lines": [
        {
            "file": "/etc/sudoers",
            "line_number": 9,
            "content": "Defaults\ttenv_reset"
        },
        {
            "file": "/etc/sudoers",
            "line_number": 10,
            "content": "Defaults\tmail_badpass"
        },
        {
            "file": "/etc/sudoers",
            "line_number": 11,

```

```

        "content": "Defaults\tsecure_path=\"/usr/local/sbin:/usr/local/
    },
    {
        "file": "/etc/sudoers",
        "line_number": 15,
        "content": "Defaults\tuse_pty"
    }
],
"use_pty_entries": [
    {
        "file": "/etc/sudoers",
        "content": "Defaults\tuse_pty"
    }
],
"logfile_entries": [],
"logfile_exists_checks": [],
"sudo_syslog_logging": {
    "auth_log_exists": true,
    "syslog_log_exists": true,
    "rsyslog_authpriv_configured": true,
    "rsyslog_configs_checked": [
        "/etc/rsyslog.conf",
        "/etc/rsyslog.d/20-ufw.conf",
        "/etc/rsyslog.d/21-cloudinit.conf",
        "/etc/rsyslog.d/50-default.conf"
    ],
    "syslog_ng_config_exists": false,
    "journald_sudo_evidence": "Aug 05 11:00:58 sebti sudo[4631]: pam_
},
"nopasswd_entries": [],
"noauthenticate_entries": [],
"timestamp_timeout_entries": [],
"su_restriction": {
    "pam_su_config": "#\n# The PAM configuration file for the Shadow
    "pam_wheel_line": "# auth          required    pam_wheel.so",
    "wheel_group_members": [
        "sebti"
    ],
    "wheel_group_source": "sudo"
},
"errors": []
},
"file_permissions": {
    "fixed_files": [
        {
            "path": "/etc/passwd",
            "exists": true,
            "mode_octal": "0644",
            "owner": "root",
            "owner_uid": 0,
            "group": "root",
            "group_gid": 0,
            "error": null
        }
    ]
}

```

```
},
{
  "path": "/etc/passwd-",
  "exists": true,
  "mode_octal": "0644",
  "owner": "root",
  "owner_uid": 0,
  "group": "root",
  "group_gid": 0,
  "error": null
},
{
  "path": "/etc/group",
  "exists": true,
  "mode_octal": "0644",
  "owner": "root",
  "owner_uid": 0,
  "group": "root",
  "group_gid": 0,
  "error": null
},
{
  "path": "/etc/group-",
  "exists": true,
  "mode_octal": "0644",
  "owner": "root",
  "owner_uid": 0,
  "group": "root",
  "group_gid": 0,
  "error": null
},
{
  "path": "/etc/shadow",
  "exists": true,
  "mode_octal": "0640",
  "owner": "root",
  "owner_uid": 0,
  "group": "shadow",
  "group_gid": 42,
  "error": null
},
{
  "path": "/etc/shadow-",
  "exists": true,
  "mode_octal": "0640",
  "owner": "root",
  "owner_uid": 0,
  "group": "shadow",
  "group_gid": 42,
  "error": null
},
{
  "path": "/etc/gshadow",
```

```

    "exists": true,
    "mode_octal": "0640",
    "owner": "root",
    "owner_uid": 0,
    "group": "shadow",
    "group_gid": 42,
    "error": null
  },
  {
    "path": "/etc/gshadow-",
    "exists": true,
    "mode_octal": "0640",
    "owner": "root",
    "owner_uid": 0,
    "group": "shadow",
    "group_gid": 42,
    "error": null
  },
  {
    "path": "/etc/shells",
    "exists": true,
    "mode_octal": "0644",
    "owner": "root",
    "owner_uid": 0,
    "group": "root",
    "group_gid": 0,
    "error": null
  },
  {
    "path": "/etc/security/opasswd",
    "exists": true,
    "mode_octal": "0600",
    "owner": "root",
    "owner_uid": 0,
    "group": "root",
    "group_gid": 0,
    "error": null
  }
],
"world_writable": {
  "mounts_scanned": [
    "/",
    "\u2514\u2500/boot"
  ],
  "mounts_skipped": [
    {
      "mount": "\u251c\u2500/sys",
      "fstype": "sysfs"
    },
    {
      "mount": "\u2502",
      "fstype": "\u251c\u2500/sys/kernel/security"
    }
  ],

```

```
{
  "mount": "\u2502",
  "fstype": "\u251c\u2500/sys/fs/cgroup"
},
{
  "mount": "\u2502",
  "fstype": "\u251c\u2500/sys/fs/pstore"
},
{
  "mount": "\u2502",
  "fstype": "\u251c\u2500/sys/fs/bpf"
},
{
  "mount": "\u2502",
  "fstype": "\u251c\u2500/sys/kernel/debug"
},
{
  "mount": "\u2502",
  "fstype": "\u251c\u2500/sys/kernel/tracing"
},
{
  "mount": "\u2502",
  "fstype": "\u251c\u2500/sys/fs/fuse/connections"
},
{
  "mount": "\u2502",
  "fstype": "\u2514\u2500/sys/kernel/config"
},
{
  "mount": "\u251c\u2500/proc",
  "fstype": "proc"
},
{
  "mount": "\u2502",
  "fstype": "\u2514\u2500/proc/sys/fs/binfmt_misc"
},
{
  "mount": "\u2502",
  "fstype": "\u2514\u2500/proc/sys/fs/binfmt_misc"
},
{
  "mount": "\u251c\u2500/dev",
  "fstype": "devtmpfs"
},
{
  "mount": "\u2502",
  "fstype": "\u251c\u2500/dev/pts"
},
{
  "mount": "\u2502",
  "fstype": "\u251c\u2500/dev/shm"
},
{
```

```

        "mount": "\u2502",
        "fstype": "\u251c\u2500/dev/hugepages"
    },
    {
        "mount": "\u2502",
        "fstype": "\u2514\u2500/dev/mqueue"
    },
    {
        "mount": "\u251c\u2500/run",
        "fstype": "tmpfs"
    },
    {
        "mount": "\u2502",
        "fstype": "\u251c\u2500/run/lock"
    },
    {
        "mount": "\u2502",
        "fstype": "\u2514\u2500/run/user/1000"
    }
],
"world_writable_files": [
    {
        "mount": "/",
        "paths": [],
        "truncated": false
    },
    {
        "mount": "\u2514\u2500/boot",
        "paths": [],
        "truncated": false
    }
],
"world_writable_dirs_no_sticky": [
    {
        "mount": "/",
        "paths": [],
        "truncated": false
    },
    {
        "mount": "\u2514\u2500/boot",
        "paths": [],
        "truncated": false
    }
],
"errors": [],
},
"unowned": {
    "unowned_or_ungrouped": [
        {
            "mount": "/",
            "paths": [],
            "truncated": false
        },
    ],

```

```

    {
      "mount": "\u2514\u2500/boot",
      "paths": [],
      "truncated": false
    }
  ]
},
"suid_sgid": {
  "suid_sgid_files": [
    {
      "mount": "/",
      "path": "/usr/bin/umount",
      "mode_octal": "4755",
      "owner_uid": 0,
      "owner": "root",
      "group_gid": 0,
      "group": "root"
    },
    {
      "mount": "/",
      "path": "/usr/bin/chsh",
      "mode_octal": "4755",
      "owner_uid": 0,
      "owner": "root",
      "group_gid": 0,
      "group": "root"
    },
    {
      "mount": "/",
      "path": "/usr/bin/sudo",
      "mode_octal": "4755",
      "owner_uid": 0,
      "owner": "root",
      "group_gid": 0,
      "group": "root"
    },
    {
      "mount": "/",
      "path": "/usr/bin/su",
      "mode_octal": "4755",
      "owner_uid": 0,
      "owner": "root",
      "group_gid": 0,
      "group": "root"
    },
    {
      "mount": "/",
      "path": "/usr/bin/passwd",
      "mode_octal": "4755",
      "owner_uid": 0,
      "owner": "root",
      "group_gid": 0,
      "group": "root"
    }
  ]
}

```

```
},
{
  "mount": "/",
  "path": "/usr/bin/ssh-agent",
  "mode_octal": "2755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 103,
  "group": "_ssh"
},
{
  "mount": "/",
  "path": "/usr/bin/fusermount3",
  "mode_octal": "4755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 0,
  "group": "root"
},
{
  "mount": "/",
  "path": "/usr/bin/newgrp",
  "mode_octal": "4755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 0,
  "group": "root"
},
{
  "mount": "/",
  "path": "/usr/bin/chage",
  "mode_octal": "2755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 42,
  "group": "shadow"
},
{
  "mount": "/",
  "path": "/usr/bin/expiry",
  "mode_octal": "2755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 42,
  "group": "shadow"
},
{
  "mount": "/",
  "path": "/usr/bin/gpasswd",
  "mode_octal": "4755",
  "owner_uid": 0,
  "owner": "root",
  "group_gid": 0,
```

```
    "group": "root"
  },
  {
    "mount": "/",
    "path": "/usr/bin/crontab",
    "mode_octal": "2755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 990,
    "group": "crontab"
  },
  {
    "mount": "/",
    "path": "/usr/bin/mount",
    "mode_octal": "4755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 0,
    "group": "root"
  },
  {
    "mount": "/",
    "path": "/usr/bin/chfn",
    "mode_octal": "4755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 0,
    "group": "root"
  },
  {
    "mount": "/",
    "path": "/usr/lib/dbus-1.0/dbus-daemon-launch-helper",
    "mode_octal": "4754",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 102,
    "group": "messagebus"
  },
  {
    "mount": "/",
    "path": "/usr/lib/x86_64-linux-gnu/utempter/utempter",
    "mode_octal": "2755",
    "owner_uid": 0,
    "owner": "root",
    "group_gid": 43,
    "group": "utmp"
  },
  {
    "mount": "/",
    "path": "/usr/lib/openssh/ssh-keysign",
    "mode_octal": "4755",
    "owner_uid": 0,
    "owner": "root",
```

```

        "group_gid": 0,
        "group": "root"
    },
    {
        "mount": "/",
        "path": "/usr/lib/polkit-1/polkit-agent-helper-1",
        "mode_octal": "4755",
        "owner_uid": 0,
        "owner": "root",
        "group_gid": 0,
        "group": "root"
    },
    {
        "mount": "/",
        "path": "/usr/sbin/pam_extrausers_chkpwd",
        "mode_octal": "2755",
        "owner_uid": 0,
        "owner": "root",
        "group_gid": 42,
        "group": "shadow"
    },
    {
        "mount": "/",
        "path": "/usr/sbin/unix_chkpwd",
        "mode_octal": "2755",
        "owner_uid": 0,
        "owner": "root",
        "group_gid": 42,
        "group": "shadow"
    }
],
"truncated": false
},
"mount_scan_meta": {
    "mounts_scanned": [
        "/",
        "\u2514\u2500/boot"
    ],
    "mounts_skipped": [
        "\u251c\u2500/sys",
        "\u2502",
        "\u2502",
        "\u2502",
        "\u2502",
        "\u2502",
        "\u2502",
        "\u2502",
        "\u2502",
        "\u251c\u2500/proc",
        "\u2502",
        "\u2502",
        "\u251c\u2500/dev",
        "\u2502",

```

```
        "\u2502",
        "\u2502",
        "\u2502",
        "\u251c\u2500/run",
        "\u2502",
        "\u2502"
    ],
    "scan_duration_seconds": 20.17
},
"errors": []
},
"user_accounts": {
    "shadow_password_suite": {
        "login_defs": {
            "PASS_MAX_DAYS": "99999",
            "PASS_MIN_DAYS": "0",
            "PASS_WARN_AGE": "7",
            "ENCRYPT_METHOD": "SHA512"
        },
        "pam_unix_hashing": "password [success=1 default=ignore] pam_unix
        "useradd_inactive": "-1",
        "user_chage_info": [
            {
                "user": "root",
                "pass_max_days": "99999",
                "pass_min_days": "0",
                "pass_warn_days": "7",
                "account_inactive": "never",
                "last_password_change": "Feb 16, 2025"
            },
            {
                "user": "daemon",
                "pass_max_days": "99999",
                "pass_min_days": "0",
                "pass_warn_days": "7",
                "account_inactive": "never",
                "last_password_change": "Feb 16, 2025"
            },
            {
                "user": "bin",
                "pass_max_days": "99999",
                "pass_min_days": "0",
                "pass_warn_days": "7",
                "account_inactive": "never",
                "last_password_change": "Feb 16, 2025"
            },
            {
                "user": "sys",
                "pass_max_days": "99999",
                "pass_min_days": "0",
                "pass_warn_days": "7",
                "account_inactive": "never",
                "last_password_change": "Feb 16, 2025"
            }
        ]
    }
}
```

```
},
{
  "user": "sync",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "games",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "man",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "lp",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "mail",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "news",
  "pass_max_days": "99999",
  "pass_min_days": "0",
  "pass_warn_days": "7",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "uucp",
  "pass_max_days": "99999",
  "pass_min_days": "0",
```

```
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
    "user": "proxy",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
    "user": "www-data",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
    "user": "backup",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
    "user": "list",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
    "user": "irc",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
    "user": "_apt",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
```

```
"user": "nobody",
"pass_max_days": "99999",
"pass_min_days": "0",
"pass_warn_days": "7",
"account_inactive": "never",
"last_password_change": "Feb 16, 2025"
},
{
  "user": "systemd-network",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "systemd-timesync",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "dhcpcd",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "messagebus",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "systemd-resolve",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Feb 16, 2025"
},
{
  "user": "pollinate",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
```

```
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "polkitd",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "syslog",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "uuid",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "tcpdump",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "tss",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "landscape",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
},
{
    "user": "fwupd-refresh",
    "pass_max_days": "-1",
```

```
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Feb 16, 2025"
  },
  {
    "user": "usbmux",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Apr 19, 2026"
  },
  {
    "user": "sebti",
    "pass_max_days": "99999",
    "pass_min_days": "0",
    "pass_warn_days": "7",
    "account_inactive": "never",
    "last_password_change": "Apr 19, 2026"
  },
  {
    "user": "wazuh-indexer",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Apr 19, 2026"
  },
  {
    "user": "wazuh",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Apr 19, 2026"
  },
  {
    "user": "wazuh-dashboard",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Apr 19, 2026"
  },
  {
    "user": "sshd",
    "pass_max_days": "-1",
    "pass_min_days": "-1",
    "pass_warn_days": "-1",
    "account_inactive": "never",
    "last_password_change": "Jun 25, 2026"
  },
}
```

```
{
  "user": "ftp",
  "pass_max_days": "-1",
  "pass_min_days": "-1",
  "pass_warn_days": "-1",
  "account_inactive": "never",
  "last_password_change": "Jun 25, 2026"
},
"errors": [],
},
"root_and_system_accounts": {
  "uid_0_accounts": [
    "root"
  ],
  "primary_gid_0_accounts": [
    "root"
  ],
  "gid_0_groups": [
    "root"
  ],
  "root_shadow_password_status": "*",
  "securetty_exists": false,
  "securetty_contents": null,
  "root_umask": {
    "/root/.bash_profile": null,
    "/root/.bashrc": null,
    "/etc/profile": null,
    "/etc/bash.bashrc": null,
    "/etc/login.defs": "022"
  },
  "system_accounts": [
    {
      "user": "daemon",
      "uid": 1,
      "shell": "/usr/sbin/nologin",
      "passwd_status": "L"
    },
    {
      "user": "bin",
      "uid": 2,
      "shell": "/usr/sbin/nologin",
      "passwd_status": "L"
    },
    {
      "user": "sys",
      "uid": 3,
      "shell": "/usr/sbin/nologin",
      "passwd_status": "L"
    },
    {
      "user": "sync",
      "uid": 4,
```

```
    "shell": "/bin/sync",
    "passwd_status": "L"
},
{
    "user": "games",
    "uid": 5,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "man",
    "uid": 6,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "lp",
    "uid": 7,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "mail",
    "uid": 8,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "news",
    "uid": 9,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "uucp",
    "uid": 10,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "proxy",
    "uid": 13,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "www-data",
    "uid": 33,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "backup",
```

```
    "uid": 34,  
    "shell": "/usr/sbin/nologin",  
    "passwd_status": "L"  
  },  
  {  
    "user": "list",  
    "uid": 38,  
    "shell": "/usr/sbin/nologin",  
    "passwd_status": "L"  
  },  
  {  
    "user": "irc",  
    "uid": 39,  
    "shell": "/usr/sbin/nologin",  
    "passwd_status": "L"  
  },  
  {  
    "user": "_apt",  
    "uid": 42,  
    "shell": "/usr/sbin/nologin",  
    "passwd_status": "L"  
  },  
  {  
    "user": "systemd-network",  
    "uid": 998,  
    "shell": "/usr/sbin/nologin",  
    "passwd_status": "L"  
  },  
  {  
    "user": "systemd-timesync",  
    "uid": 997,  
    "shell": "/usr/sbin/nologin",  
    "passwd_status": "L"  
  },  
  {  
    "user": "dhcpcd",  
    "uid": 100,  
    "shell": "/bin/false",  
    "passwd_status": "L"  
  },  
  {  
    "user": "messagebus",  
    "uid": 101,  
    "shell": "/usr/sbin/nologin",  
    "passwd_status": "L"  
  },  
  {  
    "user": "systemd-resolve",  
    "uid": 992,  
    "shell": "/usr/sbin/nologin",  
    "passwd_status": "L"  
  },  
  {
```

```
    "user": "pollinate",
    "uid": 102,
    "shell": "/bin/false",
    "passwd_status": "L"
},
{
    "user": "polkitd",
    "uid": 991,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "syslog",
    "uid": 103,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "uuiidd",
    "uid": 104,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "tcpdump",
    "uid": 105,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "tss",
    "uid": 106,
    "shell": "/bin/false",
    "passwd_status": "L"
},
{
    "user": "landscape",
    "uid": 107,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "fwupd-refresh",
    "uid": 989,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
{
    "user": "usbmux",
    "uid": 108,
    "shell": "/usr/sbin/nologin",
    "passwd_status": "L"
},
},
```

```

    {
      "user": "wazuh-indexer",
      "uid": 109,
      "shell": "/bin/false",
      "passwd_status": "L"
    },
    {
      "user": "wazuh",
      "uid": 110,
      "shell": "/sbin/nologin",
      "passwd_status": "L"
    },
    {
      "user": "wazuh-dashboard",
      "uid": 111,
      "shell": "/bin/false",
      "passwd_status": "L"
    },
    {
      "user": "sshd",
      "uid": 112,
      "shell": "/usr/sbin/nologin",
      "passwd_status": "L"
    },
    {
      "user": "ftp",
      "uid": 113,
      "shell": "/usr/sbin/nologin",
      "passwd_status": "L"
    }
  ],
  "root_path": "/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/",
  "errors": [],
},
"default_user_environment": {
  "nologin_in_shells": false,
  "shells_file_contents": [
    "/bin/sh",
    "/usr/bin/sh",
    "/bin/bash",
    "/usr/bin/bash",
    "/bin/rbash",
    "/usr/bin/rbash",
    "/usr/bin/dash",
    "/usr/bin/screen",
    "/usr/bin/tmux"
  ],
},
"tmout_settings": {
  "/etc/profile": [],
  "/etc/profile.d": [],
  "/etc/bash.bashrc": []
},
"default_user_umask": {

```

```

        "login_defs": "022",
        "profile": null,
        "bash_bashrc": null,
        "pam_umask": "session optional\t\t\tpam_umask.so"
    },
    "errors": []
},
"local_users_and_groups_evidence": {
    "orphan_gids_in_passwd": [],
    "shadow_group_members": [],
    "duplicate_uids": {},
    "duplicate_gids": {},
    "duplicate_usernames": {},
    "duplicate_groupnames": {},
    "home_directory_issues": [],
    "dotfile_permission_issues": []
},
"errors": []
},
"ufw_firewall": {
    "ufw_installed": true,
    "ufw_dpkg_status": "install ok installed",
    "alternative_firewalls_active": {
        "nftables": false,
        "iptables-persistent": false
    },
    "service_configured": {
        "is_enabled": "enabled",
        "is_active": "active",
        "status_verbose": "Status: inactive",
        "other_firewall_services_running": []
    },
    "default_policies": {
        "incoming": null,
        "outgoing": null,
        "routed": null,
        "etc_default_ufw": {
            "DEFAULT_INPUT_POLICY": "DROP",
            "DEFAULT_OUTPUT_POLICY": "ACCEPT",
            "DEFAULT_FORWARD_POLICY": "DROP"
        }
    },
    "errors": []
},
"filesystem": {
    "filesystem_kernel_modules": [
        {
            "module_name": "cramfs",
            "currently_loaded": false,
            "modprobe_config_lines": []
        },
        {
            "module_name": "freevxfs",

```

```

    "currently_loaded": false,
    "modprobe_config_lines": []
},
{
    "module_name": "hfs",
    "currently_loaded": false,
    "modprobe_config_lines": []
},
{
    "module_name": "hfsplus",
    "currently_loaded": false,
    "modprobe_config_lines": []
},
{
    "module_name": "jffs2",
    "currently_loaded": false,
    "modprobe_config_lines": []
},
{
    "module_name": "overlay",
    "currently_loaded": false,
    "modprobe_config_lines": []
},
{
    "module_name": "squashfs",
    "currently_loaded": false,
    "modprobe_config_lines": []
},
{
    "module_name": "udf",
    "currently_loaded": false,
    "modprobe_config_lines": []
},
{
    "module_name": "firewire-core",
    "currently_loaded": false,
    "modprobe_config_lines": []
},
{
    "module_name": "usb-storage",
    "currently_loaded": false,
    "modprobe_config_lines": []
}
],
"lsmod_raw": [
    "Module                Size  Used by",
    "tcp_diag              12288  0",
    "udp_diag              12288  0",
    "inet_diag             28672  2 tcp_diag,udp_diag",
    "nf_tables             380928 0",
    "tls                   155648 0",
    "qrtr                   53248  2",
    "cfg80211             1368064 0",

```

"binfmt_misc	24576	1",
"snd_intel8x0	53248	0",
"intel_rapl_msr	20480	0",
"snd_ac97_codec	196608	1 snd_intel8x0",
"ac97_bus	12288	1 snd_ac97_codec",
"snd_pcm	192512	2 snd_intel8x0,snd_ac97_codec",
"intel_rapl_common	40960	1 intel_rapl_msr",
"vmwgfx	446464	0",
"snd_timer	49152	1 snd_pcm",
"drm_ttm_helper	12288	1 vmwgfx",
"snd	143360	4 snd_intel8x0,snd_timer,snd_ac97_
"i2c_piix4	32768	0",
"vboxguest	57344	0",
"soundcore	16384	1 snd",
"ttm	110592	2 vmwgfx,drm_ttm_helper",
"joydev	32768	0",
"input_leds	12288	0",
"mac_hid	12288	0",
"serio_raw	20480	0",
"sch_fq_codel	24576	2",
"dm_multipath	45056	0",
"msr	12288	0",
"efi_pstore	12288	0",
"nfnetlink	20480	3 nf_tables",
"dmi_sysfs	24576	0",
"ip_tables	32768	0",
"x_tables	65536	1 ip_tables",
"autofs4	57344	2",
"btrfs	2056192	0",
"blake2b_generic	24576	0",
"raid10	77824	0",
"raid456	196608	0",
"async_raid6_recov	20480	1 raid456",
"async_memcpy	16384	2 raid456,async_raid6_recov",
"async_pq	20480	2 raid456,async_raid6_recov",
"async_xor	16384	3 async_pq,raid456,async_raid6_rec
"async_tx	16384	5 async_pq,async_memcpy,async_xor,
"xor	20480	2 async_xor,btrfs",
"raid6_pq	126976	4 async_pq,btrfs,raid456,async_rai
"libcrc32c	12288	3 btrfs,nf_tables,raid456",
"raid1	61440	0",
"raid0	24576	0",
"crct10dif_pclmul	12288	1",
"crc32_pclmul	12288	0",
"polyval_clmulni	12288	0",
"polyval_generic	12288	1 polyval_clmulni",
"ghash_clmulni_intel	16384	0",
"sha256_ssse3	32768	0",
"sha1_ssse3	32768	0",
"vga16fb	32768	0",
"vgastate	20480	1 vga16fb",
"psmouse	217088	0",
"ahci	49152	2",

```

"e1000                180224  0",
"libahci              53248   1 ahci",
"pata_acpi            12288   0",
"video                77824   0",
"wmi                  28672   1 video",
"hid_generic          12288   0",
"usbhid               77824   0",
"hid                  180224  2 usbhid,hid_generic",
"aesni_intel          356352  0",
"crypto_simd           16384  1 aesni_intel",
"crypto               24576   2 crypto_simd,ghash_clmulni_intel"
],
"filesystem_partitions": [
  {
    "mount_point": "/tmp",
    "is_separate_partition": false,
    "fstype": "ext4",
    "mount_options_raw": "rw,relatime",
    "mount_options_list": [
      "rw",
      "relatime"
    ],
    "fstab_line": null
  },
  {
    "mount_point": "/dev/shm",
    "is_separate_partition": true,
    "fstype": "tmpfs",
    "mount_options_raw": "rw,nosuid,nodev,inode64",
    "mount_options_list": [
      "rw",
      "nosuid",
      "nodev",
      "inode64"
    ],
    "fstab_line": null
  },
  {
    "mount_point": "/home",
    "is_separate_partition": false,
    "fstype": "ext4",
    "mount_options_raw": "rw,relatime",
    "mount_options_list": [
      "rw",
      "relatime"
    ],
    "fstab_line": null
  },
  {
    "mount_point": "/var",
    "is_separate_partition": false,
    "fstype": "ext4",
    "mount_options_raw": "rw,relatime",

```

```

    "mount_options_list": [
        "rw",
        "relatime"
    ],
    "fstab_line": null
},
{
    "mount_point": "/var/tmp",
    "is_separate_partition": false,
    "fstype": "ext4",
    "mount_options_raw": "rw,relatime",
    "mount_options_list": [
        "rw",
        "relatime"
    ],
    "fstab_line": null
},
{
    "mount_point": "/var/log",
    "is_separate_partition": false,
    "fstype": "ext4",
    "mount_options_raw": "rw,relatime",
    "mount_options_list": [
        "rw",
        "relatime"
    ],
    "fstab_line": null
},
{
    "mount_point": "/var/log/audit",
    "is_separate_partition": false,
    "fstype": "ext4",
    "mount_options_raw": "rw,relatime",
    "mount_options_list": [
        "rw",
        "relatime"
    ],
    "fstab_line": null
}
],
"errors": []
},
"package_management": {
    "package_repositories": {
        "sources_files": [
            {
                "path": "/etc/apt/sources.list",
                "raw_content": "# Ubuntu sources have moved to /etc/apt/sourc
                "active_repo_lines": [],
                "matching_signed_by_lines": [],
                "has_signed_by": false
            },
            {

```

```

"path": "/etc/apt/sources.list.d/ubuntu.sources",
"raw_content": "Types: deb\nURIs: http://tn.archive.ubuntu.co
"active_repo_lines": [
    "Types: deb",
    "URIs: http://tn.archive.ubuntu.com/ubuntu/",
    "Suites: noble noble-updates noble-backports",
    "Components: main restricted universe multiverse",
    "Signed-By: /usr/share/keyrings/ubuntu-archive-keyring.gpg"
    "Types: deb",
    "URIs: http://security.ubuntu.com/ubuntu/",
    "Suites: noble-security",
    "Components: main restricted universe multiverse",
    "Signed-By: /usr/share/keyrings/ubuntu-archive-keyring.gpg"
],
"matching_signed_by_lines": [
    "Signed-By: /usr/share/keyrings/ubuntu-archive-keyring.gpg"
    "Signed-By: /usr/share/keyrings/ubuntu-archive-keyring.gpg"
],
"has_signed_by": true
},
{
    "path": "/etc/apt/sources.list.d/wazuh.list",
    "raw_content": "deb [signed-by=/usr/share/keyrings/wazuh.gpg]
    "active_repo_lines": [
        "deb [signed-by=/usr/share/keyrings/wazuh.gpg] https://pack
    ],
    "matching_signed_by_lines": [
        "deb [signed-by=/usr/share/keyrings/wazuh.gpg] https://pack
    ],
    "has_signed_by": true
}
],
"weak_deps_config_lines": [],
"gpg_key_files_stat": [
    {
        "path": "/etc/apt/trusted.gpg.d/ubuntu-keyring-2012-cdimage.g
        "exists": true,
        "is_dir": false,
        "mode_octal": "0o644",
        "uid": 0,
        "gid": 0,
        "owner": "root",
        "group": "root"
    },
    {
        "path": "/etc/apt/trusted.gpg.d/ubuntu-keyring-2018-archive.g
        "exists": true,
        "is_dir": false,
        "mode_octal": "0o644",
        "uid": 0,
        "gid": 0,
        "owner": "root",
        "group": "root"
    }
]

```

```
    }  
  ],  
  "trusted_gpg_d_stat": {  
    "path": "/etc/apt/trusted.gpg.d",  
    "exists": true,  
    "is_dir": true,  
    "mode_octal": "0o755",  
    "uid": 0,  
    "gid": 0,  
    "owner": "root",  
    "group": "root"  
  },  
  "auth_conf_stat": {  
    "path": "/etc/apt/auth.conf",  
    "exists": false,  
    "is_dir": false,  
    "mode_octal": null,  
    "uid": null,  
    "gid": null,  
    "owner": null,  
    "group": null  
  },  
  "auth_conf_d_stat": {  
    "path": "/etc/apt/auth.conf.d",  
    "exists": true,  
    "is_dir": true,  
    "mode_octal": "0o755",  
    "uid": 0,  
    "gid": 0,  
    "owner": "root",  
    "group": "root"  
  },  
  "auth_conf_d_files_stat": [],  
  "keyrings_dir_stat": {  
    "path": "/usr/share/keyrings",  
    "exists": true,  
    "is_dir": true,  
    "mode_octal": "0o755",  
    "uid": 0,  
    "gid": 0,  
    "owner": "root",  
    "group": "root"  
  },  
  "sources_list_d_stat": {  
    "path": "/etc/apt/sources.list.d",  
    "exists": true,  
    "is_dir": true,  
    "mode_octal": "0o755",  
    "uid": 0,  
    "gid": 0,  
    "owner": "root",  
    "group": "root"  
  },  
}
```

```

"sources_list_d_files_stat": [
  {
    "path": "/etc/apt/sources.list.d/ubuntu.sources",
    "exists": true,
    "is_dir": false,
    "mode_octal": "0o644",
    "uid": 0,
    "gid": 0,
    "owner": "root",
    "group": "root"
  },
  {
    "path": "/etc/apt/sources.list.d/ubuntu.sources.curtin.orig",
    "exists": true,
    "is_dir": false,
    "mode_octal": "0o644",
    "uid": 0,
    "gid": 0,
    "owner": "root",
    "group": "root"
  },
  {
    "path": "/etc/apt/sources.list.d/wazuh.list",
    "exists": true,
    "is_dir": false,
    "mode_octal": "0o644",
    "uid": 0,
    "gid": 0,
    "owner": "root",
    "group": "root"
  }
]
},
"package_updates": {
  "upgradable_packages": [
    "apparmor/noble-updates 4.0.1really4.0.1-0ubuntu0.24.04.7 amd64",
    "apport-core-dump-handler/noble-updates 2.28.2-0ubuntu0.1 all [",
    "apport/noble-updates 2.28.2-0ubuntu0.1 all [upgradable from: 2",
    "base-files/noble-updates 13ubuntu10.4 amd64 [upgradable from:",
    "cloud-init/noble-updates 26.1-0ubuntu1~24.04.1 all [upgradable",
    "coreutils/noble-updates 9.4-3ubuntu6.2 amd64 [upgradable from:",
    "cryptsetup-bin/noble-updates 2:2.7.0-1ubuntu4.2 amd64 [upgrada",
    "cryptsetup-initramfs/noble-updates 2:2.7.0-1ubuntu4.2 all [upg",
    "cryptsetup/noble-updates 2:2.7.0-1ubuntu4.2 amd64 [upgradable",
    "dhcpcd-base/noble-updates 1:10.0.6-1ubuntu3.2 amd64 [upgradabl",
    "dmeventd/noble-updates 2:1.02.185-3ubuntu3.2 amd64 [upgradable",
    "dmsetup/noble-updates 2:1.02.185-3ubuntu3.2 amd64 [upgradable",
    "dracut-install/noble-updates 060+5-1ubuntu3.3 amd64 [upgradabl",
    "filebeat/stable 7.10.2-2 amd64 [upgradable from: 7.10.2]",
    "firmware-sof-signed/noble-updates 2023.12.1-1ubuntu1.11 all [u",
    "fwupd/noble-updates 2.0.20-1ubuntu2~24.04.2 amd64 [upgradable",
    "ibverbs-providers/noble-updates 50.0-2ubuntu0.2 amd64 [upgrada",
    "initramfs-tools-bin/noble-updates 0.142ubuntu25.8 amd64 [upgra

```

"initramfs-tools-core/noble-updates 0.142ubuntu25.8 all [upgrad
"initramfs-tools/noble-updates 0.142ubuntu25.8 all [upgradable
"iproute2/noble-updates 6.1.0-1ubuntu6.4 amd64 [upgradable from
"kpartx/noble-updates 0.9.4-5ubuntu8.2 amd64 [upgradable from:
"landscape-common/noble-updates 24.02-0ubuntu5.7 amd64 [upgrada
"libapparmor1/noble-updates 4.0.1really4.0.1-0ubuntu0.24.04.7 a
"libcryptsetup12/noble-updates 2:2.7.0-1ubuntu4.2 amd64 [upgrad
"libdevmapper-event1.02.1/noble-updates 2:1.02.185-3ubuntu3.2 a
"libdevmapper1.02.1/noble-updates 2:1.02.185-3ubuntu3.2 amd64 [
"libfwupd2/noble-updates 1.9.34-0ubuntu1~24.04.1 amd64 [upgrada
"libibverbs1/noble-updates 50.0-2ubuntu0.2 amd64 [upgradable fr
"libjcat1/noble-updates 0.2.3-1~ubuntu0.24.04.1 amd64 [upgradab
"libldap-common/noble-updates 2.6.10+dfsg-0ubuntu0.24.04.1 all
"libldap2/noble-updates 2.6.10+dfsg-0ubuntu0.24.04.1 amd64 [upg
"liblvm2cmd2.03/noble-updates 2.03.16-3ubuntu3.2 amd64 [upgrada
"libmbim-glib4/noble-updates 1.31.2-0ubuntu3.1 amd64 [upgradabl
"libmbim-proxy/noble-updates 1.31.2-0ubuntu3.1 amd64 [upgradabl
"libmbim-utils/noble-updates 1.31.2-0ubuntu3.1 amd64 [upgradabl
"libnetplan1/noble-updates 1.1.2-8ubuntu1~24.04.2 amd64 [upgrad
"libnftables1/noble-updates 1.0.9-1ubuntu0.1 amd64 [upgradable
"libnuma1/noble-updates 2.0.18-1ubuntu0.24.04.1 amd64 [upgradab
"libnvme1t64/noble-updates 1.8-3ubuntu1 amd64 [upgradable from:
"libopeniscsiusr/noble-updates 2.1.9-3ubuntu5.4 amd64 [upgradab
"libplymouth5/noble-updates 24.004.60-1ubuntu7.2 amd64 [upgrada
"libtraceevent1-plugin/noble-updates 1:1.8.2-1ubuntu2.1 amd64 [
"libtraceevent1/noble-updates 1:1.8.2-1ubuntu2.1 amd64 [upgrada
"libxmlb2/noble-updates 0.3.24-1~ubuntu0.24.04.1 amd64 [upgrada
"linux-base/noble-updates 4.5ubuntu9+24.04.2 all [upgradable fr
"linux-firmware/noble-updates 20240318.git3b128b60-0ubuntu2.27
"lshw/noble-updates 02.19.git.2021.06.19.996aaad9c7-2ubuntu0.24
"lvm2/noble-updates 2.03.16-3ubuntu3.2 amd64 [upgradable from:
"motd-news-config/noble-updates 13ubuntu10.4 all [upgradable fr
"multipath-tools/noble-updates 0.9.4-5ubuntu8.2 amd64 [upgradab
"netplan-generator/noble-updates 1.1.2-8ubuntu1~24.04.2 amd64 [
"netplan.io/noble-updates 1.1.2-8ubuntu1~24.04.2 amd64 [upgrada
"nftables/noble-updates 1.0.9-1ubuntu0.1 amd64 [upgradable from
"numactl/noble-updates 2.0.18-1ubuntu0.24.04.1 amd64 [upgradabl
"open-iscsi/noble-updates 2.1.9-3ubuntu5.4 amd64 [upgradable fr
"open-vm-tools/noble-updates 2:13.0.0-2~ubuntu0.24.04.1 amd64 [
"pci.ids/noble-updates 0.0~2024.03.31-1ubuntu0.1 all [upgradabl
"plymouth-theme-ubuntu-text/noble-updates 24.004.60-1ubuntu7.2
"plymouth/noble-updates 24.004.60-1ubuntu7.2 amd64 [upgradable
"powermgmt-base/noble-updates 1.37ubuntu0.1 all [upgradable fro
"python-apt-common/noble-updates 2.7.7ubuntu5.2 all [upgradable
"python3-apport/noble-updates 2.28.2-0ubuntu0.1 all [upgradable
"python3-apt/noble-updates 2.7.7ubuntu5.2 amd64 [upgradable fro
"python3-distupgrade/noble-updates 1:24.04.28 all [upgradable f
"python3-netplan/noble-updates 1.1.2-8ubuntu1~24.04.2 amd64 [up
"python3-problem-report/noble-updates 2.28.2-0ubuntu0.1 all [up
"python3-software-properties/noble-updates 0.99.49.4 all [upgra
"python3-update-manager/noble-updates 1:24.04.12 all [upgradabl
"rsyslog/noble-updates 8.2312.0-3ubuntu9.2 amd64 [upgradable fr
"snapd/noble-updates 2.75.2+ubuntu24.04 amd64 [upgradable from:

```

    "software-properties-common/noble-updates 0.99.49.4 all [upgrad
    "sosreport/noble-updates 4.10.2-0ubuntu0~24.04.1 amd64 [upgrada
    "systemd-hwe-hwdb/noble-updates 255.1.7 all [upgradable from: 2
    "tcpdump/noble-updates 4.99.4-3ubuntu4.24.04.1 amd64 [upgradabl
    "thermald/noble-updates 2.5.6-2ubuntu0.24.04.5 amd64 [upgradabl
    "ubuntu-drivers-common/noble-updates 1:0.9.7.6ubuntu3.7 amd64 [
    "ubuntu-pro-client-l10n/noble-updates 37.2ubuntu~24.04 amd64 [u
    "ubuntu-pro-client/noble-updates 37.2ubuntu~24.04 amd64 [upgrad
    "ubuntu-release-upgrader-core/noble-updates 1:24.04.28 all [upg
    "update-manager-core/noble-updates 1:24.04.12 all [upgradable f
    "update-notifier-common/noble-updates 3.192.68.2 all [upgradabl
    "wazuh-dashboard/stable 4.14.6-1 amd64 [upgradable from: 4.7.5-
    "wazuh-indexer/stable 4.14.6-1 amd64 [upgradable from: 4.7.5-1]
    "wazuh-manager/stable 4.14.6-1 amd64 [upgradable from: 4.7.5-1]
  ],
  "upgradable_package_count": 85,
  "apt_cache_error": null,
  "unattended_upgrades_installed": true,
  "unattended_upgrades_dpkg_status": "Package: unattended-upgrades\
  "unattended_upgrades_service_enabled": "enabled",
  "unattended_upgrades_service_active": "active",
  "auto_upgrades_conf_content": "APT::Periodic::Update-Package-List
  "unattended_upgrades_conf_content": "// Automatically upgrade pac
},
"errors": []
},
"apparmor": {
  "packages": {
    "apparmor_installed": true,
    "apparmor_dpkg_status": "Package: apparmor\nStatus: install ok in
    "apparmor_utils_installed": false,
    "apparmor_utils_dpkg_status": null
  },
  "enabled_status": {
    "sysfs_enabled_value": "Y",
    "service_enabled": "enabled",
    "service_active": "active",
    "grub_cmdline_raw": "GRUB_CMDLINE_LINUX=\"\"",
    "grub_apparmor_flag": false,
    "grub_security_flag": false
  },
  "aa_status": {
    "raw_output": "apparmor module is loaded.\n119 profiles are loade
    "error_output": "",
    "return_code": 0
  },
  "restrict_unprivileged_sysctl": {
    "key": "kernel.apparmor_restrict_unprivileged_unconfined",
    "runtime_value": "0",
    "persisted_value": null,
    "persisted_config_source_file": null
  },
  "errors": []
}

```

```

},
"bootloader": {
  "password_config": {
    "superusers_lines": [],
    "password_lines": [],
    "has_superusers": false,
    "has_password": false,
    "custom_40_has_password": false,
    "password_01_has_password": false
  },
  "grub_cfg_permissions": [
    {
      "path": "/boot/grub/grub.cfg",
      "exists": true,
      "is_dir": false,
      "mode_octal": "0o600",
      "uid": 0,
      "gid": 0,
      "owner": "root",
      "group": "root"
    }
  ],
  "file_permissions": {
    "grub_cfg_stat": {
      "path": "/boot/grub/grub.cfg",
      "exists": true,
      "is_dir": false,
      "mode_octal": "0o600",
      "uid": 0,
      "gid": 0,
      "owner": "root",
      "group": "root"
    }
  },
  "errors": []
},
"process_hardening": {
  "sysctl_parameters": {
    "fs.protected_hardlinks": {
      "key": "fs.protected_hardlinks",
      "runtime_value": "1",
      "persisted_value": null,
      "persisted_config_source_file": null
    },
    "fs.protected_symlinks": {
      "key": "fs.protected_symlinks",
      "runtime_value": "1",
      "persisted_value": null,
      "persisted_config_source_file": null
    },
    "kernel.yama.ptrace_scope": {
      "key": "kernel.yama.ptrace_scope",
      "runtime_value": "1",

```

```

    "persisted_value": "1",
    "persisted_config_source_file": "/etc/sysctl.d/10-ptrace.conf"
  },
  "fs.suid_dumpable": {
    "key": "fs.suid_dumpable",
    "runtime_value": "2",
    "persisted_value": null,
    "persisted_config_source_file": null
  },
  "kernel.dmesg_restrict": {
    "key": "kernel.dmesg_restrict",
    "runtime_value": "1",
    "persisted_value": null,
    "persisted_config_source_file": null
  },
  "kernel.kptr_restrict": {
    "key": "kernel.kptr_restrict",
    "runtime_value": "1",
    "persisted_value": "1",
    "persisted_config_source_file": "/etc/sysctl.d/10-kernel-harden
  },
  "kernel.randomize_va_space": {
    "key": "kernel.randomize_va_space",
    "runtime_value": "2",
    "persisted_value": null,
    "persisted_config_source_file": null
  }
},
"prelink": {
  "prelink_installed": false,
  "dpkg_status": null
},
"apport": {
  "apport_installed": true,
  "dpkg_status": "Package: apport\nStatus: install ok installed\nPr
  "service_enabled": "enabled",
  "service_active": "active",
  "etc_default_setting": "enabled=1"
},
"core_dumps": {
  "ulimit_soft_core": "0",
  "limits_conf_lines": [],
  "systemd_coredump_process_size_max": [],
  "systemd_coredump_storage": []
},
"errors": [],
},
"warning_banners": {
  "issue": {
    "content": "Ubuntu 24.04.2 LTS \\n \\l\\n\\n",
    "stat": {
      "path": "/etc/issue",
      "exists": true,

```

```

        "is_dir": false,
        "mode_octal": "0o644",
        "uid": 0,
        "gid": 0,
        "owner": "root",
        "group": "root"
    }
},
"issue_net": {
    "content": "Ubuntu 24.04.2 LTS\n",
    "stat": {
        "path": "/etc/issue.net",
        "exists": true,
        "is_dir": false,
        "mode_octal": "0o644",
        "uid": 0,
        "gid": 0,
        "owner": "root",
        "group": "root"
    }
},
"motd": {
    "content": null,
    "stat": {
        "path": "/etc/motd",
        "exists": false,
        "is_dir": false,
        "mode_octal": null,
        "uid": null,
        "gid": null,
        "owner": null,
        "group": null
    }
},
"pam_motd": {
    "pam_references": [
        {
            "file": "/etc/pam.d/login",
            "line": "session      optional    pam_motd.so motd=/run/motd.dyn
        },
        {
            "file": "/etc/pam.d/login",
            "line": "session      optional    pam_motd.so noupdate"
        },
        {
            "file": "/etc/pam.d/sshd",
            "line": "session      optional    pam_motd.so  motd=/run/motd.
        },
        {
            "file": "/etc/pam.d/sshd",
            "line": "session      optional    pam_motd.so noupdate"
        }
    ]
},

```

```

"update_motd_files_content": [
  {
    "file": "/etc/update-motd.d/00-header",
    "content": "#!/bin/sh\n#\n#      00-header - create the header
  },
  {
    "file": "/etc/update-motd.d/10-help-text",
    "content": "#!/bin/sh\n#\n#      10-help-text - print the help
  },
  {
    "file": "/etc/update-motd.d/50-landscape-sysinfo",
    "content": "#!/bin/sh\n\n# don't try refresh this more than o
  },
  {
    "file": "/etc/update-motd.d/50-motd-news",
    "content": "#!/bin/sh\n#\n#      50-motd-news - print the live
  },
  {
    "file": "/etc/update-motd.d/85-fwupd",
    "content": "#!/bin/sh\n\nif [ -f /run/motd.d/85-fwupd ]; then
  },
  {
    "file": "/etc/update-motd.d/90-updates-available",
    "content": "#!/bin/sh\n\nstamp=\"/var/lib/update-notifier/upd
  },
  {
    "file": "/etc/update-motd.d/91-contract-ua-esm-status",
    "content": "#!/bin/sh\n\ncontract_status_stamp=\"/var/lib/ubunt
  },
  {
    "file": "/etc/update-motd.d/91-release-upgrade",
    "content": "#!/bin/sh\n\n# if the current release is under de
  },
  {
    "file": "/etc/update-motd.d/92-unattended-upgrades",
    "content": "#!/bin/sh\n\nif [ -x /usr/share/unattended-upgrad
  },
  {
    "file": "/etc/update-motd.d/95-hwe-eol",
    "content": "#!/bin/sh\n\n# this stamp is created and updated
  },
  {
    "file": "/etc/update-motd.d/97-overlayroot",
    "content": "#!/bin/sh\n\n(egrep \"overlayroot|/media/root-ro|
  },
  {
    "file": "/etc/update-motd.d/98-fsck-at-reboot",
    "content": "#!/bin/sh\n\nif [ -x /usr/lib/update-notifier/upd
  },
  {
    "file": "/etc/update-motd.d/98-reboot-required",
    "content": "#!/bin/sh\n\nif [ -x /usr/lib/update-notifier/upd
  }
]

```

```

    ],
    },
    "gdm_custom_conf": null,
    "dconf_banner_conf": null,
    "errors": []
},
"gnome": {
    "gdm_installed": false,
    "gdm_service": {
        "unit": "gdm3.service",
        "enabled": "not-found",
        "active": "inactive"
    },
    "gdm3_custom_conf": null,
    "gdm3_custom_conf_content": null,
    "dconf_settings": {},
    "dconf_locks": [],
    "errors": []
},
"services": {
    "server_services": [
        {
            "cis_rule": "2.1.1",
            "service_name": "autofs",
            "packages_status": [
                {
                    "package": "autofs",
                    "installed": false
                }
            ],
            "any_package_installed": false,
            "units_status": [
                {
                    "unit": "autofs.service",
                    "enabled": "not-found",
                    "active": "inactive"
                }
            ],
            "any_unit_active": false
        },
        {
            "cis_rule": "2.1.2",
            "service_name": "mail_transfer_agent",
            "mta_detected": "none",
            "packages_status": [
                {
                    "package": "postfix",
                    "installed": false
                },
                {
                    "package": "exim4",
                    "installed": false
                }
            ],

```

```

    {
      "package": "sendmail",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "postfix",
      "enabled": "not-found",
      "active": "inactive"
    },
    {
      "unit": "exim4",
      "enabled": "not-found",
      "active": "inactive"
    },
    {
      "unit": "sendmail",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "postfix_inet_interfaces": null,
  "exim4_local_interfaces": null
},
{
  "cis_rule": "2.1.3",
  "service_name": "avahi_daemon",
  "packages_status": [
    {
      "package": "avahi-daemon",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "avahi-daemon.service",
      "enabled": "not-found",
      "active": "inactive"
    },
    {
      "unit": "avahi-daemon.socket",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "any_unit_active": false
},
{
  "cis_rule": "2.1.5",
  "service_name": "dhcp_server",

```

```
"packages_status": [
  {
    "package": "isc-dhcp-server",
    "installed": false
  }
],
"any_package_installed": false,
"units_status": [
  {
    "unit": "isc-dhcp-server.service",
    "enabled": "not-found",
    "active": "inactive"
  },
  {
    "unit": "isc-dhcp-server6.service",
    "enabled": "not-found",
    "active": "inactive"
  }
],
"any_unit_active": false
},
{
  "cis_rule": "2.1.6",
  "service_name": "web_server",
  "packages_status": [
    {
      "package": "apache2",
      "installed": false
    },
    {
      "package": "nginx",
      "installed": false
    },
    {
      "package": "lighttpd",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "apache2.service",
      "enabled": "not-found",
      "active": "inactive"
    },
    {
      "unit": "nginx.service",
      "enabled": "not-found",
      "active": "inactive"
    },
    {
      "unit": "lighttpd.service",
      "enabled": "not-found",

```

```

        "active": "inactive"
    }
],
"any_unit_active": false
},
{
    "cis_rule": "2.1.7",
    "service_name": "dns_server",
    "packages_status": [
        {
            "package": "bind9",
            "installed": false
        }
    ],
    "any_package_installed": false,
    "units_status": [
        {
            "unit": "bind9.service",
            "enabled": "not-found",
            "active": "inactive"
        },
        {
            "unit": "named.service",
            "enabled": "not-found",
            "active": "inactive"
        }
    ],
    "any_unit_active": false
},
{
    "cis_rule": "2.1.8",
    "service_name": "ftp_server",
    "packages_status": [
        {
            "package": "vsftpd",
            "installed": true
        },
        {
            "package": "proftpd-basic",
            "installed": false
        },
        {
            "package": "pure-ftpd",
            "installed": false
        }
    ],
    "any_package_installed": true,
    "units_status": [
        {
            "unit": "vsftpd.service",
            "enabled": "enabled",
            "active": "active"
        },
    ],

```

```

    {
      "unit": "proftpd.service",
      "enabled": "not-found",
      "active": "inactive"
    },
    {
      "unit": "pure-ftpd.service",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "any_unit_active": true
},
{
  "cis_rule": "2.1.9",
  "service_name": "dnsmasq",
  "packages_status": [
    {
      "package": "dnsmasq",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "dnsmasq.service",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "any_unit_active": false
},
{
  "cis_rule": "2.1.10",
  "service_name": "ldap_server",
  "packages_status": [
    {
      "package": "slapd",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "slapd.service",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "any_unit_active": false
},
{
  "cis_rule": "2.1.11",

```

```

"service_name": "message_access_server",
"packages_status": [
  {
    "package": "dovecot-imapd",
    "installed": false
  },
  {
    "package": "dovecot-pop3d",
    "installed": false
  },
  {
    "package": "cyrus-imapd",
    "installed": false
  }
],
"any_package_installed": false,
"units_status": [
  {
    "unit": "dovecot.service",
    "enabled": "not-found",
    "active": "inactive"
  }
],
"any_unit_active": false
},
{
  "cis_rule": "2.1.12",
  "service_name": "nfs_server",
  "packages_status": [
    {
      "package": "nfs-kernel-server",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "nfs-kernel-server.service",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "any_unit_active": false
},
{
  "cis_rule": "2.1.13",
  "service_name": "nis_server",
  "packages_status": [
    {
      "package": "nis",
      "installed": false
    }
  ],

```

```

"any_package_installed": false,
"units_status": [
  {
    "unit": "ypserv.service",
    "enabled": "not-found",
    "active": "inactive"
  }
],
"any_unit_active": false
},
{
  "cis_rule": "2.1.14",
  "service_name": "print_server",
  "packages_status": [
    {
      "package": "cups",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "cups.service",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "any_unit_active": false
},
{
  "cis_rule": "2.1.15",
  "service_name": "rpcbind",
  "packages_status": [
    {
      "package": "rpcbind",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "rpcbind.service",
      "enabled": "not-found",
      "active": "inactive"
    },
    {
      "unit": "rpcbind.socket",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "any_unit_active": false
},

```

```

{
  "cis_rule": "2.1.16",
  "service_name": "rsync_daemon",
  "packages_status": [
    {
      "package": "rsync",
      "installed": true
    }
  ],
  "any_package_installed": true,
  "units_status": [
    {
      "unit": "rsync.service",
      "enabled": "disabled",
      "active": "inactive"
    }
  ],
  "any_unit_active": false
},
{
  "cis_rule": "2.1.17",
  "service_name": "samba",
  "packages_status": [
    {
      "package": "samba",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "smbd.service",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "any_unit_active": false
},
{
  "cis_rule": "2.1.18",
  "service_name": "snmp",
  "packages_status": [
    {
      "package": "snmpd",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "snmpd.service",
      "enabled": "not-found",
      "active": "inactive"
    }
  ]
}

```

```

    }
  ],
  "any_unit_active": false
},
{
  "cis_rule": "2.1.19",
  "service_name": "telnet_server",
  "packages_status": [
    {
      "package": "telnetd",
      "installed": true
    },
    {
      "package": "inetutils-telnetd",
      "installed": true
    }
  ],
  "any_package_installed": true,
  "units_status": [
    {
      "unit": "telnet.socket",
      "enabled": "not-found",
      "active": "inactive"
    },
    {
      "unit": "telnetd.service",
      "enabled": "not-found",
      "active": "inactive"
    },
    {
      "unit": "inetd.service",
      "enabled": "enabled",
      "active": "active"
    },
    {
      "unit": "openbsd-inetd.service",
      "enabled": "alias",
      "active": "active"
    }
  ],
  "any_unit_active": true
},
{
  "cis_rule": "2.1.20",
  "service_name": "tftp_server",
  "packages_status": [
    {
      "package": "tftpd",
      "installed": false
    },
    {
      "package": "tftpd-hpa",
      "installed": false
    }
  ]
}

```

```

    },
    {
      "package": "atftpd",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "tftpd-hpa.service",
      "enabled": "not-found",
      "active": "inactive"
    },
    {
      "unit": "tftp.socket",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "any_unit_active": false
},
{
  "cis_rule": "2.1.21",
  "service_name": "web_proxy",
  "packages_status": [
    {
      "package": "squid",
      "installed": false
    },
    {
      "package": "squid3",
      "installed": false
    }
  ],
  "any_package_installed": false,
  "units_status": [
    {
      "unit": "squid.service",
      "enabled": "not-found",
      "active": "inactive"
    }
  ],
  "any_unit_active": false
},
{
  "cis_rule": "2.1.22",
  "service_name": "xinetd",
  "packages_status": [
    {
      "package": "xinetd",
      "installed": false
    }
  ]
},

```

```

    "any_package_installed": false,
    "units_status": [
      {
        "unit": "xinetd.service",
        "enabled": "not-found",
        "active": "inactive"
      }
    ],
    "any_unit_active": false
  },
  {
    "cis_rule": "2.1.23",
    "service_name": "x_window_server",
    "packages_status": [
      {
        "package": "xserver-xorg",
        "installed": false
      },
      {
        "package": "xserver-xorg-core",
        "installed": false
      },
      {
        "package": "xserver-common",
        "installed": false
      }
    ],
    "any_package_installed": false,
    "xorg_process_running": false,
    "units_status": [
      {
        "unit": "xdm",
        "enabled": "not-found",
        "active": "inactive"
      },
      {
        "unit": "lightdm",
        "enabled": "not-found",
        "active": "inactive"
      }
    ]
  }
],
"client_services": [
  {
    "cis_rule": "2.2.1",
    "service_name": "nis_client",
    "packages_status": [
      {
        "package": "nis",
        "installed": false
      }
    ]
  }
],

```

```
    "any_package_installed": false
  },
  {
    "cis_rule": "2.2.2",
    "service_name": "rsh_client",
    "packages_status": [
      {
        "package": "rsh-client",
        "installed": false
      }
    ],
    "any_package_installed": false
  },
  {
    "cis_rule": "2.2.3",
    "service_name": "talk_client",
    "packages_status": [
      {
        "package": "talk",
        "installed": false
      }
    ],
    "any_package_installed": false
  },
  {
    "cis_rule": "2.2.4",
    "service_name": "telnet_client",
    "packages_status": [
      {
        "package": "telnet",
        "installed": true
      },
      {
        "package": "inetutils-telnet",
        "installed": true
      }
    ],
    "any_package_installed": true
  },
  {
    "cis_rule": "2.2.5",
    "service_name": "ldap_client",
    "packages_status": [
      {
        "package": "ldap-utils",
        "installed": false
      }
    ],
    "any_package_installed": false
  },
  {
    "cis_rule": "2.2.6",
    "service_name": "ftp_client",
```

```

    "packages_status": [
      {
        "package": "ftp",
        "installed": true
      }
    ],
    "any_package_installed": true
  }
],
"listening_sockets_raw": [
  {
    "protocol": "udp",
    "state": "UNCONN",
    "recv_q": "0",
    "send_q": "0",
    "local_address": "127.0.0.54:53",
    "peer_address": "0.0.0.0:*",
    "process": "users:(\\\"systemd-resolve\\\",pid=520,fd=16))",
    "raw": "udp    UNCONN 0      0      127.0.0.54:53"
  },
  {
    "protocol": "udp",
    "state": "UNCONN",
    "recv_q": "0",
    "send_q": "0",
    "local_address": "127.0.0.53%lo:53",
    "peer_address": "0.0.0.0:*",
    "process": "users:(\\\"systemd-resolve\\\",pid=520,fd=14))",
    "raw": "udp    UNCONN 0      0      127.0.0.53%lo:53"
  },
  {
    "protocol": "udp",
    "state": "UNCONN",
    "recv_q": "0",
    "send_q": "0",
    "local_address": "10.100.0.22%enp0s3:68",
    "peer_address": "0.0.0.0:*",
    "process": "users:(\\\"systemd-network\\\",pid=501,fd=23))",
    "raw": "udp    UNCONN 0      0      10.100.0.22%enp0s3:68"
  },
  {
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "511",
    "local_address": "0.0.0.0:443",
    "peer_address": "0.0.0.0:*",
    "process": "users:(\\\"node\\\",pid=698,fd=18))",
    "raw": "tcp    LISTEN 0      511      0.0.0.0:443"
  },
  {
    "protocol": "tcp",
    "state": "LISTEN",

```

```

    "recv_q": "0",
    "send_q": "128",
    "local_address": "0.0.0.0:1514",
    "peer_address": "0.0.0.0:*",
    "process": "users:((\"wazuh-remoted\",pid=1372,fd=4))",
    "raw": "tcp    LISTEN 0          128          0.0.0.0:1514
},
{
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "128",
    "local_address": "0.0.0.0:1515",
    "peer_address": "0.0.0.0:*",
    "process": "users:((\"wazuh-authd\",pid=1298,fd=3))",
    "raw": "tcp    LISTEN 0          128          0.0.0.0:1515
},
{
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "4096",
    "local_address": "0.0.0.0:22",
    "peer_address": "0.0.0.0:*",
    "process": "users:((\"sshd\",pid=818,fd=3), (\"systemd\",pid=1,f
    "raw": "tcp    LISTEN 0          4096         0.0.0.0:22
},
{
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "128",
    "local_address": "0.0.0.0:23",
    "peer_address": "0.0.0.0:*",
    "process": "users:((\"inetd\",pid=760,fd=7))",
    "raw": "tcp    LISTEN 0          128          0.0.0.0:23
},
{
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "4096",
    "local_address": "127.0.0.53%lo:53",
    "peer_address": "0.0.0.0:*",
    "process": "users:((\"systemd-resolve\",pid=520,fd=15))",
    "raw": "tcp    LISTEN 0          4096         127.0.0.53%lo:53
},
{
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "4096",
    "local_address": "127.0.0.54:53",

```

```

    "peer_address": "0.0.0.0:*",
    "process": "users:(\\\"systemd-resolve\\\",pid=520,fd=17))",
    "raw": "tcp    LISTEN 0          4096          127.0.0.54:53
},
{
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "128",
    "local_address": "0.0.0.0:55000",
    "peer_address": "0.0.0.0:*",
    "process": "users:(\\\"python3\\\",pid=1250,fd=41))",
    "raw": "tcp    LISTEN 0          128          0.0.0.0:55000
},
{
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "32",
    "local_address": "*:21",
    "peer_address": "*:~",
    "process": "users:(\\\"vsftpd\\\",pid=706,fd=3))",
    "raw": "tcp    LISTEN 0          32          *:21
},
{
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "4096",
    "local_address": "[::]:22",
    "peer_address": "[::]:*",
    "process": "users:(\\\"sshd\\\",pid=818,fd=4),(\\\"systemd\\\",pid=1,f",
    "raw": "tcp    LISTEN 0          4096          [::]:22
},
{
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "128",
    "local_address": "[::]:23",
    "peer_address": "[::]:*",
    "process": "users:(\\\"inetd\\\",pid=760,fd=8))",
    "raw": "tcp    LISTEN 0          128          [::]:23
},
{
    "protocol": "tcp",
    "state": "LISTEN",
    "recv_q": "0",
    "send_q": "4096",
    "local_address": "[::ffff:127.0.0.1]:9300",
    "peer_address": "*:~",
    "process": "users:(\\\"java\\\",pid=798,fd=549))",
    "raw": "tcp    LISTEN 0          4096    [::ffff:127.0.0.1]:9300

```

```

    },
    {
        "protocol": "tcp",
        "state": "LISTEN",
        "recv_q": "0",
        "send_q": "4096",
        "local_address": "[::ffff:127.0.0.1]:9200",
        "peer_address": ":*:* ",
        "process": "users:((\"java\",pid=798,fd=551))",
        "raw": "tcp LISTEN 0 4096 [::ffff:127.0.0.1]:9200"
    }
],
"errors": []
},
"time_sync": {
    "time_sync_general": {
        "timesyncd_installed": true,
        "chrony_installed": false,
        "timesyncd_service": {
            "unit": "systemd-timesyncd.service",
            "enabled": "enabled",
            "active": "active"
        },
        "chrony_service": {
            "unit": "chrony.service",
            "enabled": "not-found",
            "active": "inactive"
        },
        "active_daemons": [
            "systemd-timesyncd"
        ],
        "active_daemon_count": 1
    },
    "systemd_timesyncd": {
        "service": {
            "unit": "systemd-timesyncd.service",
            "enabled": "enabled",
            "active": "active"
        },
        "ntp_config_lines": [],
        "has_ntp_configured": false
    },
    "chrony": {
        "service": {
            "unit": "chrony.service",
            "enabled": "not-found",
            "active": "inactive"
        },
        "server_config_lines": [],
        "has_servers_configured": false,
        "process_user": null,
        "config_user_directive": null,
        "unit_user": null
    }
}

```

```
    },
    "errors": []
},
"job_schedulers": {
  "cron": {
    "cron_installed": true,
    "cron_service": {
      "unit": "cron.service",
      "enabled": "enabled",
      "active": "active"
    },
    "cron_paths_permissions": [
      {
        "path": "/etc/crontab",
        "exists": true,
        "is_dir": false,
        "mode_octal": "0o644",
        "uid": 0,
        "gid": 0,
        "owner": "root",
        "group": "root"
      },
      {
        "path": "/etc/cron.hourly",
        "exists": true,
        "is_dir": true,
        "mode_octal": "0o755",
        "uid": 0,
        "gid": 0,
        "owner": "root",
        "group": "root"
      },
      {
        "path": "/etc/cron.daily",
        "exists": true,
        "is_dir": true,
        "mode_octal": "0o755",
        "uid": 0,
        "gid": 0,
        "owner": "root",
        "group": "root"
      },
      {
        "path": "/etc/cron.weekly",
        "exists": true,
        "is_dir": true,
        "mode_octal": "0o755",
        "uid": 0,
        "gid": 0,
        "owner": "root",
        "group": "root"
      }
    ]
  }
}
```

```

    "path": "/etc/cron.monthly",
    "exists": true,
    "is_dir": true,
    "mode_octal": "0o755",
    "uid": 0,
    "gid": 0,
    "owner": "root",
    "group": "root"
  },
  {
    "path": "/etc/cron.yearly",
    "exists": true,
    "is_dir": true,
    "mode_octal": "0o755",
    "uid": 0,
    "gid": 0,
    "owner": "root",
    "group": "root"
  },
  {
    "path": "/etc/cron.d",
    "exists": true,
    "is_dir": true,
    "mode_octal": "0o755",
    "uid": 0,
    "gid": 0,
    "owner": "root",
    "group": "root"
  }
],
"crontabs_spool_stat": {
  "path": "/var/spool/cron/crontabs",
  "exists": true,
  "is_dir": true,
  "mode_octal": "0o1730",
  "uid": 0,
  "gid": 990,
  "owner": "root",
  "group": "crontab"
},
"crontab_binary_stat": {
  "path": "/usr/bin/crontab",
  "exists": true,
  "is_dir": false,
  "mode_octal": "0o2755",
  "uid": 0,
  "gid": 990,
  "owner": "root",
  "group": "crontab"
}
},
"at": {
  "at_installed": false,

```

```

    "at_allow_stat": {
      "path": "/etc/at.allow",
      "exists": false,
      "is_dir": false,
      "mode_octal": null,
      "uid": null,
      "gid": null,
      "owner": null,
      "group": null
    },
    "at_deny_stat": {
      "path": "/etc/at.deny",
      "exists": false,
      "is_dir": false,
      "mode_octal": null,
      "uid": null,
      "gid": null,
      "owner": null,
      "group": null
    }
  },
  "errors": []
},
"network_config": {
  "network_devices": {
    "ipv6_status": {
      "sysfs_disable_value": "0",
      "grub_cmdline_linux_raw": "GRUB_CMDLINE_LINUX=\"\\\"\",
      "grub_ipv6_disable_flag": false,
      "inet6_addresses_found": [
        "inet6 ::1/128 scope host noprefixroute",
        "inet6 fe80::a00:27ff:fee5:e092/64 scope link"
      ],
      "inet6_address_count": 2
    },
    "wireless_interfaces": {
      "wireless_devices_ip_link": [],
      "wireless_devices_nmcli": [],
      "nmcli_available": false,
      "loaded_wireless_kernel_modules": [
        "cfg80211"
      ],
      "any_wireless_found": true
    },
    "bluetooth": {
      "bluez_installed": false,
      "bluez_dpkg_status": null,
      "bluetooth_service_enabled": "not-found",
      "bluetooth_service_active": "inactive"
    }
  },
  "kernel_modules": {
    "atm": {

```

```
    "module_name": "atm",
    "currently_loaded": false,
    "modprobe_config_lines": []
  },
  "can": {
    "module_name": "can",
    "currently_loaded": false,
    "modprobe_config_lines": []
  },
  "dccp": {
    "module_name": "dccp",
    "currently_loaded": false,
    "modprobe_config_lines": []
  },
  "rds": {
    "module_name": "rds",
    "currently_loaded": false,
    "modprobe_config_lines": []
  },
  "sctp": {
    "module_name": "sctp",
    "currently_loaded": false,
    "modprobe_config_lines": []
  },
  "tipc": {
    "module_name": "tipc",
    "currently_loaded": false,
    "modprobe_config_lines": []
  }
},
"sysctl_ipv4": {
  "net.ipv4.ip_forward": {
    "key": "net.ipv4.ip_forward",
    "runtime_value": "0",
    "persisted_value": null,
    "persisted_config_source_file": null
  },
  "net.ipv4.conf.all.forwarding": {
    "key": "net.ipv4.conf.all.forwarding",
    "runtime_value": "0",
    "persisted_value": null,
    "persisted_config_source_file": null
  },
  "net.ipv4.conf.default.forwarding": {
    "key": "net.ipv4.conf.default.forwarding",
    "runtime_value": "0",
    "persisted_value": null,
    "persisted_config_source_file": null
  },
  "net.ipv4.conf.all.send_redirects": {
    "key": "net.ipv4.conf.all.send_redirects",
    "runtime_value": "1",
    "persisted_value": null,
```

```
    "persisted_config_source_file": null
},
"net.ipv4.conf.default.send_redirects": {
    "key": "net.ipv4.conf.default.send_redirects",
    "runtime_value": "1",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.icmp_ignore_bogus_error_responses": {
    "key": "net.ipv4.icmp_ignore_bogus_error_responses",
    "runtime_value": "1",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.icmp_echo_ignore_broadcasts": {
    "key": "net.ipv4.icmp_echo_ignore_broadcasts",
    "runtime_value": "1",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.conf.all.accept_redirects": {
    "key": "net.ipv4.conf.all.accept_redirects",
    "runtime_value": "1",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.conf.default.accept_redirects": {
    "key": "net.ipv4.conf.default.accept_redirects",
    "runtime_value": "1",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.conf.all.secure_redirects": {
    "key": "net.ipv4.conf.all.secure_redirects",
    "runtime_value": "1",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.conf.default.secure_redirects": {
    "key": "net.ipv4.conf.default.secure_redirects",
    "runtime_value": "1",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.conf.all.rp_filter": {
    "key": "net.ipv4.conf.all.rp_filter",
    "runtime_value": "2",
    "persisted_value": "2",
    "persisted_config_source_file": "/etc/sysctl.d/10-network-secur
},
"net.ipv4.conf.default.rp_filter": {
    "key": "net.ipv4.conf.default.rp_filter",
    "runtime_value": "2",
```

```
    "persisted_value": "2",
    "persisted_config_source_file": "/etc/sysctl.d/10-network-secur
},
"net.ipv4.conf.all.accept_source_route": {
    "key": "net.ipv4.conf.all.accept_source_route",
    "runtime_value": "0",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.conf.default.accept_source_route": {
    "key": "net.ipv4.conf.default.accept_source_route",
    "runtime_value": "1",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.conf.all.log_martians": {
    "key": "net.ipv4.conf.all.log_martians",
    "runtime_value": "0",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.conf.default.log_martians": {
    "key": "net.ipv4.conf.default.log_martians",
    "runtime_value": "0",
    "persisted_value": null,
    "persisted_config_source_file": null
},
"net.ipv4.tcp_syncookies": {
    "key": "net.ipv4.tcp_syncookies",
    "runtime_value": "1",
    "persisted_value": null,
    "persisted_config_source_file": null
}
},
"sysctl_ipv6": {
    "net.ipv6.conf.all.forwarding": {
        "key": "net.ipv6.conf.all.forwarding",
        "runtime_value": "0",
        "persisted_value": null,
        "persisted_config_source_file": null
    },
    "net.ipv6.conf.default.forwarding": {
        "key": "net.ipv6.conf.default.forwarding",
        "runtime_value": "0",
        "persisted_value": null,
        "persisted_config_source_file": null
    },
    "net.ipv6.conf.all.accept_redirects": {
        "key": "net.ipv6.conf.all.accept_redirects",
        "runtime_value": "1",
        "persisted_value": null,
        "persisted_config_source_file": null
    },
}
```

```
"net.ipv6.conf.default.accept_redirects": {
  "key": "net.ipv6.conf.default.accept_redirects",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv6.conf.all.accept_source_route": {
  "key": "net.ipv6.conf.all.accept_source_route",
  "runtime_value": "0",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv6.conf.default.accept_source_route": {
  "key": "net.ipv6.conf.default.accept_source_route",
  "runtime_value": "0",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv6.conf.all.accept_ra": {
  "key": "net.ipv6.conf.all.accept_ra",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
},
"net.ipv6.conf.default.accept_ra": {
  "key": "net.ipv6.conf.default.accept_ra",
  "runtime_value": "1",
  "persisted_value": null,
  "persisted_config_source_file": null
}
},
"errors": []
},
"pam": {
  "pam_packages": [
    {
      "package": "libpam-runtime",
      "installed": true,
      "installed_version": "1.5.3-5ubuntu5.5",
      "candidate_version": "1.5.3-5ubuntu5.5",
      "candidate_version_error": null
    },
    {
      "package": "libpam-modules",
      "installed": true,
      "installed_version": "1.5.3-5ubuntu5.5",
      "candidate_version": "1.5.3-5ubuntu5.5",
      "candidate_version_error": null
    },
    {
      "package": "libpam-pwquality",
      "installed": false,
      "installed_version": null,
```

```

    "candidate_version": "1.4.5-3build1",
    "candidate_version_error": null
  },
  {
    "package": "cracklib-runtime",
    "installed": false,
    "installed_version": null,
    "candidate_version": "2.9.6-5.1build2",
    "candidate_version_error": null
  }
],
"pam_profiles_raw": {
  "pam_d_files_raw": {
    "/etc/pam.d/common-auth": "#\n# /etc/pam.d/common-auth - authen
    "/etc/pam.d/common-account": "#\n# /etc/pam.d/common-account -
    "/etc/pam.d/common-password": "#\n# /etc/pam.d/common-password
    "/etc/pam.d/common-session": "#\n# /etc/pam.d/common-session -
  },
  "pam_auth_update_list": null,
  "module_lines": {
    "pam_unix.so": [
      {
        "file": "/etc/pam.d/common-auth",
        "line": "auth\t[success=1 default=ignore]\tpam_unix.so null
      },
      {
        "file": "/etc/pam.d/common-account",
        "line": "account\t[success=1 new_authtok_reqd=done default=
      },
      {
        "file": "/etc/pam.d/common-password",
        "line": "password\t[success=1 default=ignore]\tpam_unix.so
      },
      {
        "file": "/etc/pam.d/common-session",
        "line": "session\trequired\tpam_unix.so"
      }
    ],
    "pam_faillock.so": [],
    "pam_pwquality.so": [],
    "pam_pwhistory.so": []
  }
},
"pam_faillock": {
  "faillock_conf_raw": "# Configuration for locking the user after
  "faillock_conf_settings": {
    "deny": null,
    "fail_interval": null,
    "unlock_time": null,
    "even_deny_root": null,
    "root_unlock_time": null,
    "audit": null,
    "silent": null
  }
}

```

```

},
"faillock_pam_lines": [],
"faillock_inline_pam_settings": {
    "deny": null,
    "fail_interval": null,
    "unlock_time": null,
    "even_deny_root": null,
    "root_unlock_time": null,
    "audit": null,
    "silent": null
}
},
"pam_pwquality": {
    "pwquality_conf_raw": null,
    "pwquality_conf_d": [],
    "pwquality_conf_settings": {
        "difok": null,
        "minlen": null,
        "dcredit": null,
        "ucredit": null,
        "lcredit": null,
        "ocredit": null,
        "maxrepeat": null,
        "maxsequence": null,
        "dictcheck": null,
        "enforcing": null,
        "enforce_for_root": null,
        "retry": null
    },
    "pwquality_pam_lines": [],
    "pwquality_inline_pam_settings": {
        "difok": null,
        "minlen": null,
        "dcredit": null,
        "ucredit": null,
        "lcredit": null,
        "ocredit": null,
        "maxrepeat": null,
        "maxsequence": null,
        "dictcheck": null,
        "enforcing": null,
        "enforce_for_root": null,
        "retry": null
    }
},
"pam_pwhistory": {
    "pwhistory_pam_lines": [],
    "pwhistory_inline_pam_settings": {
        "remember": null,
        "enforce_for_root": null,
        "use_authok": null
    },
    "opasswd_exists": true

```

```

},
"pam_unix": {
  "pam_unix_lines": [
    {
      "file": "/etc/pam.d/common-auth",
      "line": "auth\t[success=1 default=ignore]\tpam_unix.so nullok
    },
    {
      "file": "/etc/pam.d/common-account",
      "line": "account\t[success=1 new_authtok_reqd=done default=ig
    },
    {
      "file": "/etc/pam.d/common-password",
      "line": "password\t[success=1 default=ignore]\tpam_unix.so ob
    },
    {
      "file": "/etc/pam.d/common-session",
      "line": "session\trequired\tpam_unix.so"
    }
  ],
  "pam_unix_flag_presence": {
    "nullok": "present",
    "remember": null,
    "use_authtok": null,
    "yescrypt": "present",
    "sha512": null,
    "blowfish": null,
    "md5": null
  }
},
"errors": [
  {
    "check": "pam-auth-update --list",
    "error": "Command '['pam-auth-update', '--list']' timed out aft
  }
]
},
"system_logging": {
  "journal": {
    "systemd-journal-active": "active",
    "systemd-journal-enabled": "static",
    "systemd-journal-remote-installed": false,
    "systemd-journal-upload-active": "inactive",
    "systemd-journal-upload-enabled": "not-found",
    "systemd-journal-remote-socket-active": "inactive",
    "systemd-journal-remote-socket-enabled": "not-found",
    "journal_configs": [
      {
        "path": "/etc/systemd/journal.conf",
        "content": "# This file is part of systemd.\n#\n# systemd i
      }
    ]
  },
  "journal_log_dirs": [

```

```
{
  "path": "/run/log/journal",
  "mode": "2755",
  "owner_uid": 0,
  "group_gid": 999,
  "children": []
},
{
  "path": "/var/log/journal",
  "mode": "2755",
  "owner_uid": 0,
  "group_gid": 999,
  "children": [
    {
      "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746",
      "mode": "2755",
      "owner_uid": 0,
      "group_gid": 999
    }
  ]
}
],
"rsyslog": {
  "rsyslog_installed": true,
  "rsyslog_active": "active",
  "rsyslog_enabled": "enabled",
  "rsyslog_configs": [
    {
      "path": "/etc/rsyslog.conf",
      "content": "# /etc/rsyslog.conf configuration file for rsyslo
    },
    {
      "path": "/etc/rsyslog.d/20-ufw.conf",
      "content": "# Log kernel generated UFW log messages to file\n
    },
    {
      "path": "/etc/rsyslog.d/21-cloudinit.conf",
      "content": "# Log cloudinit generated log messages to file\n:
    },
    {
      "path": "/etc/rsyslog.d/50-default.conf",
      "content": "# Default rules for rsyslog.\n#\n#\t\t\tFor more
    }
  ],
"logrotate_configs": [
    {
      "path": "/etc/logrotate.conf",
      "content": "# see \"man logrotate\" for details\n\n# global o
    },
    {
      "path": "/etc/logrotate.d/alternatives",
      "content": "/var/log/alternatives.log {\n\tmonthly\n\trotate
```

```

},
{
  "path": "/etc/logrotate.d/apport",
  "content": "/var/log/apport.log {\n          daily\n          rotat
},
{
  "path": "/etc/logrotate.d/apt",
  "content": "/var/log/apt/term.log {\n  rotate 12\n  monthly\n
},
{
  "path": "/etc/logrotate.d/bootlog",
  "content": "/var/log/boot.log\n{\n      missingok\n      daily\n
},
{
  "path": "/etc/logrotate.d/btmp",
  "content": "# no packages own btmp -- we'll rotate it here\n/
},
{
  "path": "/etc/logrotate.d/cloud-init",
  "content": "/var/log/cloud-init*.log\n{\n      su root root\n
},
{
  "path": "/etc/logrotate.d/dpkg",
  "content": "/var/log/dpkg.log {\n\tmonthly\n\trotate 12\n\tco
},
{
  "path": "/etc/logrotate.d/rsyslog",
  "content": "/var/log/syslog\n/var/log/mail.log\n/var/log/kern
},
{
  "path": "/etc/logrotate.d/ubuntu-pro-client",
  "content": "# use the root group by default, since this is th
},
{
  "path": "/etc/logrotate.d/ufw",
  "content": "/var/log/ufw.log\n{\n\trotate 4\n\tweekly\n\tmiss
},
{
  "path": "/etc/logrotate.d/unattended-upgrades",
  "content": "/var/log/unattended-upgrades/unattended-upgrades.
},
{
  "path": "/etc/logrotate.d/vsftpd",
  "content": "/var/log/vsftpd.log\n{\n\tcreate 640 root adm\n\n
},
{
  "path": "/etc/logrotate.d/wtmp",
  "content": "# no packages own wtmp -- we'll rotate it here\n/
}
],
"logrotate_timer_active": "active",
"logrotate_timer_enabled": "enabled",
"rsyslog_gnutls_installed": false

```

```
},
"logfiles": [
  {
    "path": "/var/log/wtmp",
    "mode": "0664",
    "owner_uid": 0,
    "group_gid": 43
  },
  {
    "path": "/var/log/bootstrap.log",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/auth.log",
    "mode": "0640",
    "owner_uid": 103,
    "group_gid": 4
  },
  {
    "path": "/var/log/wazuh-install.log",
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/dmesg",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 4
  },
  {
    "path": "/var/log/syslog",
    "mode": "0640",
    "owner_uid": 103,
    "group_gid": 4
  },
  {
    "path": "/var/log/btmp",
    "mode": "0660",
    "owner_uid": 0,
    "group_gid": 43
  },
  {
    "path": "/var/log/lastlog",
    "mode": "0664",
    "owner_uid": 0,
    "group_gid": 43
  },
  {
    "path": "/var/log/alternatives.log",
    "mode": "0644",
```

```
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/kern.log",
    "mode": "0640",
    "owner_uid": 103,
    "group_gid": 4
  },
  {
    "path": "/var/log/faillog",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/cloud-init-output.log",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 4
  },
  {
    "path": "/var/log/README",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/dpkg.log",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/apport.log",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 4
  },
  {
    "path": "/var/log/cloud-init.log",
    "mode": "0640",
    "owner_uid": 103,
    "group_gid": 4
  },
  {
    "path": "/var/log/installer/installer-journal.txt",
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/casper-md5check.json",
```

```
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/autoinstall-user-data",
    "mode": "0400",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/media-info",
    "mode": "0444",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/device-map.json",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/subiquity-server-info.log",
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/subiquity-client-debug.log",
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/subiquity-server-debug.log",
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/cloud-init-output.log",
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
    "path": "/var/log/installer/subiquity-client-info.log",
    "mode": "0600",
    "owner_uid": 0,
    "group_gid": 0
  },
  {
```

```
"path": "/var/log/installer/curtin-install.log",
"mode": "0644",
"owner_uid": 0,
"group_gid": 0
},
{
  "path": "/var/log/installer/cloud-init.log",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/curtin-install/subiquity-curtin-apt",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/curtin-install/subiquity-initial.co",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/curtin-install/subiquity-partitioni",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/curtin-install/subiquity-extract.co",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/curtin-install/subiquity-curthooks.",
  "mode": "0600",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/block/discover.log",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/installer/block/probe-data.json",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
}
```

```
{
  "path": "/var/log/filebeat/filebeat",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa14",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa29",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa05",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa13",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa06",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa30",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa08",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa28",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
}
```

```
},
{
  "path": "/var/log/sysstat/sa26",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa16",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa25",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sar25",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa09",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/sysstat/sa15",
  "mode": "0644",
  "owner_uid": 0,
  "group_gid": 0
},
{
  "path": "/var/log/wazuh-indexer/gc.log",
  "mode": "0644",
  "owner_uid": 109,
  "group_gid": 110
},
{
  "path": "/var/log/wazuh-indexer/wazuh-cluster_index_search_slow",
  "mode": "0640",
  "owner_uid": 109,
  "group_gid": 110
},
{
  "path": "/var/log/wazuh-indexer/wazuh-cluster.log",
  "mode": "0644",
  "owner_uid": 109,
```

```
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_server.json",
    "mode": "0644",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_task_detailslog.l
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_task_detailslog.j
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_index_indexing_sl
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_index_indexing_sl
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_index_search_slow
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_deprecation.json"
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/wazuh-indexer/wazuh-cluster_deprecation.log",
    "mode": "0640",
    "owner_uid": 109,
    "group_gid": 110
  },
  {
    "path": "/var/log/landscape/sysinfo.log",
    "mode": "0644",
```

```
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/apt/term.log",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 4
},
{
    "path": "/var/log/apt/history.log",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/unattended-upgrades/unattended-upgrades.log",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/unattended-upgrades/unattended-upgrades-dpkg.",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 4
},
{
    "path": "/var/log/unattended-upgrades/unattended-upgrades-shutd",
    "mode": "0644",
    "owner_uid": 0,
    "group_gid": 0
},
{
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
},
{
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
},
{
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
},
{
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
```

```
{
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{

```

```
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
}
}
```

```
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
}
```

```
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
  "mode": "0640",
  "owner_uid": 0,
  "group_gid": 999
},
{
  "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
  "mode": "0640",
  "owner_uid": 0,
```

```

    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user",
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  }
]

```

```
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/user
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
    "mode": "0640",
    "owner_uid": 0,
    "group_gid": 999
  },
  {
    "path": "/var/log/journal/196b6265ff2e44169e0a73c65801746c/syst
```

[illegible]

```
    "errors": []
  },
  "system_auditing": {
    "auditd_installed": false,
    "audispd_plugins_installed": false,
    "errors": [
      {
        "check": "auditd_installed",
        "error": "auditd package is not installed."
      }
    ]
  },
  "aide_integrity_checking": {
    "aide_installed": false,
    "scheduled_checking": null,
    "audit_tools_integrity_tracked": null,
    "errors": []
  }
}
```