	UNIT M	ATRIX -	CRITICAL C	ARE U	NIT			
	0700-1930 SHIFT			1900-0730 Shift				
CENSUS	RN	NA	Unit Clerk	RN	Unit Extender			
13	7	1	1	7	1	8		
12	7	1	1	7	*1		V	
11	6	1	1	6	1			
10	6	1	1	6	1			
9	5	1	1	5	1			
8	5	1	1	5	1			
7	4	1	1	4	1			o .
6	4	1	1	4	1			
5	4	0	1	4	1			
4	3	0	1	3	1			
3	3	0	1	3	1	3		
2	3	0	1	3	1			7.0
1	3	0	1	3	1			
Effective 8/1	5/2013 th	ru 2/26/201	5					
11000140 0/1	O/EO TO TH	I W E/EU/EU					7/(	
Ratio:	1:2							
DOMESTIC STREET	RR RN	(2 usually	'ao'					
	IXIX IXIA	(z usuany	go)					
	789		acuity of the pa	,		aada	E	
tie nacaees	ary for tire				to communicate n			
t is necessa		controller	and the Stairin	g omce	to communicate n	ieeus.		
t is necessa		controller	and the stairin	g office	to communicate n	leeus.		
t is necessa		Controller	and the stairing	g onice	to communicate n	leeus.		
t is necessa		Controller	and the Stanin	g office	to communicate n	leeus.		
t is necessa		Controller	and the Stanin	g office	to communicate n	leeus.		
t is necessa		controller	and the Stanin	g omce	to communicate n	leeus.		
t is necessa		controller	and the Stanin	gomce	to communicate n	leeus.		
t is necessa		controller	and the Stanin	gomce	to communicate n	leeus.		
t is necessa		controller	and the Stanin	gomce	to communicate n	leeus.		
t is necessa		controller	and the Stanin	gomce	to communicate n	leeus.		
t is necessa		controller	and the Stanin	gomce	to communicate n	leeus.	140	
t is necessa		controller	and the Stanin	gomce	to communicate n	leeus.		
t is necessa		controller	and the Stanin	gomce	to communicate n	leeus.		
t is necessa		Controller	and the Stanin	gomce		leeus.	¥	
t is necessa		Controller		gomce	to communicate n	leeus.		
t is necessa		controller		gomce		leeus.	¥	
t is necessa		Controller		gomce		leeus.	¥	
t is necessa				gomce		leeus.	¥	CCU