

IT@BH Communication

Date: 3-3-17

ID #: 3585

Location(s):	□ ALL □ Dearborn ☑ Farmington Hills ☑ Grosse Pointe ☑ Royal Oak □ Taylor □ Trenton ☑ Troy □ Wayne □ AMB BMG Offices □ AMB Independent Offices □ Other
Module:	☐ EpicCare AMB ☐ ANC: ☐ ANES ☐ ASAP ☐ Beacon ☐ Cupid
	☐ Device Integration ☐ EpicCare Inpatient ☐ Haiku/Canto ☐ Lab ☐ MISD ☐ myChart
	☐ OpTime ☐ RevCycle ☐ Stork-OB ☐ Willow (Rx)
Training Required:	☐ Yes ☐ No
Category:	☐ CMS ☐ Core Measures ☐ MU ☐ PCMH ☐ PQRS
Target Audience:	Nursing
Subject:	Adult Sepsis Screening Alert
Purpose:	
Effective Date:	3/14/2017
Service in the service of the servic	

Adult Sepsis Screening Alert

On 03/14/2017, the Inpatient Adult Sepsis Screening Alert Pilot is being deployed throughout the medical/surgical departments at FH, GP, RO and TR.

Note: Excluded areas: Surgical Services, Critical Care, L&D, and EC (Exception-RO EC Inpatient Hold Patients).


The Sepsis Surveillance Alert informs the caregiver that:


This patient has met Sepsis Screening Criteria and may be SEPTIC!

RN: BEFORE acknowledging, click the <u>here</u> hyperlink in the alert to view the guideline for new or worsening infection.

Review the following 4 topics on the "Things to Consider When Determining if there is a new or worsening infection" document:

- Considerations
- The RRT should always be notified for the following
- Sepsis Definitions
- Alert Criteria







IT@BH Communication

Date: 3-3-17

ID#: 3585

You can use the Jump to Chart Review hyperlink to review the record

The alert displays the last filed values for:

- Vital signs
- Lactic acid
- WBC (White Blood Cell Count)

The alert displays 5 acknowledgements:

- RRT will be activated
- RRT not activated
- I will immediately notify the RN
- Quality audit non-patient care
- EC ONLY/ECP NOTIFIED

IMPORTANT TO NOTE: The RRT has received specialized sepsis screening response training. The RN should have no hesitancy activating the RRT if there is concern for a new or worsening infection, or if the RN is not 100% confident that there is NOT a concern for new or worsening infection.

IMPORTANT when choosing RRT NOT activated - a <u>required</u> comment field will display. Document rationale in this comment field.

NON RN, PROVIDING PATIENT CARE - choose: I will immediately notify the RN

NOT PROVIDING PATIENT CARE - choose: Quality audit non-patient care

EC ONLY/ECP NOTIFIED - (RO EC ONLY): This acknowledgement should only be used when the patient is still in the care of the ECP

Sepsis Screening Criteria will display in flowsheet above the screening questions



IT@BH Communication

Date: 3/3/2017

ID#: 3586


Location(s):	☐ ALL	⊠ FH	⊠ GP	□ Dearborn	☐ AMB BMG/	☐ AMB		☐ Other
and contain out and any and any			⊠ RO	☐ Taylor	SA6	Independer	nt	
				☐ Trenton				
				☐ Wayne				
Module:	☐ EpicCa	re AMB	☐ ANC		ANES	☐ ASAP	☐ Beaco	on 🗌 Cupid
	☐ Device	Integration	ı 🛛 Epic	Care Inpatient	☐ Haiku/Canto	o 🗌 Lab	☐ MISD	☐ myChart
	☐ OpTime ☐ Radiant ☐ RevCycle ☐ Stork-OB ☐ Wil					☐ Willow	ν (Rx)	
Training Required:	☐ Yes [□No) (100 m) (100 m)
Category:	□ CMS [☑ Core Me	asures 🔲 I	MU PCMH [] PQRS			
Target Audience:	Physicia	ns						
Subject:	Expansion of the Adult Inpatient Sepsis Screening							
Purpose:	To Inforn	n			.95		DE VIE	
Effective Date:	3/14/201	7		F	i i i	1000		
the state of the s	THE PROPERTY OF				HEAD OF STREET STREET,			

Expansion of the Adult Inpatient Sepsis Screening

On March 14th, 2017, a new Sepsis Screening Best Practice Advisory (BPA) will display for Nursing in the Med/Surg depts. at FH, GP, RO and TR.


This BPA will have a link to the document 'Things To Consider When Determining If There Is A New Or Worsening Infection' which will allow the nurse to complete the BPA.

In the event that the Rapid Response Team is activated, Providers may receive a call from the RRT responder with a report of their bedside assessment.



Things To Consider When Determining If There Is A New Or Worsening Infection
considerations:
Is the patient currently receiving Sepsis or Septic Shock treatment? Are they responding to that treatment?
Are WBCs elevated secondary to steroid administration or other diagnosis i.e. leukemia?
Are WBCs low because the patient is on chemotherapy or has an established low baseline?
Is the HR elevated based on patient's baseline, recent activity, albuterol treatments, pain, anxiety or ETOH withdrawal?
If after reviewing the above you are not certain that there is no new or worsening infection, activate the RRT
he RRT should always be notified for the following:
IFSBP < 90.
New or worsening fever
OR at least two of the following are present:
Systolic EP < /= to 100 mmHg
Respiratory rate > /= to 22
There is new or worsening mental status
epsis Definitions:
Sepsis: is a life threatening organ dysfunction caused by a dysregulated host response to infection.
Septic shock: a subset of sepsis in which underlying circulatory and cellular/metabolic abnormalities are profound enough to substantially increase mortality
lert Screening Criteria – 4 or more are required for the Sepsis Alert to Fire - The alert does not display which criteria triggered the alert
Male
Age > 50 yrs.
Shock Index > 0.7
WBC risk > 12 or < 4
SYSTOLIC SEP < 90
HR > 95
MAP < 60
Temp Risk <36 or ≥38

Screen shot of Actual Alert Clinical Nurse will receive when the Sepsis BAP Triggers



Screen shot of guideline for new or worsening infection.

Things To Consider When Determining If There Is A New Or Worsening Infection

Considerations:

- Is the patient currently receiving Sepsis or Septic Shock treatment? Are they responding to that treatment?
- Are WBCs elevated secondary to steroid administration or other diagnosis i.e. leukemia?
- Are WBCs low because the patient is on chemotherapy or has an established low baseline?
- Is the HR elevated based on patient's baseline, recent activity, albuterol treatments, pain, anxiety or ETOH withdrawal?
- If after reviewing the above you are not certain that there is no new or worsening infection, activate the RRT

The RRT should always be notified for the following:

- HSBP < 90.
- New or worsening fever
 - OR at least two of the following are present:
- Systolic 8P < / = to 100 mmHg
- Respiratory rate > f = to 22
- There is new or worsening mental status

Sepsis Definitions:

- Sepsis: is a life threatening organ dysfunction caused by a dysregulated host response to infection.
- Septic shock: a subset of sepsis in which underlying circulatory and cellular/metabolic abnormalities are profound enough to substantially increase mortality.

Alert Screening Criteria - 4 or more are required for the Sepsis Alert to Fire - The alert does not display which criteria triggered the alert.

- Male
- Age > 50 yrs.
- Shock Index > 0.7
- W8C risk > 12 or < 4
- SYSTOLIC SBP < 90
- HR > 95
- MAP < 60
- Temp Risk <36 or ≥38

1/6/2017