Scan Report

October 21, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone "Coordinated Universal Time", which is abbreviated "UTC". The task was "Campus-W10". The scan started at Wed Oct 21 18:34:35 2026 UTC and ended at Wed Oct 21 20:32:34 2026 UTC. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1 Result Overview **2**
1.1 Host Authentications 2

2 Results per Host **2**
2.1 172.16.30.10 2
2.1.1 Medium 3389/tcp 2
2.1.2 Medium 135/tcp 5
2.1.3 Low general/icmp 7
2.2 172.16.31.11 7
2.2.1 Medium 135/tcp 8
2.2.2 Medium 3389/tcp 9
2.2.3 Low general/icmp 12

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
172.16.30.10 172.16.30.10	0	0	2	1	0	0
172.16.31.11 172.16.31.11	0	0	2	1	0	0
Total: 2	0	0	4	2	0	0

Vendor security updates are not trusted.
Overrides are off. Even when a result has an override, this report uses the actual threat of the result.
Information on overrides is included in the report.
Notes are included in the report.
This report might not show details of all issues that were found.
Issues with the threat level "Log" are not shown.
Issues with the threat level "Debug" are not shown.
Issues with the threat level "False Positive" are not shown.
Only results with a minimum QoD of 70 are shown.

This report contains all 6 results selected by the filtering described above. Before filtering there were 79 results.

1.1 Host Authentications

Host	Protocol	Result	Port/User
172.16.30.10	SMB	Success	Protocol SMB, Port 445, User student
172.16.31.11	SMB	Success	Protocol SMB, Port 445, User student

2 Results per Host

2.1 172.16.30.10

Host scan start Wed Oct 21 18:38:55 2026 UTC
Host scan end Wed Oct 21 20:32:24 2026 UTC

Service (Port)	Threat Level
3389/tcp	Medium
135/tcp	Medium
general/icmp	Low

2.1.1 Medium 3389/tcp

Medium (CVSS: 4.3)

NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection

Product detection result
`cpe:/a:ietf:transport_layer_security:1.0`
`Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)`

Summary
It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.

Quality of Detection (QoD): 98%

... continues on next page ...

... continued from previous page ...

Vulnerability Detection Result
In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and
↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c
↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1
↪.25623.1.0.802067) VT.

Impact
An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection.
Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.

Solution:
Solution type: Mitigation
It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols.
Please see the references for more resources supporting you with this task.

Affected Software/OS
- All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols
- CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder
- CVE-2024-41270: Gorush v1.18.4
- CVE-2025-3200: Multiple products from Wiesemann & Theis

Vulnerability Insight
The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like:
- CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST)
- CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)

Vulnerability Detection Method
Checks the used TLS protocols of the services provided by this system.
Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
OID:1.3.6.1.4.1.25623.1.0.117274
Version used: 2026-06-03T07:18:10Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security:1.0
Method: SSL/TLS: Version Detection
OID: 1.3.6.1.4.1.25623.1.0.105782

References
cve: CVE-2011-3389
cve: CVE-2015-0204
cve: CVE-2023-41928
cve: CVE-2024-41270
cve: CVE-2025-3200
url: https://configurator.tlsref.org/
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-report-2014
url: https://datatracker.ietf.org/doc/rfc8996/
url: https://vnhacker.blogspot.com/2011/09/beast.html
url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak
url: https://certvde.com/en/advisories/VDE-2025-031/
url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc
url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850

... continues on next page ...

... continued from previous page ...

cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177

... continues on next page ...

... continued from previous page ...

```
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482
```

[return to 172.16.30.10]

2.1.2 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary
Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Here is the list of DCE/RPC or MSRPC services running on this host via the TCP p
↪rotocol:
Port: 49664/tcp
     UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1
     Endpoint: ncacn_ip_tcp:172.16.30.10[49664]
     Named pipe : lsass
     Win32 service or process : lsass.exe
     Description : SAM access
     UUID: 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1
     Endpoint: ncacn_ip_tcp:172.16.30.10[49664]
     Annotation: Ngc Pop Key Service
     UUID: 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1
     Endpoint: ncacn_ip_tcp:172.16.30.10[49664]
     Annotation: Ngc Pop Key Service
     UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2
     Endpoint: ncacn_ip_tcp:172.16.30.10[49664]
     Annotation: KeyIso
Port: 49665/tcp
     UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1
     Endpoint: ncacn_ip_tcp:172.16.30.10[49665]
Port: 49666/tcp
     UUID: 3473dd4d-2e88-4006-9cba-22570909dd10, version 5
     Endpoint: ncacn_ip_tcp:172.16.30.10[49666]
     Annotation: WinHttp Auto-Proxy Service
     UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d5, version 1
     Endpoint: ncacn_ip_tcp:172.16.30.10[49666]
     Annotation: DHCP Client LRPC Endpoint
     UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6, version 1
     Endpoint: ncacn_ip_tcp:172.16.30.10[49666]
     Annotation: DHCPv6 Client LRPC Endpoint
```

... continues on next page ...

...continued from previous page ...

```
      UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49666]
      Annotation: Event log TCPIP
Port: 49667/tcp
      UUID: 1a0d010f-1c33-432c-b0f5-8cf4e8053099, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      Annotation: IdSegSrv service
      UUID: 29770a8f-829b-4158-90a2-78cd488501f7, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      UUID: 2e6035b2-e8f1-41a7-a044-656b439c4c34, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      Annotation: Proxy Manager provider server endpoint
      UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      UUID: 552d076a-cb29-4e44-8b6a-d15e59e2c0af, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      Annotation: IP Transition Configuration endpoint
      UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      UUID: 98716d03-89ac-44c7-bb8c-285824e51c4a, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      Annotation: XactSrv service
      UUID: a398e520-d59a-4bdd-aa7a-3c1e0303a511, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      Annotation: IKE/Authip API
      UUID: c36be077-e14b-4fe9-8abc-e856ef4f048b, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      Annotation: Proxy Manager client server endpoint
      UUID: c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      Annotation: Adh APIs
      UUID: c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
      Annotation: Impl friendly name
      UUID: d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49667]
Port: 49668/tcp
      UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2
      Endpoint: ncacn_ip_tcp:172.16.30.10[49668]
Port: 49669/tcp
      UUID: 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1
      Endpoint: ncacn_ip_tcp:172.16.30.10[49669]
      Annotation: Remote Fw APIs
Note: DCE/RPC or MSRPC services running on this host locally were identified. Re
↪porting this list is not enabled by default due to the possible large size of
↪this list. See the script preferences to enable this reporting.
```

Impact
An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.

Solution:
Solution type: Mitigation
Filter incoming traffic to this ports.

Affected Software/OS
All systems exposing / disclosing information via DCE/RPC or MSRPC services.

Vulnerability Insight
DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.

Vulnerability Detection Method
Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services.
This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288)
In this case a 'Log' level result is used instead.

...continues on next page ...

. . . continued from previous page . . .

Details: DCE/RPC and MSRPC Services Enumeration Reporting
OID:1.3.6.1.4.1.25623.1.0.10736
Version used: 2026-09-02T05:46:18Z

[return to 172.16.30.10]

2.1.3 Low general/icmp

Low (CVSS: 2.1)

NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: ICMP Timestamp Reply Information Disclosure
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: 2025-01-21T05:37:33Z

References
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792
url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658

[return to 172.16.30.10]

2.2 172.16.31.11

Host scan start Wed Oct 21 18:38:55 2026 UTC
Host scan end Wed Oct 21 20:32:27 2026 UTC

Service (Port)	Threat Level
135/tcp	Medium
3389/tcp	Medium
general/icmp	Low

2.2.1 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary
Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```
Here is the list of DCE/RPC or MSRPC services running on this host via the TCP p
↪rotocol:
Port: 49664/tcp
      UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49664]
      Named pipe : lsass
      Win32 service or process : lsass.exe
      Description : SAM access
      UUID: 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49664]
      Annotation: Ngc Pop Key Service
      UUID: 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49664]
      Annotation: Ngc Pop Key Service
      UUID: b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2
      Endpoint: ncacn_ip_tcp:172.16.31.11[49664]
      Annotation: KeyIso
Port: 49665/tcp
      UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49665]
Port: 49666/tcp
      UUID: 3473dd4d-2e88-4006-9cba-22570909dd10, version 5
      Endpoint: ncacn_ip_tcp:172.16.31.11[49666]
      Annotation: WinHttp Auto-Proxy Service
      UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d5, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49666]
      Annotation: DHCP Client LRPC Endpoint
      UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49666]
      Annotation: DHCPv6 Client LRPC Endpoint
      UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49666]
      Annotation: Event log TCPIP
Port: 49667/tcp
      UUID: 0d3c7f20-1c8d-4654-a1b3-51563b298bda, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      Annotation: UserMgrCli
      UUID: 1a0d010f-1c33-432c-b0f5-8cf4e8053099, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      Annotation: IdSegSrv service
      UUID: 29770a8f-829b-4158-90a2-78cd488501f7, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      UUID: 2e6035b2-e8f1-41a7-a044-656b439c4c34, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      Annotation: Proxy Manager provider server endpoint
      UUID: 3a9ef155-691d-4449-8d05-09ad57031823, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      UUID: 552d076a-cb29-4e44-8b6a-d15e59e2c0af, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      Annotation: IP Transition Configuration endpoint
      UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      UUID: 98716d03-89ac-44c7-bb8c-285824e51c4a, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      Annotation: XactSrv service
      UUID: a398e520-d59a-4bdd-aa7a-3c1e0303a511, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
```

...continues on next page ...

... continued from previous page ...

```
      Annotation: IKE/Authip API
      UUID: b18fbab6-56f8-4702-84e0-41053293a869, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      Annotation: UserMgrCli
      UUID: c36be077-e14b-4fe9-8abc-e856ef4f048b, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      Annotation: Proxy Manager client server endpoint
      UUID: c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      Annotation: Adh APIs
      UUID: c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49667]
      Annotation: Impl friendly name
Port: 49671/tcp
      UUID: 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1
      Endpoint: ncacn_ip_tcp:172.16.31.11[49671]
      Annotation: Remote Fw APIs
Port: 49672/tcp
      UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2
      Endpoint: ncacn_ip_tcp:172.16.31.11[49672]
Note: DCE/RPC or MSRPC services running on this host locally were identified. Re
↪porting this list is not enabled by default due to the possible large size of
↪this list. See the script preferences to enable this reporting.
```

Impact
An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.

Solution:
Solution type: Mitigation
Filter incoming traffic to this ports.

Affected Software/OS
All systems exposing / disclosing information via DCE/RPC or MSRPC services.

Vulnerability Insight
DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.

Vulnerability Detection Method
Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services.
This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288)
In this case a 'Log' level result is used instead.
Details: `DCE/RPC and MSRPC Services Enumeration Reporting`
OID:1.3.6.1.4.1.25623.1.0.10736
Version used: `2026-09-02T05:46:18Z`

[return to 172.16.31.11]

2.2.2 Medium 3389/tcp

Medium (CVSS: 4.3)

NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection

Product detection result

```
cpe:/a:ietf:transport_layer_security:1.0
Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
```

Summary

... continues on next page ...

...continued from previous page ...

It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.

Quality of Detection (QoD): 98%

Vulnerability Detection Result
In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and
↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c
↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1
↪.25623.1.0.802067) VT.

Impact
An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection.
Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.

Solution:
Solution type: Mitigation
It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols.
Please see the references for more resources supporting you with this task.

Affected Software/OS
- All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols
- CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder
- CVE-2024-41270: Gorush v1.18.4
- CVE-2025-3200: Multiple products from Wiesemann & Theis

Vulnerability Insight
The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like:
- CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST)
- CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)

Vulnerability Detection Method
Checks the used TLS protocols of the services provided by this system.
Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
OID:1.3.6.1.4.1.25623.1.0.117274
Version used: 2026-06-03T07:18:10Z

Product Detection Result
Product: cpe:/a:ietf:transport_layer_security:1.0
Method: SSL/TLS: Version Detection
OID: 1.3.6.1.4.1.25623.1.0.105782

References
cve: CVE-2011-3389
cve: CVE-2015-0204
cve: CVE-2023-41928
cve: CVE-2024-41270
cve: CVE-2025-3200
url: https://configurator.tlsref.org/
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-report-2014
url: https://datatracker.ietf.org/doc/rfc8996/
url: https://vnhacker.blogspot.com/2011/09/beast.html
url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak
url: https://certvde.com/en/advisories/VDE-2025-031/
url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc
url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096

...continues on next page ...

... continued from previous page ...

cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354

... continues on next page ...

... continued from previous page ...

dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

[return to 172.16.31.11]

2.2.3 Low general/icmp

Low (CVSS: 2.1)

NVT: ICMP Timestamp Reply Information Disclosure

Summary
The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%

Vulnerability Detection Result
The following response / ICMP packet has been received:
- ICMP Type: 14
- ICMP Code: 0

Impact
This information could theoretically be used to exploit weak time-based random number generators in other services.

Solution:
Solution type: Mitigation
Various mitigations are possible:
- Disable the support for ICMP timestamp on the remote host completely
- Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)

Vulnerability Insight
The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method
Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.
Details: ICMP Timestamp Reply Information Disclosure
OID:1.3.6.1.4.1.25623.1.0.103190
Version used: 2025-01-21T05:37:33Z

References
cve: CVE-1999-0524
url: https://datatracker.ietf.org/doc/html/rfc792

... continues on next page ...

... continued from previous page ...

url: https://datatracker.ietf.org/doc/html/rfc2780
cert-bund: CB-K15/1514
cert-bund: CB-K14/0632
dfn-cert: DFN-CERT-2014-0658

[return to 172.16.31.11]