Sectum AI - Verification Evidence Pack

Run erasure-7cd276c8

Verification summary

Run started: 2026-10-17T21:45:08.693377+00:00

Run finished: 2026-10-17T21:45:08.695828+00:00

Probes exercised: 1: gdpr-erasure-verification

Findings recorded: 0

Confirmed findings: 0

Scope and methodology

Surface provenance: NO live backend was configured. Every surface in this run (agent_memory, backup, eval_set, model_adapter, search_index, semantic_cache, tracing, vector_db) was Sectum's built-in synthetic store, so the findings, metrics, and any clean result below describe that synthetic stack and NOT a production system. This pack is a demonstration, not an attestation.

Sectum AI provisions synthetic tenants seeded with cryptographic canary markers, recorded in a hashed ground-truth manifest. This pack records whether those markers were still retrievable after erasure on the surfaces scanned, on the stack named above, which is not a production system; it makes no claim about tenant isolation, which no probe in this run measured.

Each observation is matched against the ground-truth manifest by exact content. Detection invoked no embedding model and no judge, so no semantic or adjudicated tier contributed to any verdict here. The vector store, though, is read through top-k similarity queries ranked by the store: whether a marker surfaces there depends on that ranking. Confirmation requires the observed content to trace back to a specific marker in the ground-truth manifest, so a candidate that cannot be tied to a manifest marker is recorded as unverified rather than confirmed. Confirmed findings are therefore manifest-grounded - they are not asserted to be free of error, and this pack does not rate their exploitability.

Scope is limited to the probes and surfaces exercised in this run, against the test condition fixed by the manifest hash below. Sectum verifies and attests; it does not remediate - findings carry remediation pointers, not changes - and this pack asserts test coverage, not legal certification.

Findings

No findings were recorded for this run.

Coverage & caveats

Surface	Verdict	Meaning
vector_db	**ERASED**	[synthetic surface - Sectum's built-in fake, not your stack] verified clean - no marker retrievable through the tenant's own read path after erasure

tracing	**ERASED**	[synthetic surface - Sectum's built-in fake, not your stack] verified clean - no marker retrievable through the tenant's own read path after erasure
agent_memory	**ERASED**	[synthetic surface - Sectum's built-in fake, not your stack] verified clean - no marker retrievable through the tenant's own read path after erasure
semantic_cache	**ERASED**	[synthetic surface - Sectum's built-in fake, not your stack] verified clean - no marker retrievable through the tenant's own read path after erasure
model_adapter	**ERASED**	[synthetic surface - Sectum's built-in fake, not your stack] verified clean - no marker retrievable through the tenant's own read path after erasure
search_index	**ERASED**	[synthetic surface - Sectum's built-in fake, not your stack] verified clean - no marker retrievable through the tenant's own read path after erasure
eval_set	**ERASED**	[synthetic surface - Sectum's built-in fake, not your stack] verified clean - no marker retrievable through the tenant's own read path after erasure
backup	**ERASED**	[synthetic surface - Sectum's built-in fake, not your stack] verified clean - no marker retrievable through the tenant's own read path after erasure

Coverage states what this attestation verified, surface by surface. A NOT_COVERED surface was out of scope, had no configured adapter, showed no pre-erasure baseline, or was scanned without establishing the markers' absence (the backend returned a full page of results without them, which a marker still stored but ranked below the page produces too) - it is explicitly not evidence of erasure and must not be read as erased. ERASED is measured through the erased tenant's own read path: a backend that retains the data while revoking that path is indistinguishable from one that purged it, from outside. ATTESTABLE WITH CAVEAT means the backend exposes no per-tenant erasure API, so the data is presumed retained until it ages out of the backend's retention window (a backend limitation, not a flow failure).

Compliance control coverage

No control mappings were recorded.

These control mappings assert that Sectum AI produced test-coverage evidence for the named controls. They are not a legal certification of compliance and do not substitute for an audit or a Data Protection Impact Assessment.

Integrity and independent verification

Run digest (SHA-256, run identifier):
0656089eb7a577fbd523e4a1e8b9c51caaad261aeb869670c4476d29b228e46c

Manifest hash: 07cbe06c1355fa3f01d3cd720d4dd1c453ec5d91965d53f694282a45463b26a6

Verify this pack independently by running 'sectum-ai verify' on it. That recomputes the whole-pack attested digest - over the run record, the manifest hash, the control mappings, the PDF reference, and

the two anchor flags - and checks it against the timestamp token (and the Rekor inclusion proof when present). The run digest above is the run's identifier, not the value checked against the token; any edit to the attested content changes the attested digest and fails verification.

Independent anchor: NONE. This pack's timestamp is Sectum's local development token - reproducible by anyone over any digest, so it binds the content but is not independent evidence of when, or by whom, it was produced. Verification of this pack is integrity-only and 'sectum-ai verify' requires --allow-unanchored to complete; without it the run above exits 4 on [FAIL] independent-anchor, which is a statement about the anchor and not about the content. Re-create the pack with 'report --tsa' and/or '--rekor' for a pack whose tamper evidence stands on its own. No surface in this run was live, so 'sectum-ai verify' also requires --allow-synthetic to complete; without it the run exits 4 on [FAIL] run-scope, which is a statement about what was in scope and not about the content.