

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
Introduction	N/A	Introduction to the Organizational Cyber Defense Doctrine. Cyberspace is the outcome of technological advancement, connectivity and global engagement. The growing dependence on cyberspace heralds technological innovation alongside a space of threats affecting organizational functional continuity, the integrity of manufacturing processes and the confidentiality of information. This document presents a professional method for managing cyber risks in the organization.	Functional	No Relationship	N/A	N/A	N/A	0	
1	N/A	Cyberspace constitutes an integral part of our daily lives. On a personal level, individuals search for information on the Internet, use navigation software, talk on cellphones. On the business level, organizations use credit cards, manage customer databases, manage global operations through computer networks, market, buy and sell - all while relying upon Cyberspace. For many, available, accessible and reliable Cyberspace is a necessary condition for conducting daily business.	Functional	No Relationship	N/A	N/A	N/A	0	
2	Principles of Defense Doctrine	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
2.A	N/A	Management Responsibility: The responsibility for protecting the information lies first and foremost with the management of the organization.	Functional	Intersects With	Security, Compliance & Resilience Program (SCRIP)	GOV-01	Mechanisms exist to facilitate the implementation of security, compliance and resilience governance controls.	8	
2.A	N/A	Management Responsibility: The responsibility for protecting the information lies first and foremost with the management of the organization.	Functional	Intersects With	Steering Committee & Program Oversight	GOV-01.1	Mechanisms exist to align security, compliance and resilience capabilities with business requirements through a steering committee or advisory board, comprised of key cybersecurity, data protection and business executives, which meets formally and on a regular basis.	8	
2.A	N/A	Management Responsibility: The responsibility for protecting the information lies first and foremost with the management of the organization.	Functional	Intersects With	Strategic Plan & Objectives	PRM-01.1	Mechanisms exist to establish a: (1) Strategic security, compliance and resilience-specific business plan; and (2) Set of objectives to achieve that plan.	8	
2.B	N/A	Defense from the Adversary's View: The weight of the Defense recommendations, as well as the definition of priorities for their implementation, are derived directly from understanding the common attack scenarios and the effectiveness of the Defense recommendations against them. The Defense recommendations are the means of achieving organizational resilience, in accordance with the threats and ways of action relevant to the organization.	Functional	Intersects With	Threat Intelligence Program	THR-01	Mechanisms exist to implement a threat intelligence program that includes a cross-organization information-sharing capability that can influence the development of the system and security architectures, selection of security solutions, monitoring, threat hunting, response and recovery activities.	8	
2.C	N/A	Defense based on Israeli knowledge and experience: The Defense Doctrine allows for a focus on the risks relevant to each and every organization. As part of the activities of the Israel National Cyber Directorate, periodic audits and intelligence assessments are carried out throughout the entire Israeli economy, enabling targeted Defense recommendations for organizations in specific areas.	Functional	No Relationship	N/A	N/A	N/A	0	
2.D	N/A	Defense in accordance with the potential for damage: The investment in protecting each Defense target in the organization will be in accordance with its level of criticality for the organization's functioning.	Functional	Intersects With	Prioritization To Address Evolving Risks & Threats	PRM-02.1	Mechanisms exist to integrate foundational cybersecurity practices with advanced technologies to maintain situation awareness of and minimize the organization's exposure to evolving risks and threats.	5	
2.E	N/A	Defense based on depth of implementation: The Defense Doctrine allows the organization to implement controls at different levels of maturity on issues such as SOC, DLP or risk surveys. Instead of examining controls from a compliance-only perspective, the organization examines them according to implementation effectiveness, reflected in the definition of 'depth of implementation' and 'required evidence' for each Defense recommendation.	Functional	Intersects With	Defense-In-Depth (DiD) Architecture	SEA-03	Mechanisms exist to implement security functions as a layered structure minimizing interactions between layers of the design and avoiding any dependence by lower layers on the functionality or correctness of higher layers.	5	
3	N/A	The Doctrine consists of two different tracks for risk assessment and management, derived mainly from the potential damage to the organization as a result of a cyber incident. The Category A track is intended for organizations where the scope of damage caused by a cyber incident does not exceed USD 1.5 million. The Category B track is intended for organizations where the extent of damage may exceed USD 1.5 million, requiring a full Risk Assessment, Gap Analysis and Mitigation Plan process.	Functional	Intersects With	Risk Management Program	RSK-01	Mechanisms exist to facilitate the implementation of strategic, operational and tactical risk management controls that are aligned with: (1) The organization's Enterprise Risk Management (ERM); and (2) Industry-recognized cybersecurity risk management practices.	8	
4	The Planning Process	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
4.1	Implementation for a Category A Organization	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
4.1, Stage 1	N/A	Mapping of the Activity: Identify the types of equipment and computing assets used by the organization. Understand what the organization's digital assets are and where they are stored. Determine whether the organization has databases, digital assets such as social networks, or organizational systems and software such as a payroll system, attendance system or payment and clearing stations. At the end of this stage, the organization will have a list of assets whose level of defense should be examined against cyber risks in accordance with the list of recommended controls.	Functional	Intersects With	Asset Inventories	AST-02	Mechanisms exist to perform inventories of Technology Assets, Applications, Services and/or Data (TAASD) that: (1) Accurately reflects the current TAASD in use; (2) Identifies authorized software products, including business justification details; (3) Is at the level of granularity deemed necessary for tracking and reporting; (4) Includes organization-defined information deemed necessary to achieve effective property accountability; and (5) Is available for review and audit by designated organizational personnel.	5	
4.1, Stage 1	N/A	Mapping of the Activity: Identify the types of equipment and computing assets used by the organization. Understand what the organization's digital assets are and where they are stored. Determine whether the organization has databases, digital assets such as social networks, or organizational systems and software such as a payroll system, attendance system or payment and clearing stations. At the end of this stage, the organization will have a list of assets whose level of defense should be examined against cyber risks in accordance with the list of recommended controls.	Functional	Intersects With	Network Diagrams & Data Flow Diagrams (DFDs)	AST-04	Mechanisms exist to maintain network architecture diagrams that: (1) Contain sufficient detail to assess the security of the network's architecture; (2) Reflect the current architecture of the network environment; and (3) Document all sensitive and/or regulated data flows.	5	
4.1, Stages 2-3	N/A	Risk Assessment and Ten Commandments: A Category A organization must use extremely high-efficiency controls appropriate to the potential for harm. The organization must adopt the Horizontal Defense requirements set out in Appendix A. After examining the status of implementation of controls, the organization must decide the required response to the risks arising from the gaps in implementation. These risks are divided into breaches of data confidentiality, business continuity and information integrity, and must be examined against the Defense objectives defined in Stage 1.	Functional	Intersects With	Targeted Capability Maturity Levels	PRM-01.2	Mechanisms exist to define and identify targeted capability maturity levels.	3	
4.1, Stage 4	N/A	Building a Work Plan: Once the organization has defined the risks to its defense objectives, an annual plan must be drawn up to reduce and/or transfer them, in accordance with the decision in Stage 3. This plan may include implementing processes and controls, acquiring technologies, and allocating budget. The proposed work plan will be approved by the organization's director.	Functional	Intersects With	Security, Compliance & Resilience Protection Portfolio Management	PRM-01	Mechanisms exist to facilitate the implementation of resource planning controls that provide a portfolio management approach to achieve security, compliance and resilience objectives.	5	
4.1, Stage 4	N/A	Building a Work Plan: Once the organization has defined the risks to its defense objectives, an annual plan must be drawn up to reduce and/or transfer them, in accordance with the decision in Stage 3. This plan may include implementing processes and controls, acquiring technologies, and allocating budget. The proposed work plan will be approved by the organization's director.	Functional	Intersects With	Strategic Plan & Objectives	PRM-01.1	Mechanisms exist to establish a: (1) Strategic security, compliance and resilience-specific business plan; and (2) Set of objectives to achieve that plan.	5	
4.1, Stage 4	N/A	Building a Work Plan: Once the organization has defined the risks to its defense objectives, an annual plan must be drawn up to reduce and/or transfer them, in accordance with the decision in Stage 3. This plan may include implementing processes and controls, acquiring technologies, and allocating budget. The proposed work plan will be approved by the organization's director.	Functional	Intersects With	Prioritization To Address Evolving Risks & Threats	PRM-02.1	Mechanisms exist to integrate foundational cybersecurity practices with advanced technologies to maintain situation awareness of and minimize the organization's exposure to evolving risks and threats.	5	
4.1, Stage 4	N/A	Building a Work Plan: Once the organization has defined the risks to its defense objectives, an annual plan must be drawn up to reduce and/or transfer them, in accordance with the decision in Stage 3. This plan may include implementing processes and controls, acquiring technologies, and allocating budget. The proposed work plan will be approved by the organization's director.	Functional	Intersects With	Allocation of Resources	PRM-03	Mechanisms exist to identify and allocate resources for management, operational, technical and data protection requirements within business process planning for projects / initiatives.	5	

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
4.1, Stage 5	N/A	Continuous Auditing and Control: The pace of implementation of the work plan and its relevance should be periodically examined. The purpose of this stage is to check if there are any new information assets, what controls have been implemented so far and what resources and inputs are required from the organization's management. The audit may be conducted by an internal party or an external party.	Functional	Intersects With	Commitment To Continual Improvements	GOV-01.3	Mechanisms exist to commit appropriate resources needed for continual improvement of the organization's Security, Compliance & Resilience Program (SCRCP), including: (1) Staffing; (2) Budget; (3) Processes; and (4) Technologies.	5	
4.1, Stage 5	N/A	Continuous Auditing and Control: The pace of implementation of the work plan and its relevance should be periodically examined. The purpose of this stage is to check if there are any new information assets, what controls have been implemented so far and what resources and inputs are required from the organization's management. The audit may be conducted by an internal party or an external party.	Functional	Intersects With	Security, Compliance & Resilience Controls Oversight	CPL-02	Mechanisms exist to provide a security, compliance and resilience controls oversight function that reports to the organization's executive leadership.	5	
4.1, Stage 5	N/A	Continuous Auditing and Control: The pace of implementation of the work plan and its relevance should be periodically examined. The purpose of this stage is to check if there are any new information assets, what controls have been implemented so far and what resources and inputs are required from the organization's management. The audit may be conducted by an internal party or an external party.	Functional	Intersects With	Internal Audit Function	CPL-02.1	Mechanisms exist to implement an internal audit function that is capable of providing senior organization management with insights into the appropriateness of the organization's technology and information governance processes.	5	
4.2	Implementation for a Category B Organization	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
4.2, Stage 0	N/A	Corporate Governance and Strategy for Corporate Risk Management: Before identifying the threats and responses in the organization, the corporate governance that supports the process (ISMS - Information Security Management System) must be examined: its purpose, definition of hierarchy, functionalities, Defense routines and control procedures. The goal is to map the cyber risks and the response given to them, while presenting continuous improvement. The organization must address: who performs the risk assessment; whether there is a mapping of sensitive information; what the Defense policy and its approval process are; and whether there is an annual work plan.	Functional	Intersects With	Security, Compliance & Resilience Program (SCRCP)	GOV-01	Mechanisms exist to facilitate the implementation of security, compliance and resilience governance controls.	5	
4.2, Stage 1	Demarcation of Activity and Risk Assessment Survey	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
4.2, Stage 1.1	N/A	Defining the Scope of Powers and Limits of Responsibility: Define the boundaries of demarcation between the Chief Information Security Officer (CISO) and other functionalities in the organization - the division of authority and responsibilities with internal stakeholders such as the Security Officer, Operations Manager, Information Systems Manager, Risk Manager, Legal Adviser and CEO. If the organization needs cyber and/or computing services as a service (MSSP), define the interaction and division of responsibilities between the parties.	Functional	Intersects With	Assigned Security, Compliance & Resilience Responsibilities	GOV-04	Mechanisms exist to assign one or more qualified individuals with the mission and resources to centrally-manage, coordinate, develop, implement and maintain an enterprise-wide Security, Compliance & Resilience Program (SCRCP).	5	
4.2, Stage 1.1	N/A	Defining the Scope of Powers and Limits of Responsibility: Define the boundaries of demarcation between the Chief Information Security Officer (CISO) and other functionalities in the organization - the division of authority and responsibilities with internal stakeholders such as the Security Officer, Operations Manager, Information Systems Manager, Risk Manager, Legal Adviser and CEO. If the organization needs cyber and/or computing services as a service (MSSP), define the interaction and division of responsibilities between the parties.	Functional	Intersects With	Stakeholder Accountability Structure	GOV-04.1	Mechanisms exist to enforce an accountability structure so that appropriate teams and individuals are empowered, responsible and trained for mapping, measuring and managing Technology Assets, Applications, Services and/or Data (TAASD)-related risks.	5	
4.2, Stage 1.1	N/A	Defining the Scope of Powers and Limits of Responsibility: Define the boundaries of demarcation between the Chief Information Security Officer (CISO) and other functionalities in the organization - the division of authority and responsibilities with internal stakeholders such as the Security Officer, Operations Manager, Information Systems Manager, Risk Manager, Legal Adviser and CEO. If the organization needs cyber and/or computing services as a service (MSSP), define the interaction and division of responsibilities between the parties.	Functional	Intersects With	Authoritative Chain of Command	GOV-04.2	Mechanisms exist to establish an authoritative chain of command with clear lines of communication to remove ambiguity from individuals and teams related to managing Technology Assets, Applications, Services and/or Data (TAASD)-related risks.	5	
4.2, Stage 1.2	N/A	Defining an Organizational Strategy for Cyber Defense: Obtain in-depth knowledge of the organization's strategy (including vision, objectives, characteristics of the business market and competitors), and determine how information defense and cyber fits into it. This defines the strategic context within which the risk survey will be conducted.	Functional	Intersects With	Security Concept Of Operations (CONOPS)	OPS-02	Mechanisms exist to develop a security Concept of Operations (CONOPS), or a similarly-defined plan for achieving cybersecurity objectives, that documents management, operational and technical measures implemented to apply defense-in-depth techniques that is communicated to all appropriate stakeholders.	5	
4.2, Stage 1.2	N/A	Defining an Organizational Strategy for Cyber Defense: Obtain in-depth knowledge of the organization's strategy (including vision, objectives, characteristics of the business market and competitors), and determine how information defense and cyber fits into it. This defines the strategic context within which the risk survey will be conducted.	Functional	Intersects With	Strategic Plan & Objectives	PRM-01.1	Mechanisms exist to establish a: (1) Strategic security, compliance and resilience-specific business plan; and (2) Set of objectives to achieve that plan.	5	
4.2, Stage 1.3	N/A	Demarcation of the Risk Survey: Define the demarcation of the risk survey - does the survey include aspects such as security cameras, air conditioning systems, production lines and operating environments, private computing devices of employees, supply chain and branches outside the country. At the end of this stage, the organization will have a document describing its business environment, characteristics and demarcation of the survey.	Functional	Intersects With	Assessment Boundaries	IAO-01.1	Mechanisms exist to establish the scope of assessments by defining the assessment boundary, according to people, processes and technology that directly or indirectly impact the confidentiality, integrity, availability and safety of the Technology Assets, Applications, Services and/or Data (TAASD) under review.	8	
4.2, Stage 2	Risk Assessment	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
4.2, Stage 2.1	N/A	Risk Identification: This activity consists of two sub-steps. First, Mapping defense targets - understanding the potential targets that the organization is required to protect in cyber aspects, including a list of assets such as applications, networks or operating systems, and important business processes associated with digital assets. Second, Assignment of risks/threats/vulnerabilities - after mapping defense objectives, examine the cyber threats relevant to the processes and assets identified, including possible courses of action through which an attacker can realize the threat.	Functional	Intersects With	Risk Framing	RSK-01.1	Mechanisms exist to identify: (1) Assumptions affecting risk assessments, risk response and risk monitoring; (2) Constraints affecting risk assessments, risk response and risk monitoring; (3) The organizational risk tolerance; and (4) Priorities, benefits and trade-offs considered by the organization for managing risk.	5	
4.2, Stage 2.1	N/A	Risk Identification: This activity consists of two sub-steps. First, Mapping defense targets - understanding the potential targets that the organization is required to protect in cyber aspects, including a list of assets such as applications, networks or operating systems, and important business processes associated with digital assets. Second, Assignment of risks/threats/vulnerabilities - after mapping defense objectives, examine the cyber threats relevant to the processes and assets identified, including possible courses of action through which an attacker can realize the threat.	Functional	Intersects With	Risk Identification	RSK-03	Mechanisms exist to identify and document risks, both internal and external.	5	
4.2, Stage 2.2	N/A	Risk Evaluation: After formulating a list of risks and/or threats, perform Risk Analysis to determine what incidents may occur. Use the formula Impact x Likelihood = Risk, based on ISO 31000. Calculate the magnitude of damage by examining the maximum damage potential as a result of a breach of confidentiality, reliability or data availability (CIA). Calculate the probability based on parameters including Incident History, Intelligence Score and Attack Surface Score.	Functional	Intersects With	Risk Assessment	RSK-04	Mechanisms exist to conduct recurring assessments of risk that includes the likelihood and magnitude of harm, from unauthorized access, use, disclosure, disruption, modification or destruction of the organization's Technology Assets, Applications, Services and/or Data (TAASD).	5	
4.2, Stage 2.2	N/A	Risk Evaluation: After formulating a list of risks and/or threats, perform Risk Analysis to determine what incidents may occur. Use the formula Impact x Likelihood = Risk, based on ISO 31000. Calculate the magnitude of damage by examining the maximum damage potential as a result of a breach of confidentiality, reliability or data availability (CIA). Calculate the probability based on parameters including Incident History, Intelligence Score and Attack Surface Score.	Functional	Intersects With	Risk Register	RSK-04.1	Mechanisms exist to maintain a risk register that facilitates monitoring and reporting of risks.	5	
4.2, Stage 2.3	N/A	Risk Assessment: At this stage, an assessment of the risks analyzed is made and a decision is reached as to how to cope with those risks. The decision must take into account: the level of criticality of the business process; the topology of the organization; information systems and service providers involved in critical processes; and ability to respond and handle risks. The output is a risk summary table with risk name, scenario description, likelihood, intensity, root risk and residual risk scores.	Functional	Intersects With	Risk Assessment	RSK-04	Mechanisms exist to conduct recurring assessments of risk that includes the likelihood and magnitude of harm, from unauthorized access, use, disclosure, disruption, modification or destruction of the organization's Technology Assets, Applications, Services and/or Data (TAASD).	5	

NIST IR 8477-Based Set Theory Relationship Mapping (STRM)

Reference Document: Secure Controls Framework (SCF) version 2026.2

STRM Guidance: <https://securecontrolsframework.com/start-here/set-theory-relationship-mapping-strm/>

Focal Document: **Ireland - Cybersecurity Methodology for an Organization (CMO) v2.0**

Focal Document URL: https://www.gov.ie/BlobFolder/generatpage/cyber_security_methodology_2/en/ICDM%20V2.pdf

Published STRM URL: <https://content.securecontrolsframework.com/strm/scf-strm-emea-isr-cmo-2-0.pdf>

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
4.2, Stage 2.3	N/A	Risk Assessment: At this stage, an assessment of the risks analyzed is made and a decision is reached as to how to cope with those risks. The decision must take into account: the level of criticality of the business process; the topology of the organization; information systems and service providers involved in critical processes; and ability to respond and handle risks. The output is a risk summary table with risk name, scenario description, likelihood, intensity, root risk and residual risk scores.	Functional	Intersects With	Risk Remediation	RSK-06	Mechanisms exist to remediate risks to an acceptable level.	5	
4.2, Stage 3	Handling the Risk	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
4.2, Stage 3.1	N/A	Defining How the Organization Responds to Identified Risks: As a general rule, it is impossible to carry out an activity without exposure to risk. Investment of inputs to mitigate the risk should be made while weighing: economic cost-benefit; duration of implementation; probability of risk realization; legal obligations; and moral considerations. The organization categorizes each risk into one of: Risk reduction (mitigation through controls); Risk transfer (e.g., cyber insurance); Risk acceptance; or Risk avoidance. The organization then performs a Gap Analysis using the control bank in Appendix C to define required gaps and controls.	Functional	Intersects With	Risk Treatment Options	RSK-06.3	Mechanisms exist to select appropriate risk treatment options, based on applicable risk assessment findings, including: (1) Mitigating the risk to an acceptable level; (2) Avoiding the risk (e.g., terminating the project); (3) Transferring the risk to a third party (e.g., insurance, service provider, etc.); or (4) Accepting the risk.	8	
4.2, Stage 4	N/A	Building a Work Plan: After mapping defense objectives and examining controls that need to be implemented for the purpose of reducing residual risk, a process of prioritization should be carried out and a work plan defined. To optimize the order of actions and maximize benefit, consider the opponent's vision and prioritize projects that make it difficult for attackers to gain access to the organization's network. The work plan forms the basis for budget planning and the multi-year plan of the Cyber Defense party within the organization.	Functional	Intersects With	Capabilities Deficiency Tracking	IAO-05	Mechanisms exist to govern identified deficiencies (e.g., Plan of Action and Milestones (POA&M) or similar methodology) that formally documents, at a minimum: (1) Deficiency tracking number; (2) Applicable security, compliance and/or resilience control; (3) Description of the deficiency(ies); (4) Risk associated with the deficiency(ies); (5) Source deficiency identification/detection; (6) Temporary compensating controls, if applicable; (7) Point of Contact (POC) (e.g., asset/process owner); (8) Resources required to conduct remediation actions; (9) Planned remedial actions to the deficiency(ies); (10) Proposed remediation timeline; and (11) Disposition statement (e.g., closeout summary).	5	
4.2, Stage 4	N/A	Building a Work Plan: After mapping defense objectives and examining controls that need to be implemented for the purpose of reducing residual risk, a process of prioritization should be carried out and a work plan defined. To optimize the order of actions and maximize benefit, consider the opponent's vision and prioritize projects that make it difficult for attackers to gain access to the organization's network. The work plan forms the basis for budget planning and the multi-year plan of the Cyber Defense party within the organization.	Functional	Intersects With	Risk Treatment Plan (RTP)	RSK-06.4	Mechanisms exist to formalize a Risk Treatment Plan (RTP) that applicable stakeholders will utilize to remediate identified risks according to a defined timeline.	5	
4.2, Stage 5	N/A	Continuous Auditing and Monitoring: Along with budget planning and long-term processes, the organization must develop an independent ability to conduct continuous auditing and monitoring (Continuous Control Monitoring - CCM). The CCM concept includes: analysis of supply chain risk management; defining relevant KPIs and KRIs; validating and adjusting indices; and implementing technology for real-time monitoring. Organizational hierarchy must be defined including division of authority and responsibility for the CCM program.	Functional	Intersects With	Control Conformity Monitoring	CPL-03	Mechanisms exist to validate that Technology Assets, Applications, Services and/or Data (TAASD) conform to the organization's security, compliance and/or resilience policies, standards and other applicable requirements.	8	
4.2, Stage 5	N/A	Continuous Auditing and Monitoring: Along with budget planning and long-term processes, the organization must develop an independent ability to conduct continuous auditing and monitoring (Continuous Control Monitoring - CCM). The CCM concept includes: analysis of supply chain risk management; defining relevant KPIs and KRIs; validating and adjusting indices; and implementing technology for real-time monitoring. Organizational hierarchy must be defined including division of authority and responsibility for the CCM program.	Functional	Intersects With	Measures of Performance	GOV-05	Mechanisms exist to develop, report and monitor Security, Compliance & Resilience Program (SCRPP) measures of performance.	3	
Appendix A	Category A Organization Defense Controls	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 1	Management Responsibility	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 1.1	N/A	Corporate Governance: The organization's approach to managing information security and Cyber Defense, and how it is implemented, should be periodically examined. The security controls implemented in the organization, information security policies, and the Defense of business processes critical to the organization should be examined.	Functional	Intersects With	Commitment To Continual Improvements	GOV-01.3	Mechanisms exist to commit appropriate resources needed for continual improvement of the organization's Security, Compliance & Resilience Program (SCRPP), including: (1) Staffing; (2) Budget; (3) Processes; and (4) Technologies.	5	
Appendix A, 1.1	N/A	Corporate Governance: The organization's approach to managing information security and Cyber Defense, and how it is implemented, should be periodically examined. The security controls implemented in the organization, information security policies, and the Defense of business processes critical to the organization should be examined.	Functional	Intersects With	Periodic Review & Update of Security, Compliance & Resilience Program	GOV-03	Mechanisms exist to review the Security, Compliance & Resilience Program (SCRPP), including policies, standards and procedures, at planned intervals or if significant changes occur to ensure their continuing suitability, adequacy and effectiveness.	3	
Appendix A, 2	Malicious Code Prevention	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 2.1	N/A	Detection and Prevention of Malicious Code at End Stations and Servers: Appropriate tools should be implemented to detect and prevent malicious code on endpoints and servers in the organization. These tools will be activated in an active Defense format and periodic scans will be performed. Since some malwares may infiltrate through security mechanisms, malicious code handling controls must be implemented at workstation level as well.	Functional	Intersects With	Malicious Code Protection (Anti-Malware)	END-04	Mechanisms exist to utilize antimalware technologies to detect and eradicate malicious code.	5	
Appendix A, 2.1	N/A	Detection and Prevention of Malicious Code at End Stations and Servers: Appropriate tools should be implemented to detect and prevent malicious code on endpoints and servers in the organization. These tools will be activated in an active Defense format and periodic scans will be performed. Since some malwares may infiltrate through security mechanisms, malicious code handling controls must be implemented at workstation level as well.	Functional	Intersects With	Always On Protection	END-04.7	Mechanisms exist to ensure that anti-malware technologies are continuously running in real-time and cannot be disabled or altered by non-privileged users, unless specifically authorized by management on a case-by-case basis for a limited time period.	5	
Appendix A, 2.2	N/A	Automatic Updates: Automatic updating of all systems to detect and prevent malicious code in the organization must be enabled. The organization will run automatic updates from a central server managed by the organization or by a recognized service provider to ensure that Defense tools are constantly updated.	Functional	Intersects With	Automatic Antimalware Signature Updates	END-04.1	Automated mechanisms exist to update antimalware technologies, including signature definitions.	5	
Appendix A, 3	Encryption	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 3.1	N/A	Criteria for Encryption: Uses that require encryption must be defined, and the type of encryption required must be specified in accordance with laws, guidelines, procedures, regulations and business obligations. The organization will define the information and systems to be encrypted, and will document the configuration of the information encryption.	Functional	Subset Of	Use of Cryptographic Controls	CRY-01	Mechanisms exist to facilitate the implementation of cryptographic protections controls using known public standards and trusted cryptographic technologies.	10	
Appendix A, 3.1	N/A	Criteria for Encryption: Uses that require encryption must be defined, and the type of encryption required must be specified in accordance with laws, guidelines, procedures, regulations and business obligations. The organization will define the information and systems to be encrypted, and will document the configuration of the information encryption.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	5	
Appendix A, 4	Protection of Workstations and Servers	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 4.1	N/A	Hardening Policy: Hardening policies for workstations and servers must be defined, documented and implemented, providing a solution to the organization's information security requirements. The organization will define hardening requirements for systems in the organization, with an emphasis on basic requirements, frequency of updates and level of classification. Requirements must be documented in a super-framework serving as a basis for writing hardening procedures.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	5	

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
Appendix A, 4.2	N/A	Hardening Application: The system should be configured to provide the required minimum functionality, while blocking unnecessary functions, ports, and protocols. Hardening procedures must include at least: (1) reducing the attack area by blocking unnecessary ports; (2) shutdown of unnecessary services; (3) removing Guest User accounts; (4) preference for secure protocols; (5) receiving updates in an orderly fashion; (6) blocking sensitive functions; (7) sending logs to monitoring server; (8) blocking installation of software by unauthorized users.	Functional	Intersects With	Secure Baseline Configurations	CFG-02	Mechanisms exist to develop, document and maintain secure baseline configurations for Technology Assets, Applications and/or Services (TAAS) that are consistent with industry-accepted system hardening standards.	5	
Appendix A, 5	Public Cloud Computing	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 5.1	N/A	Shared Responsibility: The division of responsibility for service security between the service provider and the organization must be understood, and the Defense controls applied accordingly. When using public cloud services, there is a division of responsibility for Cyber Defense between the issues that are the responsibility of the provider and those that remain the responsibility of the customer. This division depends on the nature of the service and the implementation model.	Functional	Intersects With	Customer Responsibility Matrix (CRM)	CLD-06.1	Mechanisms exist to formally document a Customer Responsibility Matrix (CRM), delineating assigned responsibilities for security, compliance and resilience controls between the Cloud Service Provider (CSP) and its customers.	5	
Appendix A, 5.2	N/A	Sensitive Information Sharing: It must be ensured that data that the organization's regulations and obligations prohibit from being transmitted are not transmitted to cloud services. There are data that the organization must not transfer to storage or processing in public cloud services, due to considerations of regulation or commitment to third parties. Before transferring data to the cloud, ensure it does not fall into this category.	Functional	Intersects With	Sensitive / Regulated Data Protection	DCH-01.2	Mechanisms exist to protect sensitive and/or regulated data wherever it is processed and/or stored.	5	
Appendix A, 5.2	N/A	Sensitive Information Sharing: It must be ensured that data that the organization's regulations and obligations prohibit from being transmitted are not transmitted to cloud services. There are data that the organization must not transfer to storage or processing in public cloud services, due to considerations of regulation or commitment to third parties. Before transferring data to the cloud, ensure it does not fall into this category.	Functional	Intersects With	Data & Asset Classification	DCH-02	Mechanisms exist to ensure data and assets are categorized in accordance with applicable statutory, regulatory and contractual requirements.	5	
Appendix A, 5.2	N/A	Sensitive Information Sharing: It must be ensured that data that the organization's regulations and obligations prohibit from being transmitted are not transmitted to cloud services. There are data that the organization must not transfer to storage or processing in public cloud services, due to considerations of regulation or commitment to third parties. Before transferring data to the cloud, ensure it does not fall into this category.	Functional	Intersects With	Information Sharing	DCH-14	Mechanisms exist to utilize a process to assist users in making information sharing decisions to ensure data is appropriately protected.	5	
Appendix A, 6	Information Protection	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 6.1	N/A	Protecting Information Stored in Shared Resources: Unauthorized or unintentional transmission of information through shared system resources should be avoided. The organization must prevent and handle the transfer of unauthorized information through shared folders, e-mail, disconnected media, etc.	Functional	Intersects With	Cloud Security Architecture	CLD-02	Mechanisms exist to ensure the cloud security architecture supports the organization's technology strategy to securely design, configure and maintain cloud employments.	5	
Appendix A, 6.1	N/A	Protecting Information Stored in Shared Resources: Unauthorized or unintentional transmission of information through shared system resources should be avoided. The organization must prevent and handle the transfer of unauthorized information through shared folders, e-mail, disconnected media, etc.	Functional	Intersects With	Sensitive Data in Public Cloud Providers	CLD-10	Mechanisms exist to limit and manage the storage of sensitive and/or regulated data in public cloud providers.	5	
Appendix A, 7	Network Security	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 7.1	N/A	Session Management at the Network Level: The organization shall use technological means to protect its services from Denial of Service (DOS) attacks. Protection against various types of denial of service attacks should be made available, such as loading computing resources until they crash, loading communication bandwidth, or loading a website until it crashes.	Functional	Intersects With	Resource Priority	CAP-02	Mechanisms exist to control resource utilization of Technology Assets, Applications and/or Services (TAAS) that are susceptible to Denial of Service (DoS) attacks to limit and prioritize the use of resources.	5	
Appendix A, 7.2	N/A	Session Reliability: Make sure that the Domain Name Service (DNS) is provided by a trusted server (both inter and extra organizational). The organization will allow the receipt of DNS only from a secure internal server, in order to prevent incorrect communication routes (intentionally or accidentally) to hostile targets.	Functional	Intersects With	Domain Name Service (DNS) Resolution	NET-10	Mechanisms exist to ensure Domain Name Service (DNS) resolution is designed, implemented and managed to protect the security of name / address resolution.	5	
Appendix A, 7.3	N/A	Network Boundaries - Limit Communication Channels: The number of communication channels external to the system must be limited. The organization will reduce and unify communication channels to ensure good control over connections to the system.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	5	
Appendix A, 7.3	N/A	Network Boundaries - Limit Communication Channels: The number of communication channels external to the system must be limited. The organization will reduce and unify communication channels to ensure good control over connections to the system.	Functional	Intersects With	Boundary Protection	NET-03	Mechanisms exist to monitor and control communications at the external network boundary and at key internal boundaries within the network.	3	
Appendix A, 7.4	N/A	Network Boundaries - Default Block Policy: By default, all network traffic should be blocked, and desired traffic should be allowed manually by an exception rule. The organization will define network traffic filtering rules in a way that blocks by default any traffic that is not explicitly defined as allowed.	Functional	Intersects With	Limit Network Connections	NET-03.1	Mechanisms exist to limit the number of concurrent external network connections to its Technology Assets, Applications and/or Services (TAAS).	5	
Appendix A, 7.4	N/A	Network Boundaries - Default Block Policy: By default, all network traffic should be blocked, and desired traffic should be allowed manually by an exception rule. The organization will define network traffic filtering rules in a way that blocks by default any traffic that is not explicitly defined as allowed.	Functional	Intersects With	Deny Traffic by Default & Allow Traffic by Exception	NET-04.1	Mechanisms exist to configure firewall and router configurations to deny network traffic by default and allow network traffic by exception (e.g., deny all, permit by exception).	5	
Appendix A, 7.5	N/A	Network Boundaries - Separate Subnets by Security Zone: Separate network addresses (different subnet) must be used to connect to systems in different security zones. The organization will define that each subnet will have a separate address range that will be posted to the firewall and routers.	Functional	Intersects With	Separate Subnets To Isolate Functions	NET-06.9	Mechanisms exist to implement physically or logically separate subnetworks to isolate organization-defined Technology Assets, Applications, Services and/or Data (TAASD).	5	
Appendix A, 8	Access Control	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 8.1	N/A	User Management: User accounts should be set up that support the business functions of the organization. At the very least, an 'administrator' account should be separated from a 'user' account. Users who manage the security functions in the system (such as user creation, access and system permission management, or information security system management) must also be configured.	Functional	Intersects With	Account Management	IAC-15	Mechanisms exist to: (1) Define authorized system account types; (2) Define prohibited system account types; and (3) Proactively govern individual, group, system, service, application, guest and temporary accounts.	5	
Appendix A, 8.2	N/A	Permission Management: Logical access rights to the system and information must be defined and enforced in accordance with the access control policy. Access control can be done on an individual (identity-based) or role-based level, and its purpose is to control the access of entities (users or computer processes) to objects (files, records, devices and more).	Functional	Subset Of	Identity & Access Management (IAM)	IAC-01	Mechanisms exist to facilitate the implementation of identification and access management controls.	10	
Appendix A, 9	Human Resources and Employee Awareness	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 9.1	N/A	Employee Rules of Conduct: Rules of conduct must be defined when working with the information systems in the organization. These rules define the areas of responsibility and the rules of proper use, with an emphasis on sensitive systems. The organization will define behavioral procedures when working with the information systems and will distribute them to all employees.	Functional	Intersects With	Rules of Behavior	HRS-05.1	Mechanisms exist to define acceptable and unacceptable rules of behavior for the use of technologies, including consequences for unacceptable behavior.	5	
Appendix A, 9.2	N/A	Managing Permissions when Recruiting, Moving, or Leaving the Organization: An employee's access permissions when moving from job to job should be reviewed and updated. An update process must be set up regarding employee mobility, and the permissions changed according to the new position (removal of unnecessary permissions and establishment of new required permissions). Different forms of employment should be considered, such as providers versus employees, or employees versus outsourcing.	Functional	Intersects With	Personnel Transfer	HRS-08	Mechanisms exist to adjust logical and physical access authorizations to Technology Assets, Applications and/or Services (TAAS) and facilities upon personnel reassignment or transfer, in a timely manner.	5	

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
Appendix A, 9.2	N/A	Managing Permissions when Recruiting, Moving, or Leaving the Organization: An employee's access permissions when moving from job to job should be reviewed and updated. An update process must be set up regarding employee mobility, and the permissions changed according to the new position (removal of unnecessary permissions and establishment of new required permissions). Different forms of employment should be considered, such as providers versus employees, or employees versus outsourcing.	Functional	Intersects With	Personnel Termination	HRS-09	Mechanisms exist to govern the termination of individual employment.	5	
Appendix A, 9.2	N/A	Managing Permissions when Recruiting, Moving, or Leaving the Organization: An employee's access permissions when moving from job to job should be reviewed and updated. An update process must be set up regarding employee mobility, and the permissions changed according to the new position (removal of unnecessary permissions and establishment of new required permissions). Different forms of employment should be considered, such as providers versus employees, or employees versus outsourcing.	Functional	Intersects With	User Provisioning & De-Provisioning	IAC-07	Mechanisms exist to utilize a formal user registration and de-registration process that governs the assignment of access rights.	5	
Appendix A, 9.2	N/A	Managing Permissions when Recruiting, Moving, or Leaving the Organization: An employee's access permissions when moving from job to job should be reviewed and updated. An update process must be set up regarding employee mobility, and the permissions changed according to the new position (removal of unnecessary permissions and establishment of new required permissions). Different forms of employment should be considered, such as providers versus employees, or employees versus outsourcing.	Functional	Intersects With	Change of Roles & Duties	IAC-07.1	Mechanisms exist to revoke user access rights following changes in personnel roles and duties, if no longer necessary or permitted.	5	
Appendix A, 9.2	N/A	Managing Permissions when Recruiting, Moving, or Leaving the Organization: An employee's access permissions when moving from job to job should be reviewed and updated. An update process must be set up regarding employee mobility, and the permissions changed according to the new position (removal of unnecessary permissions and establishment of new required permissions). Different forms of employment should be considered, such as providers versus employees, or employees versus outsourcing.	Functional	Intersects With	Termination of Employment	IAC-07.2	Mechanisms exist to revoke user access rights in a timely manner, upon termination of employment or contract.	5	
Appendix A, 10	Security in Procurement and Development	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 10.1	N/A	Security Requirements in Procurement and Development of Systems: Supply Chain Security - Service providers should be required to comply with corporate security requirements, regulations, standards and guidelines. The organization will ensure that service providers meet the organizational compliance requirements as well as the regulatory requirements in the countries in which the organization operates.	Functional	Subset Of	Third-Party Management	TPM-01	Mechanisms exist to facilitate the implementation of third-party management controls.	10	
Appendix A, 11	Physical and Environmental Defense	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 11.1	N/A	Emergency Lighting: Automatic emergency lighting must be installed and maintained, which will be activated in the case of a power outage or malfunction. The system will include emergency exits and evacuation routes at the facility.	Functional	Intersects With	Emergency Lighting	PES-07.4	Facility security mechanisms exist to utilize and maintain automatic emergency lighting that activates in the event of a power outage or disruption and that covers emergency exits and evacuation routes within the facility.	5	
Appendix A, 11.2	N/A	Fire Fighting: In order to maintain the information systems, fire detection and extinguishing systems must be installed and maintained, which are supported by an independent energy source.	Functional	Intersects With	Fire Protection	PES-08	Facility security mechanisms exist to utilize and maintain fire suppression and detection devices/systems for the system that are supported by an independent energy source.	5	
Appendix A, 12	Documentation and Monitoring	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 12.1	N/A	Documentation Mechanism - Activate Incident Records: A mechanism that generates control records about incidents in the organization's systems must be activated. At the very least, incidents should be recorded from systems that contain sensitive customer information, from systems critical to the organization's functioning, and from core systems (servers, communication components, applications, databases). The control records will contain: type of incident, when it occurred, source of incident and username.	Functional	Subset Of	Incident Handling	IRO-02	Mechanisms exist to cover: (1) Preparation; (2) Automated event detection or manual incident report intake; (3) Analysis; (4) Containment; (5) Eradication; and (6) Recovery.	10	
Appendix A, 12.2	N/A	Documentation Mechanism - Registration Content Requirements: The registration mechanisms will include, at the very least, information about: the nature of the action performed; time signature; source and destination of the action; user identifier; process identifier; failure/success; and mixed file name.	Functional	Intersects With	Content of Event Logs	MON-03	Mechanisms exist to configure Technology Assets, Applications and/or Services (TAAS) to produce event logs that contain sufficient information to, at a minimum: (1) Establish what type of event occurred; (2) When (date and time) the event occurred; (3) Where the event occurred; (4) The source of the event; (5) The outcome (success or failure) of the event; and (6) The identity of any user/subject associated with the event.	5	
Appendix A, 13	Incident Management and Reporting	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 13.1	N/A	Handling Cyber Incidents and Information Security: Channels of communication between employees and supervisors must be set up for the purpose of reporting suspected security incidents. The organization will apply procedures that will define cyber incidents that require reporting and determine how to report them.	Functional	Intersects With	Situational Awareness For Incidents	IRO-09	Mechanisms exist to document, monitor and report the status of cybersecurity and data protection incidents to internal stakeholders all the way through the resolution of the incident.	5	
Appendix A, 14	Business Continuity	N/A	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix A, 14.1	N/A	Resource Availability - Backups: User-level backups, system and system documentation must be performed, and backup defenses must be ensured. The organization will back up all the critical information in the information systems that support the business processes, and will ensure the availability, integrity and confidentiality of the backups.	Functional	Intersects With	Data Backups	BCD-11	Mechanisms exist to create recurring backups of data, software and/or system images, as well as verify the integrity of these backups, to ensure the availability of the data to satisfy Recovery Time Objectives (RTOs) and Recovery Point Objectives (RPOs).	5	
Appendix B	N/A	List of Example Threats and Vulnerabilities: All cyber incidents can be classified according to the source of the attack (internal party, provider or external party) and the motive (intentional or accidental). Cyber risk calculation requires weighting the vulnerabilities and threats in the organization. The degree of motivation and the probability of a threat materializing must be examined, taking into account both its degree of prevalence and the degree of its ability to be carried out. Organizations required to respond to advanced attacks should be prepared to deal with techniques such as disabling defense products, exploiting legitimate software (Living off the Land), and lateral movement.	Functional	Intersects With	Incident Classification & Prioritization	IRO-02.4	Mechanisms exist to identify classes of incidents and actions to take to ensure the continuation of organizational missions and business functions.	5	
Appendix B	N/A	List of Example Threats and Vulnerabilities: All cyber incidents can be classified according to the source of the attack (internal party, provider or external party) and the motive (intentional or accidental). Cyber risk calculation requires weighting the vulnerabilities and threats in the organization. The degree of motivation and the probability of a threat materializing must be examined, taking into account both its degree of prevalence and the degree of its ability to be carried out. Organizations required to respond to advanced attacks should be prepared to deal with techniques such as disabling defense products, exploiting legitimate software (Living off the Land), and lateral movement.	Functional	Intersects With	Threat Analysis	THR-10	Mechanisms exist to identify, assess, prioritize and document the potential impact(s) and likelihood(s) of applicable internal and external threats.	5	
Appendix C	N/A	Control Bank: The control bank centralizes the Cyber Defense recommendations in various areas. The structure includes columns for: Function (one of the 5 NIST CSF areas: Identify, Protect, Detect, Respond, Recover); Subject and Sub-Subject (the control family and chapters); Control (the Defense recommendation itself); Emphasis in application; Required Evidence; Depth of application at level X; and additional suggested columns for mapping versus additional standards. The control bank is used for Gap Analysis and individual mapping of controls against threats and critical business processes.	Functional	Intersects With	Centralized Management of Security, Compliance & Resilience Controls	SEA-01.1	Mechanisms exist to centrally-manage the organization-wide management and implementation of security, compliance and resilience controls and related processes.	5	
Appendix D	N/A	Tools and Methods for Implementing Continuous Control in the Organization: Continuous control is essential, presenting a mirror and compass for the Cyber Defense party. Tools and methods include: KPI (Key Performance Indicators) to measure and quantify the level of Defense at a given time; KRI (Key Risk Indicators) to measure risk level; and CCM (Continuous Control Monitoring) for real-time monitoring without human involvement. The CCM program requires defining relevant indicators, scenarios for attribution, validation and adjustment of indices, and implementation of dedicated technology.	Functional	Intersects With	Measures of Performance	GOV-05	Mechanisms exist to develop, report and monitor Security, Compliance & Resilience Program (SCRp) measures of performance.	5	

FDE #	FDE Name	Focal Document Element (FDE) Description	STRM Rationale	STRM Relationship	SCF Control	SCF #	Secure Controls Framework (SCF) Control Description	Strength of Relationship	Notes
Appendix E	N/A	The Tree of Doctrines: A holistic view of the Defense Doctrine for the organization. The Israel National Cyber Directorate develops various products and deliverables to expand professional knowledge, including: Best Practices for specific technological issues (VPN, VOIP, secure identification); Professional extensions presenting the scope of a professional field; Risk Survey Templates; Questionnaires for the Board of Directors; and domain-specific guidance covering IT, OT, Cloud, Supply Chain & Outsourcing, and specialized systems.	Functional	No Relationship	N/A	N/A	N/A	0	
Appendix F	N/A	Data Security and Privacy: Information Defense can have different purposes including preventing reputation damage, preventing leakage of commercial information, or preventing leakage of private information. The right to privacy is recognized in Israel's Basic Law: Human dignity and liberty, and in the Protection of Privacy Law. Key principles include: the principle of consent (individuals decide what information is disclosed and to whom); and the principle of goal proximity (information use must be compatible with its collection purpose). The CISO must involve the organization's Legal Adviser at the initiation and characterization stage of the work plan to reduce security disparities, applying Security by Design, Privacy by Design and Threat Informed Defense.	Functional	Subset Of	Data Privacy Program	PRI-01	Mechanisms exist to facilitate the implementation and operation of data protection controls throughout the data lifecycle to ensure all forms of Personal Data (PD) are processed lawfully, fairly and transparently.	10	
Appendix G	N/A	An Advanced Concept of Defense for the Organization: The concept of defense for addressing advanced threats includes advanced approaches such as: Exhaustion (gradual erosion of the attacker's fighting ability through proactive actions); Cyber Situational Awareness (ability to produce a good understanding of current cyber state); Deterrence (actions or processes of threat that prevent the attacker from taking action); and Prevention and Fraud - Denial and Deception (using various means and methods to deceive the attacker). These principles can be applied through frameworks such as MITRE ATT&CK or the Cyber Kill Chain model.	Functional	No Relationship	N/A	N/A	N/A	0	