


AUDIT REPORT

GROGU (GRG)













Quick Result

Quick Result	Status
Owner can mint new token?	Not Detected
Owner can update tax over 25% ?	Not Detected
Owner can pause trade ?	Not Detected
Owner can enable trading?	Not Detected
Owner can add Blacklist ?	Not Detected
Owner can set Max Tx ?	Not Detected
Owner can set Max Wallet Amount?	Not Detected
KYC?	Yes

Page 6,15 for more details



Findings

Risk Classification	Description	
High	Exploits, vulnerabilities or errors that will certainly or probabilistically lead towards loss of funds, control, of the contract and its functions. Must be fixed as soon as possible.	
Medium	Bugs or issues with that may be subject to exploit, though their impact is somewhat limited. Must be fxed as soon as possible.	
Low	Effects are minimal in isolation and do not pose a signifcant danger to the project or its users. Issues under this classifcation are recommended to be fixed nonetheless.	
Informational	A vulnerability that have informational character but is not effecting any of the code	

Severity	Found	Pending	Resolved
High	1	0	0
Medium	1	0	0
Low	0	0	0
Informational	4	0	o
Total	6	0	0



Contents



- 02 Findings
- 04 Overview
- 05 Auditing Approach and Methodologies
- 06 Findings Summary
- 07 Function Privileges
- 13 Inheritance Graph
- 15 Manuel Review
- 17 Disclaimer



Overview

Token Name: GROGU (GRG)

Language: Solidity

Contract Address: 0x3D5BB18780d07C6E2DF9A21e56C45096127eB5d9

Network: Binance Smart Chain

Total Supply: 1000000000

KYC: Yes

Website: https://grogutoken.net

Twitter: https://twitter.com/Groguglobal

Telegram: https://t.me/grogutokenglobal

Report Date: August 18, 2023



Auditing Approach and Methodologies

SecureWise has performed starting with analyzing the code, issues, code quality, and libraries. Reviewed line-by-line by our team. Finding any potential issue like race conditions, transaction-ordering dependence, timestamp dependence, and denial of service attacks.

Methodology

- Understanding the size, scope and functionality of your project's source code
- Manual review of code, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
- Testing and automated analysis of the Smart Contract to determine proper logic has been followed throughout the whole process
- Deploying the code on testnet using multiple live test
- Analyzing a program to determine the specific input that causes different parts of a program to execute its functions.
- Checking whether all the libraries used in the code are on the latest version.

Goals

Smart Contract System is secure, resilient and working according to the specifications and without any vulnerabilities.

Risk Classification

High: Exploits, vulnerabilities or errors that will certainly or probabilistically lead towards loss of funds, control, of the contract and its functions. Must be fixed as soon as possible.

Medium: Bugs or issues with that may be subject to exploit, though their impact is somewhat limited. Must be fixed as soon as possible.

Low: Effects are minimal in isolation and do not pose a significant danger to the project or its users. Issues under this classification are recommended to be fixed nonetheless.

Informational: A vulnerability that have informational character but is not effecting any of the code



Findings Summary

SecureWise has applied the automated and manual analysis of Smart Contract and were reviewed for common contract vulnerabilities and centralized exploits

Findings

	The owner has the authority to change the fees after the contract has been renounced.
<u> </u>	The contract includes a concealed copyright mechanism to safeguard against forks. If other developers attempt to re-deploy this contract, the hard-coded EOA will have authority over the forked contract.
	The owner has the authority to change total fees by a maximum of 10%
	The owner has the authority to exclude addresses from fees
	The owner has the authority to change swap settings
	The owner has the authority to claim native tokens in the contract

Page 15 for more details



```
| **Function Name** | **Visibility** | **Mutability** |
**Modifiers**
| **LibString** | Library | |||
 L | toString | Internal ⋒ | | |
 L | toHexString | Internal 🔒 |  | |
 └ | toHexString | Internal 🔒 | | |
 └ | toHexString | Internal 🔒 | | |
 | replace | Internal A | | |
 └ | startsWith | Internal 🔒 |
 └ | endsWith | Internal 🔒 | | |
 └ | repeat | Internal 🔒 | | |
 L | slice | Internal 🔒 |
 L | slice | Internal 🔒 |
 └ | indicesOf | Internal 🔒 | | |
 L | split | Internal ⋒ | | |
 L | concat | Internal 🗎 |  |  |
 └ | packOne | Internal 🔒 | | |
 └ | unpackOne | Internal 🔒 | | |
 └ | packTwo | Internal 🛍 | | |
 L | unpackTwo | Internal ⋒ |  | |
L | directReturn | Internal ⋒ |  | |
| **IERC5267** | Interface | |||
| L | eip712Domain | External ! |
| **EIP712** | Implementation | IERC5267 |||
 L | eip712Domain | Public ! | NO! |
 └ | computeDomainSeparator | Internal 🔒 | | |
 L | computeDigest | Internal ☐ | | |
| **Context** | Implementation | |||
 L | _msgSender | Internal 🔒 |  | |
 L | _msgData | Internal 🔒 |  | |
 L | _msgValue | Internal 🔒 |  | |
```



```
**SafeTransfer** | Library | |||
L | safeTransferETH | Internal 🔒 | 🛑 | |
| safeBurn | Internal 🔒 | 🥮 | |
L | safeTransferFrom | Internal 🛍 | 🛑 | |
**IPair** | Interface | |||
L | name | External ! | |NO! |
L | symbol | External ! | |NO! |
L | decimals | External ! | |NO! |
L | totalSupply | External ! | |NO! |
L | balanceOf | External ! |
  | allowance | External ! |
                               |NO
| transferFrom | External ! |
L | DOMAIN_SEPARATOR | External ! | | NO ! |
L | PERMIT_TYPEHASH | External ! |
L | nonces | External ! | NO! | L | permit | External ! | | NO!
                       | | NO! |
  | MINIMUM_LIQUIDITY | External | |
  | factory | External | | | NO!
L | token0 | External ! |
L | token1 | External | |
                          |NO ! |
  | getReserves | External ! | |NO! |
  | price0CumulativeLast | External
  | price1CumulativeLast | External
  | kLast | External ! | NO!
  | mint | External ! | =
  | burn | External |
                            N0
  | swap | External
                            |NO
  | skim | External
                            |NO
  | sync | External !
                            |NO
📙 | initialize | External 📘 | 🧁
**ISwapRouter** | Interface | |||
L | factory | External ! | NO!
  | WETH | External ! | NO! |
L | addLiquidity | External | | 🛑
                                   |N0 ! |
📙 | addLiquidityETH | External 👢 | 🝱 |NO 🖡
L | removeLiquidity | External ! |
L | removeLiquidityETH | External
```



```
**ISwapRouter** | Interface | |||
 L | factory | External | | NO! |
   | WETH | External ! | |NO! | | |
 | swapExactTokensForTokens | External ! |
   | swapTokensForExactTokens | External | |
   | swapExactETHForTokens | External | | 🔯 |NO | |
 👢 | swapTokensForExactETH | External 🚦 | 🕛
 L | swapExactTokensForETH | External
   | swapETHForExactTokens | External | | 💌 |NO!
 L | quote | External ! | |NO! |
 L | getAmountOut | External ! | |NO! |
   | getAmountIn | External | | |NO! |
   | getAmountsOut | External ! | NO! |
 L | getAmountsIn | External | | | NO! |
 **ISwapRouterV2** | Interface | ISwapRouter |||
 L | factoryV2 | External | | | NO | |
 👢 | removeLiquidityETHSupportingFeeOnTransferTokens | External ! | 🔴 |NO! |
 l | removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External ! |
   |NO ! |
👢 | swapExactTokensForTokensSupportingFeeOnTransferTokens | External 📘 | 🧁
   | swapExactETHForTokensSupportingFeeOnTransferTokens | External
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External | | 🛑
 **ISwapFactory** | Interface | |||
 L | feeTo | External | | NO! |
L | feeToSetter | External | | NO! |
 L | getPair | External ! | |NO! |
L | allPairs | External ! | |NO! |
L | allPairsLength | External ! | |NO! |
 L | createPair | External ! |  NO! |
L | setFeeTo | External ! |  NO! |
L | setFeeToSetter | External ! |  NO! |
| **Token** | Library | |||
 | isMarketmaker | Internal 🛍 | | |
   | isEntitled | Internal 🛍 | | |
```



```
**Token** | Library | |||
  | isMarketmaker | Internal 🛍 | | |
📙 | isEntitled | Internal 🔒 | | |
└ | isCollab | Internal 🔒 | | |
└ | isOperator | Internal 🔒 | | |
  | isExecutive | Internal 🔒 | | |
  | isMarketmaker | Internal 🔒 | | |
  | isEntitled | Internal 🔒 | | |
└ | isCollab | Internal 🔒 |
└ | isOperator | Internal 🗎 |
└ | isExecutive | Internal 🔒 |  | |
└ | hasIdentifier | Internal 🔒 |
└ | hasIdentifier | Internal 🔒 |
L | setAsMarketmaker | Internal 🔒 |
L | setAsEntitled | Internal A |
└ | setAsCollab | Internal 🔒 |
📙 | setAsOperator | Internal 🔒 | 🥌
└ | setAsExecutive | Internal 🗎 | 🥌
L | setIdentifier | Internal ⋒ |
└ | setIdentifier | Internal 🔒
└ | setIdentifier | Internal 🔒 |
└ | toggleIdentifier | Internal 🔒 |
📙 | setAsMarketmaker | Internal 🔒 |
L | setAsEntitled | Internal 	☐ |
  | setAsCollab | Internal 🔒 |
L | setAsCollab | Internal 🛍 | 🛑
L | setAsOperator | Internal 🛍 | 🥊
📙 | setAsExecutive | Internal 🛍 | 🥌
L | setIdentifier | Internal ⋒ | ● | |
└ | setIdentifier | Internal 🔒
└ | setIdentifier | Internal 🔒 |
└ | toggleIdentifier | Internal 🔒 |
└ | hasIdentifier | Internal 🔒 |
L | ratios | Internal A | —
L | shares | Internal 🔒 |
                               -1-1
📙 | thresholdRatio | Internal 🔒 | 🧁
L | gas | Internal 🔒 | 🛑 | |
\lfloor | recipients | Internal \triangleq | \stackrel{}{\bullet} | | \lfloor | identifiers | Internal \triangleq | \stackrel{}{\bullet} | |
L | account | Internal 🔒 | | |
└ | init | Internal 🔒 | 🛑
└ | data | Internal 🔒 | | |
**ERC20** | Implementation | Context, EIP712 |||
L | <Constructor> | Public ! | 🥮
L | name | Public ! | NO! |
    symbol | Public
```




```
**ERC20** | Implementation | Context, EIP712 |||
L | <Constructor> | Public ! | 🔴 | EIP712 |
L | name | Public ! | |NO! |
L | symbol | Public ! | |NO! |
L | totalSupply | Public ! | |NO! |
L | balanceOf | Public | | | NO! |
L | transfer | Public ! | 🛑
                            |NO ! |
L | allowance | Public ! | |NO! |
L | nonces | Public ! | |NO! |
L | approve | Public ! |  | |NO! |
L | transferFrom | Public ! | |
                                |NO ! |
👢 | increaseAllowance | Public 📘 | 🧁
L | decreaseAllowance | Public |
L | permit | Public ! | 🛑 |NO! |
└ | _allowance | Internal 🛍 | | |
L | _isAuthorized | Internal ⋒ | | |
L | _transfer | Internal 🔒 | 🛑 | |
L | _update | Internal 🛍 | 🛑 | |
L | _gas | External ! | 👄 |NO! |
L | _ratios | External ! | 🛑 |NO! |
L | _shares | External ! |
                             |NO ! |
L | _mint | Internal 🛍 | 🥌
L | _burn | Internal 🛍 | 🥌
L | _approve | Internal 🔒 | 🥌
L | _approve | Internal 🔒 | 🥊
L | _spendAllowance | Internal 🔒 | 🛑
L | _useNonce | Internal ⋒ | ● | |
└ | token | Internal 🔒 | | |
**IERC20** | Interface | |||
L | totalSupply | External ! | |NO! |
L | balanceOf | External | | | NO! |
L | approve | External ! |
                             |NO
👢 | transferFrom | External 📘 | 🧁
**MERC20** | Implementation | ERC20 |||
L | _checkOwner | Internal 🛍 | | |
L | owner | Public | | | NO! |
📙 | _transferOwnership | Internal 🔒 | 🛑 | |
```



```
**MERC20** | Implementation | ERC20 |||
L | <Constructor> | Public ! | 🛑 | ERC20 |
L | <Receive Ether> | External ! | MO ! |
L | _checkOwner | Internal ⋒ | | |
L | owner | Public ! | NO! |
└ | _transfer0wnership | Internal 🔒 | 🛑 | |
L | shares | Public | | | NO! |
L | account | Public | | | NO! |
L | account | Public ! | |NO! |
L | isMarketmaker | Public ! | |NO ! |
L | connect | Public ! | 🛑 |NO! |
L | recoverBNB | External | | 🛑
L | recoverBEP20 | External ! | 🛑 |NO! |
L | createPair | External | | 🛑 | onlyOwner |
👢 | setAsMarketmaker | External 📘 | 🛑 | onlyOwner |
L | setAsEntitled | External ! | 🛑 | onlyOwner |
L | renounceOwnership | Public ! |
                                  | onlyOwner |
└ | transfer0wnership | Public ! | ● | only0wner |
```




Inheritance Graph






Source Lines



Risk





Manuel Review

High Risk

The owner has the authority to change the fees after the contract has been renounced.

```
function renounceOwnership() public onlyOwner {
    _transferOwnership(address(0));
}

function _transferOwnership(address newOwner) internal {
    Storage storage db = token();
    address oldOwner = db.owner;
    db.owner = newOwner;
    emit OwnershipTransferred(oldOwner, newOwner);
}
```

Description

Tax adjustments, even if ownership is renounced, settings related to tax distributions, addresses for tax distribution, gas, and threshold limits can still be modified in the same manner.

Recommendation

Ensure that the contract clearly emphasizes the access control mechanism by using modifiers and overriding the functions.



Manuel Review

Medium Risk

The contract includes a concealed copyright mechanism to safeguard against forks. If other developers attempt to re-deploy this contract, the hard-coded EOA will have authority over the forked contract.

Recommendation

Used for copyright and limits are the same as the owner but should still be considered.



Disclaimer

SecureWise provides the smart contract audit of solidity. Audit and report are for informational purposes only and not, nor should be considered, as an endorsement to engage with, invest in, participate, provide an incentive, or disapprove, criticise, discourage, or purport to provide an opinion on any particular project or team.

This audit report doesn't provide any warranty or guarantee regarding the nature of the technology analysed. These reports, in no way, provide investment advice, nor should be used as investment advice of any sort. Investors must always do their own research and manage their risk.

DISCLAIMER: By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy any and all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis, and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and SecureWise and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) SecureWise owe no duty of care towards you or any other person, nor does SecureWise make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and SecureWise hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, SecureWise hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against SecureWise, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report.



AUDIT REPORT

SecureWise



securewise.org



t.me/securewisehub



twitter.com/securewiseAudit



SecureWise Scanner



t.me/pinksalefreechecks

