ORIGINAL 1 OF 1

HOLD CLEANLINESS CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

VESSEL:	**M/V "PRINCE FAROUK"**
SHIPPER:	**PRIVATE AGRICULTURAL ENTERPRISE EXIM-AGRO UKRAINE**, ODESA REGION, BELGOROD-DNISTROVSKEY DISTRICT, ZABARYI VILLAGE, SHEVCHENKO ST.28, COMPANY REGISTRATION №31892976 **ON BEHALF OF DMVAR TRADING**, UNIPESSOAL LDA (ZONA FRANCA DA MADEIRA) RUA DA ALFÂNDEGA, N.º 10, 4ª, 9000-059 FUNCHAL, PORTUGAL, NIPC: 518146090 **ON BEHALF OF MEDITERRA AGRO TARIM TICARET A.S.**
CONSIGNEE:	TO ORDER
NOTIFY ADDRESS:	**TARIMEX IC VE DIS TIC. A.S.** ORGANIZE SANAYI BOLGESI 11. CADDE NO:27 CORUM/TÜRKİYE POST CODE: 19040
B/L NO. & DATE:	B/L NO. 1 DD. 25.05.2025
DESCRIPTION OF GOODS:	UKRAINIAN ORIGIN CORN, IN BULK
QUANTITY LOADED:	24 302.910 MT
PORT OF LOADING:	CHORNOMORSK FISHING PORT, UKRAINE
PORT OF DISCHARGE:	1 SP 1 SB AA SAMSUN OR 1 SP 1 SB AA MARMARA OR 1 SP 1 SB AA IZMIR/ TÜRKİYE

RESULTS OF INSPECTION

This is to certify that upon instructions received our inspector performed inspection of holds Nos. 1, 2, 3, 4, 5 of the vessel M/V "PRINCE FAROUK" at the port of CHORNOMORSK FISHING PORT, UKRAINE on 18.05.2025 between 19:00 hrs - 20:30 hrs prior to commencement of loading.

The following cargo compartments have been inspected in accordance with European Guide to GTP for Transport (points 3.1.1 and 3.1.3), so far as could be accessible and visually detected, and were found as follows:

Hold No.	Empty	Clean	Dry	Free of smell	Free from insects, vermin dead/alive	Free from Remains of previous cargo	Remarks/ Date accepted
1	✓	✓	✓	✓	✓	✓	18.05.2025
2	✓	✓	✓	✓	✓	✓	18.05.2025
3	✓	✓	✓	✓	✓	✓	18.05.2025
4	✓	✓	✓	✓	✓	✓	18.05.2025
5	✓	✓	✓	✓	✓	✓	18.05.2025

As per visual examination the cargo compartments are undamaged and can be closed.

Based on visual examinations, visibly accessible parts of vessel's holds Nos. 1, 2, 3, 4, 5 were inspected and found to be dry and clean, without smell and in these respects only, suitable to load "UKRAINIAN ORIGIN CORN, IN BULK". Last cargoes as declared by the vessel:

LAST CARGO	SECOND CARGO	THIRD CARGO
CORN & WHEAT IN BULK	CORN IN BULK	WHEAT IN BULK

All information in the Ship`s Master Declaration obtained from the vessel`s representative is the sole responsibility of the vessel.

This document reflects our findings at time and place of our intervention only and does not relieve the master and the owner of the M/V "PRINCE FAROUK" of their obligations and duties in any or all respects.

DATED: 26 OF MAY, 2025
FOR AND ON BEHALF OF "BASTICO UKRAINE" LTD
ISSUED BY GAFTA APPROVED SURVEYOR

BASTICO UKRAINE Inspection & fumigation BASTICO ODESSA OFFICE

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

CERTIFICATE OF WEIGHT

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

VESSEL:	**M/V "PRINCE FAROUK"**
SHIPPER:	**PRIVATE AGRICULTURAL ENTERPRISE EXIM-AGRO UKRAINE**, ODESA REGION, BELGOROD-DNISTROVSKEY DISTRICT, ZABARYI VILLAGE, SHEVCHENKO ST.28, COMPANY REGISTRATION №31892976 **ON BEHALF OF DMVAR TRADING**, UNIPESSOAL LDA (ZONA FRANCA DA MADEIRA) RUA DA ALFÂNDEGA, N.º 10, 4ª, 9000-059 FUNCHAL, PORTUGAL, NIPC: 518146090 **ON BEHALF OF MEDITERRA AGRO TARIM TICARET A.S.**
CONSIGNEE:	TO ORDER
NOTIFY ADDRESS:	**TARIMEX IC VE DIS TIC. A.S.** ORGANIZE SANAYI BOLGESI 11. CADDE NO:27 CORUM/TÜRKİYE POST CODE: 19040
B/L NO. & DATE:	B/L NO. 1 DD. 25.05.2025
DESCRIPTION OF GOODS:	UKRAINIAN ORIGIN CORN, IN BULK
QUANTITY LOADED:	24 302.910 MT
PORT OF LOADING:	CHORNOMORSK FISHING PORT, UKRAINE
PORT OF DISCHARGE:	1 SP 1 SB AA SAMSUN OR 1 SP 1 SB AA MARMARA OR 1 SP 1 SB AA IZMIR/ TÜRKİYE

RESULTS OF WEIGHT INSPECTION

"BASTICO UKRAINE" LTD surveyors and tallymen provided supervision of all loading operations. We certify that upon instructions received our inspectors have supervised the loading of a parcel described as "UKRAINIAN ORIGIN CORN, IN BULK", loaded from warehouse-> trucks > bunker -> by grab crane into vessel`s holds Nos. 1, 2, 3, 4, 5 of M/V "PRINCE FAROUK" at the port of CHORNOMORSK FISHING PORT, UKRAINE between the dates 18/05/2025 – 25/05/2025.

WEIGHT: (BY MEANS OF DRAUGHT SURVEY/conform GAFTA 123, United Nations Draught survey code):

Before and upon completion of loading, jointly with the Master and Mate appointed by him we read the vessel`s draft marks and measured tanks, containing the variable liquids. Then using calibration tables supplied by the ship`s staff we calculated the loaded weight of:

24 302.910 MT AS PER B/L NO. 1 DATED: CHORNOMORSK FISHING PORT, UKRAINE, 25.05.2025
(TWENTY-FOUR THOUSAND THREE HUNDRED AND TWO POINT NINE ONE ZERO METRIC TONS)

The present certificate is based on the facts visually observed only and reported by our inspector in attendance, is reflected results at the moment of inspection only and therefore could not be subject of whatever responsibility on goods' arrival to destination. Certificate is submitted without prejudice to the rights of either party. The right to amend or supplement this report basis on additional findings is reserved.

DATED: 26 OF MAY, 2025
FOR AND ON BEHALF OF "BASTICO UKRAINE" LTD
ISSUED BY GAFTA APPROVED SURVEYOR

BASTICO UKRAINE inspection & fumigation BASTICO ODESSA OFFICE

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

CERTIFICATE OF QUALITY

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

VESSEL:	**M/V "PRINCE FAROUK"**
SHIPPER:	**PRIVATE AGRICULTURAL ENTERPRISE EXIM-AGRO UKRAINE**, ODESA REGION, BELGOROD-DNISTROVSKEY DISTRICT, ZABARYI VILLAGE, SHEVCHENKO ST.28, COMPANY REGISTRATION №31892976 **ON BEHALF OF DMVAR TRADING**, UNIPESSOAL LDA (ZONA FRANCA DA MADEIRA) RUA DA ALFÂNDEGA, N.º 10, 4ª, 9000-059 FUNCHAL, PORTUGAL, NIPC: 518146090 **ON BEHALF OF MEDITERRA AGRO TARIM TICARET A.S.**
CONSIGNEE:	TO ORDER
NOTIFY ADDRESS:	**TARIMEX IC VE DIS TIC. A.S.** ORGANIZE SANAYI BOLGESI 11. CADDE NO:27 CORUM/TÜRKİYE POST CODE: 19040
B/L NO. & DATE:	B/L NO. 1 DD. 25.05.2025
DESCRIPTION OF GOODS:	UKRAINIAN ORIGIN CORN, IN BULK
QUANTITY LOADED:	24 302.910 MT
PORT OF LOADING:	CHORNOMORSK FISHING PORT, UKRAINE
PORT OF DISCHARGE:	1 SP 1 SB AA SAMSUN OR 1 SP 1 SB AA MARMARA OR 1 SP 1 SB AA IZMIR/ TÜRKİYE

RESULTS OF QUALITY INSPECTION

The sampling was performed according to the GAFTA 124 rules co-jointly with "SGS UKRAINE" surveyors at the time of loading. Composite sample in size 3kg (BASTICO UKRAINE seal No. D87311251, SGS UKRAINE seal No. H15806741) representing the whole parcel of 24 302.910 MT loaded on board proportionally mixed was submitted for analysis to **"BASTICO UKRAINE"** GAFTA approved laboratory in Odessa. We were presented with the ANALYTICAL REPORT No. 2943 dated 26 May 2025 stating the following:

TEST	SPECIFICATIONS	ACTUAL RESULTS	METHOD
MOISTURE, %	max.14,5%	**13.82**	ISO 6540
FOREIGN MATTERS %	max. 2,0%	**0.50**	SEE REMARK**
BROKEN KERNELS, %	max. 5,0%	**1.73**	EN 16738
DAMAGED KERNELS, %	max. 5,0%	**0.80**	EN 16738
includes **HEAT-DAMAGED,** %	max. 2,0%	**0**	EN 16738
Sound, loyal and merchantable - free from alive weevils, alive insects (after fumigation) and foreign smell.			

Remarks:
* FOREIGN MATERIAL includes Extraneous seeds+Extraneous matter+Cobs as per EN 16738
**HEAT DAMAGED include Grains damaged by spontaneous heating or too extreme heating during drying as per EN 16738

Composite sample, 10kg in size (BASTICO UKRAINE seal No. D78406830, SGS UKRAINE seal No. H15806752) representing the whole parcel of 24 302.910 MT loaded on board proportionally mixed were submitted for analysis to **SC "AGMINTEST"** GAFTA approved laboratory in Odessa; also accredited by the National Accreditation Agency of Ukraine (the Accreditation Certificate No.201029, dated 15 July, 2019) in accordance with DSTU ISO/IEC 17025 for analysis. We were presented with the ANALYTICAL REPORT No. OD 25-1654 dated 27 May 2025 stating the following:

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

CERTIFICATE OF QUALITY

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

TEST	SPECIFICATIONS	ACTUAL RESULTS	METHOD
AFLATOXINS TOTAL, ppb	max. 20 ppb	**<1***	ISO 16050 (HPLC method)
AFLATOXINS B1, ppb	max. 5 ppb	**<1***	ISO 16050 (HPLC method)

*-No analyte at a content above the limit of Quantification

This certificate reflects our findings determined at time and place of intervention only and does not relieve the parties of their obligations and duties in any or all respects.

DATED: 27 OF MAY, 2025
FOR AND ON BEHALF OF "BASTICO UKRAINE" LTD
ISSUED BY GAFTA APPROVED SURVEYOR

BASTICO UKRAINE inspection & fumigation BASTICO ODESSA OFFICE

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

AFLATOXIN CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

VESSEL:	**M/V "PRINCE FAROUK"**
SHIPPER:	**PRIVATE AGRICULTURAL ENTERPRISE EXIM-AGRO UKRAINE**, ODESA REGION, BELGOROD-DNISTROVSKEY DISTRICT, ZABARYI VILLAGE, SHEVCHENKO ST.28, COMPANY REGISTRATION №31892976 **ON BEHALF OF DMVAR TRADING**, UNIPESSOAL LDA (ZONA FRANCA DA MADEIRA) RUA DA ALFÂNDEGA, N.º 10, 4ª, 9000-059 FUNCHAL, PORTUGAL, NIPC: 518146090 **ON BEHALF OF MEDITERRA AGRO TARIM TICARET A.S.**
CONSIGNEE:	TO ORDER
NOTIFY ADDRESS:	**TARIMEX IC VE DIS TIC. A.S.** ORGANIZE SANAYI BOLGESI 11. CADDE NO:27 CORUM/TÜRKİYE POST CODE: 19040
B/L NO. & DATE:	B/L NO. 1 DD. 25.05.2025
DESCRIPTION OF GOODS:	UKRAINIAN ORIGIN CORN, IN BULK
QUANTITY LOADED:	24 302.910 MT
PORT OF LOADING:	CHORNOMORSK FISHING PORT, UKRAINE
PORT OF DISCHARGE:	1 SP 1 SB AA SAMSUN OR 1 SP 1 SB AA MARMARA OR 1 SP 1 SB AA IZMIR/ TÜRKİYE

RESULTS OF QUALITY INSPECTION

The sampling was performed according to the GAFTA 124 rules co-jointly with "SGS UKRAINE" surveyors at the time of loading. Composite sample in size 3kg (BASTICO UKRAINE seal No. D78406830, SGS UKRAINE seal No. H15806752) representing the whole parcel of 24 302.910 MT loaded on board proportionally mixed were submitted for analysis to **SC "AGMINTEST"** GAFTA approved laboratory in Odessa; also accredited by the National Accreditation Agency of Ukraine (the Accreditation Certificate No.201029, dated 15 July, 2019) in accordance with DSTU ISO/IEC 17025 for analysis. We were presented with the ANALYTICAL REPORT No. OD 25-1654 dated 27 May 2025 stating the following:

TEST	SPECIFICATIONS	ACTUAL RESULTS	METHOD
AFLATOXINS TOTAL, ppb	max. 20 ppb	**<1***	ISO 16050 (HPLC method)
AFLATOXINS B1, ppb	max. 5 ppb	**<1***	ISO 16050 (HPLC method)

*-No analyte at a content above the limit of Quantification

This certificate reflects our findings determined at time and place of intervention only and does not relieve the parties of their obligations and duties in any or all respects.

DATED: 27 OF MAY, 2025
FOR AND ON BEHALF OF "BASTICO UKRAINE" LTD
ISSUED BY GAFTA APPROVED SURVEYOR

BASTICO UKRAINE inspection & fumigation BASTICO ODESSA OFFICE

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

inspection & testing BASTICO

ORIGINAL 1 OF 1

NON-RADIOACTIVITY CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

VESSEL:	**M/V "PRINCE FAROUK"**
SHIPPER:	**PRIVATE AGRICULTURAL ENTERPRISE EXIM-AGRO UKRAINE**, ODESA REGION, BELGOROD-DNISTROVSKEY DISTRICT, ZABARYI VILLAGE, SHEVCHENKO ST.28, COMPANY REGISTRATION №31892976 **ON BEHALF OF DMVAR TRADING**, UNIPESSOAL LDA (ZONA FRANCA DA MADEIRA) RUA DA ALFÂNDEGA, N.º 10, 4ª, 9000-059 FUNCHAL, PORTUGAL, NIPC: 518146090 **ON BEHALF OF MEDITERRA AGRO TARIM TICARET A.S.**
CONSIGNEE:	TO ORDER
NOTIFY ADDRESS:	**TARIMEX IC VE DIS TIC. A.S.** ORGANIZE SANAYI BOLGESI 11. CADDE NO:27 CORUM/TÜRKİYE POST CODE: 19040
B/L NO. & DATE:	B/L NO. 1 DD. 25.05.2025
DESCRIPTION OF GOODS:	UKRAINIAN ORIGIN CORN, IN BULK
QUANTITY LOADED:	24 302.910 MT
PORT OF LOADING:	CHORNOMORSK FISHING PORT, UKRAINE
PORT OF DISCHARGE:	1 SP 1 SB AA SAMSUN OR 1 SP 1 SB AA MARMARA OR 1 SP 1 SB AA IZMIR/ TÜRKİYE

RESULTS OF QUALITY INSPECTION

The sampling was performed according to the GAFTA 124 rules co-jointly with "SGS UKRAINE" surveyors at the time of loading. Composite sample in size 3kg (BASTICO UKRAINE seal No. D87311251, SGS UKRAINE seal No. H15806741) representing the whole parcel of 24 302.910 MT loaded on board proportionally mixed was submitted for analysis to **"BASTICO UKRAINE"** GAFTA approved laboratory in Odessa. We were presented with the ANALYTICAL REPORT No. 2943 dated 26 May 2025 stating the following:

Poisonous Materials	Lab results, bq/kg	Method used
CAESIUM-134	**< 0.87**	BVM-02 (Own method)
CAESIUM-137	**< 0.81**	
STRONTIUM-90	**< 9.1**	

THIS IS TO CONFIRM THAT LEVEL OF RADIOACTIVITY FOR CS 134& CS 137 LESS THAN 600 BQ/KG. LEVEL OF RADIOACTIVITY IS WITHIN EU LEVELS PERMITTED.

This certificate reflects our findings determined at time and place of intervention only and does not relieve the parties of their obligations and duties in any or all respects.

DATED: 26 OF MAY, 2025
FOR AND ON BEHALF OF "BASTICO UKRAINE" LTD
ISSUED BY GAFTA APPROVED SURVEYOR

BASTICO UKRAINE inspection & fumigation BASTICO ODESSA OFFICE

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

ANALYSES CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

VESSEL:	**M/V "PRINCE FAROUK"**
SHIPPER:	**PRIVATE AGRICULTURAL ENTERPRISE EXIM-AGRO UKRAINE**, ODESA REGION, BELGOROD-DNISTROVSKEY DISTRICT, ZABARYI VILLAGE, SHEVCHENKO ST.28, COMPANY REGISTRATION №31892976 **ON BEHALF OF DMVAR TRADING**, UNIPESSOAL LDA (ZONA FRANCA DA MADEIRA) RUA DA ALFÂNDEGA, N.º 10, 4ª, 9000-059 FUNCHAL, PORTUGAL, NIPC: 518146090 **ON BEHALF OF MEDITERRA AGRO TARIM TICARET A.S.**
CONSIGNEE:	TO ORDER
NOTIFY ADDRESS:	**TARIMEX IC VE DIS TIC. A.S.** ORGANIZE SANAYI BOLGESI 11. CADDE NO:27 CORUM/TÜRKİYE POST CODE: 19040
B/L NO. & DATE:	B/L NO. 1 DD. 25.05.2025
DESCRIPTION OF GOODS:	UKRAINIAN ORIGIN CORN, IN BULK
QUANTITY LOADED:	24 302.910 MT
PORT OF LOADING:	CHORNOMORSK FISHING PORT, UKRAINE
PORT OF DISCHARGE:	1 SP 1 SB AA SAMSUN OR 1 SP 1 SB AA MARMARA OR 1 SP 1 SB AA IZMIR/ TÜRKİYE

RESULTS OF QUALITY INSPECTION

The sampling was performed according to the GAFTA 124 rules co-jointly with "SGS UKRAINE" surveyors at the time of loading. Composite sample in size 3kg (BASTICO UKRAINE seal No. D87311251, SGS UKRAINE seal No. H15806741) representing the whole parcel of 24 302.910 MT loaded on board proportionally mixed was submitted for analysis to **"BASTICO UKRAINE"** GAFTA approved laboratory in Odessa. We were presented with the ANALYTICAL REPORT No. 2943 dated 26 May 2025 stating the following:

CHEMICAL NAME	MAX quantity allowed (ppb)	LAB RESULTS (ppb)	METHOD USED
MYCOTOXINS			
DON-TOXIN (VOMITOXIN), ppb	MAX : 4000 PPB	**< 500**	BVM-01 (Own method)
OCHRATOXIN (OTA), ppb	MAX : 5 PPB	**< 2**	
ZEARALENONE, ppb	MAX : 350 PPB	**< 25**	
FUMONISIN B1/B2, ppb	MAX : 4000 PPB	**< 500**	

Composite sample, 10kg in size (BASTICO UKRAINE seal No. D78406830, SGS UKRAINE seal No. H15806752) representing the whole parcel of 24 302.910 MT loaded on board proportionally mixed were submitted for analysis to **SC "AGMINTEST"** GAFTA approved laboratory in Odessa; also accredited by the National Accreditation Agency of Ukraine (the Accreditation Certificate No.201029, dated 15 July, 2019) in accordance with DSTU ISO/IEC 17025 for analysis. We were presented with the ANALYTICAL REPORT No. OD 25-1654 dated 27 May 2025 stating the following:

TEST	SPECIFICATIONS	ACTUAL RESULTS	METHOD
AFLATOXINS TOTAL, ppb	max. 20 ppb	**<1***	ISO 16050 (HPLC method)
AFLATOXINS B1, ppb	max. 5 ppb	**<1***	ISO 16050 (HPLC method)

*-No analyte at a content above the limit of Quantification

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

ANALYSES CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

Test	LOQ	Actual results	Method
ARSENIC (AS), ppm	0.05ppm	**<0.05***	AGM-17 (ICP-OES)
CADMIUM (CD), ppm	0.01ppm	**<0.01***	AGM-17 (ICP-OES)
MERCURY (HG), ppm	0.01ppm	**<0.01***	AGM-17 (ICP-OES)
LEAD (PB), ppm	0.05ppm	**<0.05***	AGM-17 (ICP-OES)

*-No analyte at a content above the limit of Quantification was detected

LOQ (Limit of quantification) – is the lowest amount or concentration of analyte in a sample, which can be reliably quantified with an acceptable level of precision and accuracy.

Parameter	Method	Result	LOQ
Pesticides (GC/MS/MS) performed according list below			
Pesticides	AGM-19 (GC/MS/MS)	**No pesticides detected above LOQ**	
Pesticides (LC/MS/MS) performed according list below			
Pesticides	AGM-19 (LC/MS/MS)	**No pesticides detected above LOQ**	

LOQ (Limit of quantification) - is the lowest amount or concentration of analyte in a sample, which can be reliably quantified with an acceptable level of precision and accuracy.

Parameter	Method	Results	LOQ
2,3,5,6-Tetrachloroaniline, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
2,4-D, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
2,4'-DDD, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
2,4'-DDE, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
2,4'-DDT, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
2,4'-Methoxychlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
2,6-Dichlorobenzonitrile (Dichlobenil), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
2-Phenylphenol, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
3,4-Dichloroaniline, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
3-Hydroxycarbofuran, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
4,4'-DDD, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
4,4'-DDE, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
4,4'-DDT, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
4,4'-Dichlorobenzophenone, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
4,4'-Methoxychlor olefin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Abamectin, ppm)	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Acephate, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Acequinocyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Acetamiprid, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Acetochlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Acibenzolar-S-methyl, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Acrinathrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Alachlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Alanycarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Aldicarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Aldicarb sulfone, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Aldicarb sulfoxide, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Aldrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Allidochlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
alpha-BHC, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

ANALYSES CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

Parameter	Method	Results	LOQ
Ametryn, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Aminocarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Amitraz, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Anthraquinone, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Atrazine, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Azinphos ethyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Azinphos methyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Azoxystrobin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Baycor (Bitertanol), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Benalaxyl, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Bendiocarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Benfluralin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Benfuracarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Bentazone, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Benzoximate, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
beta-BHC, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Bifenazate, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Bifenthrin , ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Bioallethrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Biphenyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Boscalid, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Bromfenvinfos-methyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Bromfenvinphos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Bromophos ethyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Bromophos methyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Bromopropylate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Bromuconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Bupirimate, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Buprofezin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Butafenacil, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Butocarboxim, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Butoxycarboxim, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Captafol, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Captan , ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Carbaryl, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Carbendazim, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Carbetamide, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Carbofuran , ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Carbophenothion, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Carboxin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Carfentrazone ethyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chlorantraniliprole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Chlorbenside, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chlorfenapyr, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chlorfenson (Ovex), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chlorfenvinphos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chlorfluazuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Chlorobenzilate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chloroneb, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chlorothalonil, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

ANALYSES CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

Parameter	Method	Results	LOQ
Chloroxuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Chlorpropham, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chlorpyrifos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chlorpyrifos methyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chlorthiophos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Chlortoluron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Chlozolinate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
cis-Chlordane, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
cis-Nonachlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
cis-Permethrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Clethodim, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Clofentezine, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Clomazone (Command), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Clothianidin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Coumaphos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Cyazofamid, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Cycloate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Cycluron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Cyfluthrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Cymoxanil, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Cypermethrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Cyproconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Cyprodinil, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Cyromazine, ppm)	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
DCPA methyl ester (Chlorthal-dimethyl), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
delta-BHC (Lindane), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Deltamethrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Demeton-S-Methyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Desmedipham, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Diallate (*cis* & *trans*), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Diazinon, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Dichlofluanid, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Dichloran, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Dichlorvos , ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Diclobutrazol, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Dicrotophos, ppm)	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Dieldrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Diethofencarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Difenoconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Diflubenzuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Dimethachlor , ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Dimethoate, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Dimethomorph, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Dimoxystrobin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Diniconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Dinotefuran, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Dioxacarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Diphenamid, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Diphenylamine, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Disulfoton, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

ANALYSES CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

Parameter	Method	Results	LOQ
Diuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
DNOC, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Doramectin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Edifenphos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Emamectin-benzoate, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Endosulfan ether, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Endosulfan I, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Endosulfan II, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Endosulfan sulfate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Endrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Endrin aldehyde, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Endrin ketone, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
EPN, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Epoxiconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Eprinomectin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Etaconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Ethalfluralin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Ethiofencarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Ethion, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Ethiprole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Ethirimo, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Ethofumesate, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Ethylan (Perthane), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Etofenprox, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Etoxazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Etridiazole, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Famoxadon, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenamidone, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenamiphos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fenarimol, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fenazaquin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenbuconazole, ppm)	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenchlorphos (Ronnel, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fenhexamid, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenitrothion, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fenobucarb (BPMC), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenoxycarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenpropathrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fenpropimorph, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenpyroximate, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenson, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fenthion, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fenvalerate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fiproni, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Flonicamid, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fluazifop-*p*-butyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fluazinam**, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Flubendiamide, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fluchloralin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

ANALYSES CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

Parameter	Method	Results	LOQ
Flucythrinate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fludioxonil, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Flufenacet (Fluthiamide), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Flufenoxuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fluometuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fluoxastrobin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fluquinconazole, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fluridone (Sonar) , ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fluroxypyr, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Flusilazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Flutolanil, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Flutriafol, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Folpet, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Fonofos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Forchlorfenuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Formetanate HCL, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Fuberidazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Furalaxyl, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Furathiocarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
gamma-BHC, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Halofenozide, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Heptachlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Heptachlor epoxide (isomer B), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Hexachlorobenzene, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Hexaconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Hexaflumuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Hexazinone (Velpar), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Hexythiazox, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Hydramethylnon, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Imazalil, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Imidacloprid, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Indoxacarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Iodofenphos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Ipconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Iprodione, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Iprovalicarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Isazophos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Isocarbophos, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Isodrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Isoprocarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Isopropalin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Isoproturon, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Ivermectin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Kresoxim methyl, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
lambda-Cyhalothrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Lenacil, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Leptophos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Linuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Lufenuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Malathion, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

ANALYSES CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

Parameter	Method	Results	LOQ
Mandipropamid, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Mefenacet, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Mepanipyrim, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Mepronil, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Mesotrione, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Metaflumizone, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Metalaxyl, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Metazachlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Metconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Methabenzthiazuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Methacrifos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Methamidophos, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Methidathion, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Methiocarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Methomyl, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Methoprotryne, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Methoxychlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Methoxyfenozide, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Methyl parathion, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Metobromuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Metolachlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Metribuzin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Mevinphos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Mexacarbate (Zectran), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
MGK-264, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Mirex, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Monceren (Pencycuron), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Monocrotophos, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Monolinuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Moxidectin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Myclobutanil, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
N-(2,4-Dimethylphenyl)formamide, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Neburon, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Nitenpyram, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Nitralin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Nitrofen, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Norflurazon, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Novaluron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Nuarimol, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Omethoate, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Oxadiazon, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Oxadixyl, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Oxamyl, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Oxyfluorfen, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Paclobutrazol, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Parathion (ethyl parathion), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pebulate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Penconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Pendimethalin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pentachloroaniline, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

ANALYSES CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

Parameter	Method	Results	LOQ
Pentachloroanisole, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pentachlorobenzene, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pentachlorobenzonitrile, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pentachloronitrobenzene (Quintozene, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pentachlorothioanisole, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Phenmedipham, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Phenothrin (*cis* & *trans*), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Phorate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Phosalone, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Phosmet, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Phosphamidon, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Picoxystrobin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Piperonyl butoxide, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Pirimicarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Pirimiphos ethyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pirimiphos methyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pretilachlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Prochloraz, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Procymidone, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Prodiamine, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Profenofos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Profluralin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Promecarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Prometon, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Prometryne, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Propachlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Propamocarb free base, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Propanil, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Propargite, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Propham, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Propiconazole (Tilt), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Propisochlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Propoxur (Baygon), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Propyzamide, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Prothioconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Prothiofos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pymetrozine, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Pyracarbolid, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Pyraclofos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pyraclostrobin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Pyrazophos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pyridaben, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Pyridaphenthion, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Pyrimethanil, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Pyriproxyfen, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Quinalphos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Quinoxyfen, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Resmethrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Rotenone, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Secbumeton, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

ANALYSES CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

Parameter	Method	Results	LOQ
Siduron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Simetryn, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Spinetoram (J&L), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Spinosad, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Spirodiclofen, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Spiromesifen, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Spirotetramat, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Spiroxamine, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Sulfentrazone, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Sulfotepp, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Sulprofos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
tau-Fluvalinate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Tebuconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Tebufenozide, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Tebufenpyrad, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Tebuthiuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Teflubenzuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Tefluthrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Temephos (Abate), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Terbacil, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Terbufos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Terbumeton, ppm)	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Terbuthylazine, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Terbutryn, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Tetrachloronitrobenzene (Tecnazene), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Tetrachlorvinphos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Tetraconazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Tetradifon, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Tetramethrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Thiabendazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Thiacloprid, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Thiamethoxam, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Thidiazuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Thiobencarb, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Thiofanox, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Thiophanate-methyl, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
THPI (Tetrahydrophthalimide), ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Tolclofos-methyl, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Tolylfluanid, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
trans-Chlordane, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Transfluthrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
trans-Nonachlor, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
trans-Permethrin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Triadimefon, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Triadimenol, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Triallate, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Triazophos, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Trichlorfon (Dylox), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Tricyclazole (Beam), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Trifloxystrobin, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

ORIGINAL 1 OF 1

inspection & testing BASTICO

ANALYSES CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

Parameter	Method	Results	LOQ
Triflumizole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Triflumuron, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Trifluralin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Triticonazole, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Vamidothion (Vamidoate), ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm
Vinclozolin, ppm	AGM-19 (GS/MS/MS)	**<0.005**	0.005 ppm
Zoxamide, ppm	AGM-19 (LC MS/MS)	**<0.005**	0.005 ppm

BASED ANALYSES RESULTS OBTAINED FROM THE APPROVED LABORATORY IT CAN BE STATED THAT THE GOODS ARE IN COMPLIANCE WITH THE EU RULES IN REGARDS TO PESTICIDES, MYCOTOXINS, HEAVY METALS.

This certificate reflects our findings determined at time and place of intervention only and does not relieve the parties of their obligations and duties in any or all respects.

DATED: 27 OF MAY, 2025
FOR AND ON BEHALF OF "BASTICO UKRAINE" LTD
ISSUED BY GAFTA APPROVED SURVEYOR

BASTICO UKRAINE inspection & fumigation BASTICO ODESSA OFFICE

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.

inspection & testing BASTICO

ORIGINAL 1 OF 1

HOLD SEALING CERTIFICATE

In pursuance of an order received from Messrs. **DMVAR TRADING**, requesting us to carry out inspection we hereby confirm as follows:

VESSEL: **M/V "PRINCE FAROUK"**

SHIPPER: **PRIVATE AGRICULTURAL ENTERPRISE EXIM-AGRO UKRAINE**,
ODESA REGION, BELGOROD-DNISTROVSKEY DISTRICT, ZABARYI VILLAGE,
SHEVCHENKO ST.28, COMPANY REGISTRATION №31892976
ON BEHALF OF DMVAR TRADING, UNIPESSOAL LDA (ZONA FRANCA DA MADEIRA)
RUA DA ALFÂNDEGA, N.º 10, 4ª, 9000-059 FUNCHAL, PORTUGAL, NIPC: 518146090
ON BEHALF OF MEDITERRA AGRO TARIM TICARET A.S.

CONSIGNEE: TO ORDER

NOTIFY ADDRESS: **TARIMEX IC VE DIS TIC. A.S.**
ORGANIZE SANAYI BOLGESI 11. CADDE NO:27 CORUM/TÜRKİYE
POST CODE: 19040

B/L NO. & DATE: B/L NO. 1 DD. 25.05.2025

DESCRIPTION OF GOODS: UKRAINIAN ORIGIN CORN, IN BULK

QUANTITY LOADED: 24 302.910 MT

PORT OF LOADING: CHORNOMORSK FISHING PORT, UKRAINE

PORT OF DISCHARGE: 1 SP 1 SB AA SAMSUN OR 1 SP 1 SB AA MARMARA OR 1 SP 1 SB AA IZMIR/ TÜRKİYE

RESULTS OF INSPECTION

This is to certify that on behalf of Messrs. **DMVAR TRADING,** the undersigned Surveyor did attend on board the above vessel for the sealing of all hatches and access openings to the vessel`s holds upon completion of loading the cargo UKRAINIAN ORIGIN CORN, IN BULK on board the vessel as follows:

Hold/Hatch Manholes No.	Seal`s position	Seal's Nos.	Seal's condition
1	HATCH	C83972101	Good
1	MANHOLES FWD / AFT	D87311286 / D87311287	Good
2	HATCH	C83972102	Good
2	MANHOLES FWD / AFT	D87311288 / D87311289	Good
3	HATCH	C83972103	Good
3	MANHOLES FWD / AFT	D87311290 / D87311291	Good
4	HATCH	C83972105	Good
4	MANHOLES FWD / AFT	D87311292 / D87311293	Good
5	HATCH	C83972105	Good
5	MANHOLES FWD / AFT	D87311294 / D87311295	Good

Remarks: Cargo holds and access openings were properly sealed in presence of Master of am vessel with 15 pieces in total. Sealing was performed 25.05.2025 between 11:00 hrs to 12:00 hrs.

BASTICO UKRAINE inspection & fumigation BASTICO ODESSA OFFICE

DATED: 26 OF MAY, 2025
FOR AND ON BEHALF OF "BASTICO UKRAINE" LTD
ISSUED BY GAFTA APPROVED SURVEYOR

Odessa, Ukraine, P.O. Box 134, **Tel./Fax:** +38 (0482) 35 80 85, **e-mail:** info@bastico.com, www.bastico.com

This certificate is issued to any job or services carried out within the GENERAL TERMS AND CONDITIONS OF BUSINESS printed overleaf.
This certificate is not intended to relieve the parties of any relevant sales contract from their contractual obligations.
The Company's responsibility under this Certificate is limited to proven negligence and will in no case be more than ten times the amount of the fees.