VALUE STREAM +3M	PLANT 0095 / AREA P41 - CRB	CREATED: 01.11.2024	VALID UNTIL: 12.2025	**DATA BASIS**: Budget 2025	**RESPONSIBLE**: PV - Irša, Matej WP/ILS-P412

Segment P41 R – Stock = 1 250 000€

Segment P41 WIP+HF Stock = 2 100 000€

Segment P41 F Stock = 2 600 000€



VALUE STREAM +3M	PLANT 0095 / AREA P41 - MASV	CREATED: 01.11.2024	VALID UNTIL: 12.2025	**DATA BASIS:** Budget 2025	**RESPONSIBLE:** PV - Pecha, Josef WP/LS-P411


Regulator
Filling
Mix
Kettle
Kettle
Kettle

VALUE STREAM +3M	PLANT 0095 / AREA P41 - AS	CREATED: 01.11.2024	VALID UNTIL: 12.2025	**DATA BASIS**: Budget 2025	**RESPONSIBLE**: PV - Irša, Matej WP/ILS-P412


Dispečer
Doing
Hao
CKD2
Outlook / Telca
Outlook / Tlačiv / Zapíšu Dn
Outlook / Tlačiv / Zapíšu Dn
Outlook / Tlačiv / Zapíšu Dn
Outlook
Customer service
Outlook
Outlook
Outlook
Segment P41 R – Stock = 1 250 000K
Segment P41 WIP+KIT Stock = 2 100 000K
Segment P41 F Stock = 2 600 000K
Telca
Nemecko
Telca - Delima, a.s. Slovenská republika
Telca - Schaeffler Technology AG & Co. KG Nemecko
Telca - Valeo Kyllias Hungary Kft. Maďarsko
Telca - Schaeffler Technology AG & Co. KG Nemecko
Telca - Schaeffler India Limited Bangalore
Telca
Slovenská republika
Expedícia E12
Prijem tovaru E12
Obal
R-obal E12
F-obal
Kooperácia balenie
Automatizácia ukladania
Automatizácia ukladania
Automatizácia ukladania

VALUE STREAM +3M	PLANT 0095 / AREA P41 - VRS	CREATED: 01.11.2024	VALID UNTIL: 12.2025	**DATA BASIS**: Budget 2025	**RESPONSIBLE**: PV - Pecha, Jozef WP/ILS-P411

Segment P41 R – Stock = 1 250 000€

Segment P41 WIP+HF Stock = 2 100 000€

Segment P41 F Stock = 2 600 000€

Disposition

Doing

days

CM22

Outlook

Customer service

Outlook

Outlook

Outlook

Outlook / Telco

Outlook / Telco / Suply On

Outlook / Telco / Suply On

Outlook / Telco / Suply On

Name: Wanrooy
Location: NL

Name: Schaeffler Production CZ s.r.o. Plz
Location: CZ

Name: AFK Andreas Franke Kunststofftechnik
Location: DE

Name: Georg Fischer GmbH & Co. KG Pogdorf
Location: DE

pcs/week

pcs/week

pcs/week

pcs/week

Prijem tovaru G12

Obal

B-sklad G12

Redukcia WIP na vstupe VRS

HYDR-PRESSE SÖMPI/KEFF>

Storage Location	pred 95-14452 AU	Storage Location	za 95-14452 AU
Component	AU	Component	AU
Ø Stock [pcs]	5 464	Ø Stock [pcs]	5 765
Ø Stock [€]	17 995	Ø Stock [€]	6 005
Stock min [pcs]	0	Stock min [pcs]	0
Stock max [pcs]	10 928	Stock max [pcs]	2 407
Stock max [container]	17	Stock max [container]	3
Type of load carrier	dvojí	Type of load carrier	dvojí
Number of load carrier max [pcs]	39	Number of load carrier max [pcs]	3
Area [m²]	4,0	Area [m²]	0,2
DOH 360 [days]	0,0	DOH 360 [days]	0,0
Ø Waiting time [h]	42,0	Ø Waiting time [h]	13,1

Work center	95-14452
Utilization against customer takt [%]	26,7
Process specific takt time of customer [min]	1,03
Number of indR capacities [#]	1
Weeks [#]	50
Shifts per Week [#]	15
Minutes per Shift [min]	480
Target OEE [%]	80,0
As is OEE to selection period [%]	38,0
Weighted lot size [#]	10 920
Weighted cycle time [min]	0,231
Weighted Set Up Duration [min]	25,1

LASERBESCHRIFT ANLAGE SILA S

Storage Location	pred 95-14454 AU	Storage Location	za 95-14454 AU
Component	AU	Component	AU
Ø Stock [pcs]	7 276	Ø Stock [pcs]	48 000
Ø Stock [€]	11 177	Ø Stock [€]	84 920
Stock min [pcs]	0	Stock min [pcs]	0
Stock max [pcs]	14 553	Stock max [pcs]	96 000
Stock max [container]	10	Stock max [container]	4
Type of load carrier	dvojí	Type of load carrier	Paleta
Number of load carrier max [pcs]	2	Number of load carrier max [pcs]	4
Area [m²]	0,4	Area [m²]	3,0
DOH 360 [days]	0,0	DOH 360 [days]	0,0
Ø Waiting time [h]	39,4	Ø Waiting time [h]	9,4

Work center	95-14454
Utilization against customer takt [%]	80,2
Process specific takt time of customer [min]	0,17
Number of indR capacities [#]	1
Weeks [#]	50
Shifts per Week [#]	15
Minutes per Shift [min]	480
Target OEE [%]	80,0
As is OEE to selection period [%]	60,1
Weighted lot size [#]	14 553
Weighted cycle time [min]	0,118
Weighted Set Up Duration [min]	19,0

FETTMASCH MANUELL OM

Storage Location	pred 95-14463 AU	Storage Location	za 95-14463 AU
Component	AU	Component	AU
Ø Stock [pcs]	757	Ø Stock [pcs]	582
Ø Stock [€]	8 801	Ø Stock [€]	2 246
Stock min [pcs]	0	Stock min [pcs]	0
Stock max [pcs]	1 674	Stock max [pcs]	364
Stock max [container]	21	Stock max [container]	5
Type of load carrier	dvojí	Type of load carrier	dvojí
Number of load carrier max [pcs]	5	Number of load carrier max [pcs]	3
Area [m²]	1,0	Area [m²]	0,2
DOH 360 [days]	0,0	DOH 360 [days]	0,0
Ø Waiting time [h]	8,8	Ø Waiting time [h]	7,2

Work center	95-14463
Utilization against customer takt [%]	5,0
Process specific takt time of customer [min]	14,75
Number of indR capacities [#]	1
Weeks [#]	50
Shifts per Week [#]	15
Minutes per Shift [min]	480
Target OEE [%]	80,0
As is OEE to selection period [%]	5,2
Weighted lot size [#]	1 674
Weighted cycle time [min]	0,357
Weighted Set Up Duration [min]	15,0

HANDARBEITSPL VERPACKUNG

Storage Location	pred 95-14450 AU	Storage Location	za 95-14450 komp
Component	AU	Component	komp
Ø Stock [pcs]	7 990	Ø Stock [pcs]	28 000
Ø Stock [€]	23 182	Ø Stock [€]	86 871
Stock min [pcs]	0	Stock min [pcs]	0
Stock max [pcs]	15 980	Stock max [pcs]	56 000
Stock max [container]	10	Stock max [container]	4
Type of load carrier	dvojí	Type of load carrier	paleta
Number of load carrier max [pcs]	4	Number of load carrier max [pcs]	4
Area [m²]	0,8	Area [m²]	2,0
DOH 360 [days]	0,0	DOH 360 [days]	0,0
Ø Waiting time [h]	12,8	Ø Waiting time [h]	0,0

Work center	95-14450
Utilization against customer takt [%]	41,3
Process specific takt time of customer [min]	0,36
Number of indR capacities [#]	1
Weeks [#]	50
Shifts per Week [#]	15
Minutes per Shift [min]	480
Target OEE [%]	90,0
As is OEE to selection period [%]	53,1
Weighted lot size [#]	0
Weighted cycle time [min]	0,133
Weighted Set Up Duration [min]	0,0

VORB VRS

Storage Location	pred 95-55501 AU	Storage Location	za 95-55501 AU
Component	AU	Component	AU
Ø Stock [pcs]	2 156	Ø Stock [pcs]	3 234
Ø Stock [€]	7 591	Ø Stock [€]	12 680
Stock min [pcs]	0	Stock min [pcs]	0
Stock max [pcs]	4 313	Stock max [pcs]	3 480
Stock max [container]	4	Stock max [container]	6
Type of load carrier	0,00	Type of load carrier	0,00
Number of load carrier max [pcs]	4	Number of load carrier max [pcs]	4
Area [m²]	0,0	Area [m²]	0,0
DOH 360 [days]	0,0	DOH 360 [days]	0,0
Ø Waiting time [h]	35,3	Ø Waiting time [h]	52,9

Work center	95-55501
Utilization against customer takt [%]	39,1
Process specific takt time of customer [min]	1,40
Number of indR capacities [#]	1
Weeks [#]	50
Shifts per Week [#]	15
Minutes per Shift [min]	480
Target OEE [%]	90,0
As is OEE to selection period [%]	16,2
Weighted lot size [#]	1 150
Weighted cycle time [min]	0,490
Weighted Set Up Duration [min]	5,8

BEFETTEN VON VRS N.BEDARF

Work center 95-14467
Utilization against customer takt [%] 0,0
Process specific takt time of customer [min] 816,70
Number of indR capacities [#] 1
Weeks [#] 50
Shifts per Week [#] 15
Minutes per Shift [min] 480
Target OEE [%] 80,0
As is OEE to selection period [%] 0,0
Weighted lot size [#] 153
Weighted cycle time [min] 0,080
Weighted Set Up Duration [min] 5,0

FUELLTRICHTER

Storage Location	pred 95-14461 AU	Storage Location	za 95-14461 komp
Component	AU	Component	komp
Ø Stock [pcs]	1 734	Ø Stock [pcs]	17 214
Ø Stock [€]	2 088	Ø Stock [€]	27 358
Stock min [pcs]	0	Stock min [pcs]	0
Stock max [pcs]	3 446	Stock max [pcs]	34 427
Stock max [container]	1	Stock max [container]	3
Type of load carrier	dvojí	Type of load carrier	dvojí
Number of load carrier max [pcs]	1	Number of load carrier max [pcs]	1
Area [m²]	0,2	Area [m²]	0,2
DOH 360 [days]	0,0	DOH 360 [days]	0,0
Ø Waiting time [h]	10,0	Ø Waiting time [h]	109,1

Work center	95-14461
Utilization against customer takt [%]	0,5
Process specific takt time of customer [min]	140,64
Number of indR capacities [#]	1
Weeks [#]	50
Shifts per Week [#]	15
Minutes per Shift [min]	480
Target OEE [%]	80,0
As is OEE to selection period [%]	5,4
Weighted lot size [#]	3 446
Weighted cycle time [min]	0,947
Weighted Set Up Duration [min]	45,0

FUELLER VRS

Storage Location	pred 95-55577 AU	Storage Location	za 95-55577 komp
Component	AU	Component	komp
Ø Stock [pcs]	2 010	Ø Stock [pcs]	1 985
Ø Stock [€]	3 324	Ø Stock [€]	4 898
Stock min [pcs]	0	Stock min [pcs]	0
Stock max [pcs]	4 590	Stock max [pcs]	6 000
Stock max [container]	3	Stock max [container]	4
Type of load carrier	Paleta	Type of load carrier	paleta
Number of load carrier max [pcs]	3	Number of load carrier max [pcs]	4
Area [m²]	1,5	Area [m²]	2,0
DOH 360 [days]	0,0	DOH 360 [days]	0,0
Ø Waiting time [h]	11,6	Ø Waiting time [h]	15,5

Work center	95-55577
Utilization against customer takt [%]	48,9
Process specific takt time of customer [min]	0,33
Number of indR capacities [#]	1
Weeks [#]	50
Shifts per Week [#]	15
Minutes per Shift [min]	480
Target OEE [%]	95,0
As is OEE to selection period [%]	43,8
Weighted lot size [#]	20 000
Weighted cycle time [min]	0,225
Weighted Set Up Duration [min]	50,0

FUELLER VRS

Storage Location	pred 95-55566 AU	Storage Location	za 95-55566 komp
Component	AU	Component	komp
Ø Stock [pcs]	1 555	Ø Stock [pcs]	2 073
Ø Stock [€]	4 359	Ø Stock [€]	6 928
Stock min [pcs]	0	Stock min [pcs]	0
Stock max [pcs]	3 110	Stock max [pcs]	4 147
Stock max [container]	3	Stock max [container]	4
Type of load carrier	Paleta	Type of load carrier	Paleta
Number of load carrier max [pcs]	3	Number of load carrier max [pcs]	4
Area [m²]	1,5	Area [m²]	2,0
DOH 360 [days]	0,0	DOH 360 [days]	0,0
Ø Waiting time [h]	10,8	Ø Waiting time [h]	26,5

Work center	95-55566
Utilization against customer takt [%]	68,8
Process specific takt time of customer [min]	0,70
Number of indR capacities [#]	1
Weeks [#]	50
Shifts per Week [#]	15
Minutes per Shift [min]	480
Target OEE [%]	90,0
As is OEE to selection period [%]	34,8
Weighted lot size [#]	3 110
Weighted cycle time [min]	0,385
Weighted Set Up Duration [min]	43,4

FUELLER VRS

Storage Location	pred 95-55577 AU	Storage Location	za 95-55577 komp
Component	AU	Component	komp
Ø Stock [pcs]	2 480	Ø Stock [pcs]	1 307
Ø Stock [€]	2 565	Ø Stock [€]	4 545
Stock min [pcs]	0	Stock min [pcs]	0
Stock max [pcs]	4 960	Stock max [pcs]	6 614
Stock max [container]	3	Stock max [container]	4
Type of load carrier	0,00	Type of load carrier	paleta
Number of load carrier max [pcs]	3	Number of load carrier max [pcs]	4
Area [m²]	0,0	Area [m²]	2,0
DOH 360 [days]	0,0	DOH 360 [days]	0,0
Ø Waiting time [h]	19,6	Ø Waiting time [h]	26,2

Work center	95-55577
Utilization against customer takt [%]	38,3
Process specific takt time of customer [min]	0,45
Number of indR capacities [#]	1
Weeks [#]	50
Shifts per Week [#]	15
Minutes per Shift [min]	480
Target OEE [%]	90,0
As is OEE to selection period [%]	49,1
Weighted lot size [#]	4 079
Weighted cycle time [min]	0,177
Weighted Set Up Duration [min]	40,0

Name: Volvo Group Trucks Operations
Location: USA

Name: Volvo Powertrain Corporation
Location: Sweden

Name: Schaeffler Tech - Industrial Europe
Location: DE

pcs/week

pcs/week

pcs/week

pcs/week

pcs/week

Expedicia G12

11,6 h

0,155 min

15,5 h

Sum WT = 27 t
Sum PT = 0 155

050666169-0065-21
F-239336.03.VRS/D-10#5