

Beaconhouse National University

BS Computer Science

Final Year Project

DAILYKHATA

Deliverable 2

Problem Identification, Stakeholder Identification & Requirement Elicitation

Team members

Saad Mughal (F2023-009)

Khadijah Zahoor (F2023-956)

Zainab Ali Baig (F2023-528)

Aleeza Qaiser (F2023-611)

Supervisor: Nouman Ali

Academic Year: 2026-2027

Version 2.0 | 23 September 2026

Document Control

Project: DailyKhata

Document: Problem Identification, Stakeholder Identification & Requirement Elicitation

Version: 2.0

Status: Authoritative reconstruction baseline under the user-authorised scope

Authors: DailyKhata Project Team

Supervisor: Nouman Ali

Academic year: 2026-2027

Revision date: 23 September 2026

Submission date: Not recorded for this replacement

Supervisor endorsement: To be recorded after review

Revision History

Historical source versions remain unchanged in their original locations. This replacement consolidates scope, terminology and evidence provenance under the recorded decisions. Version 2.0, 23 September 2026, prepared for the DailyKhata Project Team.

Table of Contents

1 Purpose and inherited baseline.....	5
2 Problem identification.....	5
2.1 Context and existing process	5
2.2 Methods reported in the source.....	5
2.3 Evidence register and limitations.....	6
2.4 Preserved stakeholder statements	7
2.5 Problem statement.....	7
3 Stakeholder identification	7
3.1 Personas and user profiles.....	8
3.2 Ayesha Tariq.....	8
3.3 Bilal Ahmed.....	8
3.4 Hamza Sheikh	8
3.5 Zubair Hassan	9
3.6 Usman Raza	9
3.7 Stakeholder matrix	9
4 Requirement elicitation.....	10
4.1 Interview technique.....	10
4.2 Observation technique	11
4.3 Existing system analysis	11
4.4 Document analysis and scope reconciliation	11
4.5 Findings to derived requirement candidates	12
4.6 Quality expectations and validation needs.....	13
5 Authoritative scope and design constraints.....	13
5.1 Current exclusions	13
5.2 Future scope	14
5.3 Accounting and category boundaries.....	16
5.4 Semantic product classification	16
5.5 AI Financial Assistant.....	17
5.6 Localisation and delivery limits.....	17
6 Validation and compatibility with later requirements work	18
7 Conclusion	18
8 References.....	18

List of Tables

Table 1: Existing workflow limitations and implications.....	5
Table 2: Preserved evidence and provenance	6
Table 3: Industry to stakeholder identification chain	7
Table 4: Canonical personas	8
Table 5: Persona pain points and expectations	9
Table 6: Stakeholder roles interests needs and impact	9
Table 7: Traceability from findings to requirement candidates.....	12
Table 8: Quality candidates for later measurable validation	13
Table 9: Canonical feature scope and priorities.....	14
Table 10: Illustrative local category mappings.....	16
Table 11: Illustrative semantic product distinctions	17

1 Purpose and inherited baseline

This deliverable explains the DailyKhata problem, identifies stakeholders and traces elicitation findings to requirement candidates. It inherits the project definition, persona register and scope priorities from D1 v2.0. The original D2 provides reported fieldwork; the project owner scope supplies capabilities that cannot be attributed to interviews. This is a reconstructed D2, not Deliverable 3 or a claim of implementation. [A2, S2, U1]

DailyKhata is a personal expense management application primarily designed for Pakistani users who frequently deal with paper receipts, cash transactions and informal expense tracking. It reduces the effort required to maintain personal or household expense records through receipt digitisation, OCR, quick cash expense capture, manual expense entry, automatic categorisation, user confirmation and correction, a structured Chart of Accounts, transaction history, spending summaries, item-level price history, semantic product classification and an AI Financial Assistant.

2 Problem identification

2.1 Context and existing process

The selected users make receipt-based and no-receipt purchases while managing personal or household expenses. In the workflow reported by the original D2, a person keeps a receipt, writes an amount in a diary or phone note, or relies on memory. Recording may happen later, requiring the person to reconstruct the date, amount and purpose. Monthly review then depends on combining scattered records. This describes the project's reported qualitative context, not the behaviour of most people in Pakistan. [S2, pp. 2-3]

Table 1: Existing workflow limitations and implications

Method	Limitation in the reported workflow	DailyKhata implication
Paper receipts and diary	Receipts may be misplaced or become difficult to read; totals and search require manual work	Digitise and review receipt data; keep searchable structured records
Phone notes	Free-text records need manual interpretation and aggregation	Represent expenses consistently; provide categories and totals
Memory	Small purchases can be omitted or recalled imprecisely	Support quick cash entry and later correction
Existing expense applications	Original D2 reports friction entering fields and no item-price view in its tested workflow	Investigate lower-effort capture and item-level history; do not infer universal competitor limitations

2.2 Methods reported in the source

The original D2 reports approximately one week of short interviews and informal observation. It names Ayesha Tariq, Hamza Sheikh and Usman Raza, and describes 10 to

15 minute in-person or phone conversations. Four initial questions asked about current recording, update frequency, previous attempts that were abandoned, and what would encourage continued use. Additional requirement-focused questions are retained in the elicitation section. [S2, p. 3]

Observation reportedly involved family members, roommates and classmates in home kitchens, hostel rooms, the university canteen and a neighbourhood shop. The team watched whether a small purchase was written down, an application opened, a receipt kept or no action taken. Dates, participant counts, event counts and observation sheets are not present. The Design Thinking teaching material supports separating what was seen from how it is interpreted; it does not prove that these observations occurred. [S2, pp. 3, 10; M1]

2.3 Evidence register and limitations

Table 2: Preserved evidence and provenance

ID and source	What the original reports	Status and permitted inference
EV-01 S2 p. 3	Ayesha Tariq, homemaker, 34: typing discourages continued tracking; photographs appeal	Source-reported interview statement. Supports lower-effort receipt capture; no general abandonment rate
EV-02 S2 p. 3	Hamza Sheikh, university student, 21: repeated form filling discouraged use	Source-reported interview statement. Supports quick entry; no measured timing threshold
EV-03 S2 p. 3	Usman Raza, shopkeeper, source age 46: speaking an amount could reduce forgotten cash activity	Source-reported statement with conflicting age. Income context is not an expense requirement
EV-04 S2 pp. 3, 10-11	Purchases were often logged later or not at all; recall could be rounded or incomplete	Informal observation narrative, without counts. Supports retrospective entry; no prevalence claim
EV-05 S2 pp. 10-11	Participants preferred photograph or speech to repeated typing and wanted category confirmation	Source-reported follow-up interviews. Supports review; voice priority still follows scope
EV-06 S2 pp. 10-11	Team tested Cashew, Wallet and an unnamed bank app for 30 to 45 minutes per member on Android	Historical comparison narrative. No versions, dates or screenshots; not verified current product facts
EV-07 G1 and U1	Approved scope includes accounting structure, semantic products, assistant breadth, authentication and data maintenance	Documentary authority and design direction, not stakeholder fieldwork

The available evidence consists of the source document's account of fieldwork. No raw transcripts, audio, consent records, dated interview notes, completed questionnaires or observation logs were found. No new fieldwork or survey is asserted in this reconstruction. Design personas and reported participant records must not be treated as

interchangeable. Usman's canonical persona remains 41 under DEC-01; the source-reported interview age remains flagged for confirmation.

2.4 Preserved stakeholder statements

The following quotations are reproduced from the original D2, page 3. They have not been checked against recordings or transcripts. Attribution here records what the source says, not independent verification.

Ayesha Tariq: "If I could just take a picture and it sorts itself out, I would actually keep doing it. Typing it all in is why I stop after two weeks."

Hamza Sheikh: "I deleted the last app I tried because filling in every field felt like an assignment, not something I would do on my own."

Usman Raza: "Even if I could just say the amount out loud when a customer pays, that alone would stop me from losing track."

Ayesha's time reference describes one attributed experience. Usman's reference to a customer payment concerns income, so it does not establish a sales ledger, POS or payment-processing requirement. The useful design theme is low-effort capture, subject to the approved expense scope. [DEC-05, DEC-08]

2.5 Problem statement

Paper receipts and unrecorded cash purchases leave personal and household expense histories incomplete. Manual upkeep makes consistent recording difficult. Users need low-effort capture and reliable ways to review and understand spending.

3 Stakeholder identification

The identification chain proceeds from industry to market, market segment, user profile, persona and stakeholder. The table below makes that chain explicit. Primary users have the same priority in both deliverables; secondary does not necessarily mean indirect use. Usman is a secondary direct user, while Zubair is a beneficiary of shared information.

Table 3: Industry to stakeholder identification chain

Stage	DailyKhata application
Industry	Financial technology, specifically personal expense management
Market	Personal expense-management applications for Pakistani users
Market segment	Adults managing personal or household expenses with paper receipts and cash. The original approximate 18 to 50 range is indicative, not an eligibility limit.
User profile	Smartphone users with varied digital confidence who need low-effort capture, understandable categories and useful expense history
Persona	Ayesha Tariq, 34; Bilal Ahmed, 27; Hamza Sheikh, 21; Zubair Hassan, age not recorded; Usman Raza, 41

Stage	DailyKhata application
Stakeholders	Primary users, secondary direct users and beneficiaries, advisers, development team, supervisor, conditional technical providers and future bank/payment partners

3.1 Personas and user profiles

These are canonical design personas, not a new participant sample. Names and source-supported attributes are preserved from D1 and D2. Usman Raza uses the D1 design age of 41; D2 reports an interview age of 46 without corroborating records. DEC-01 records that unresolved source fact without leaving two competing persona definitions.

Table 4: Canonical personas

ID and name	Age and role	Classification
P-01 Ayesha Tariq	34 Homemaker and household budget manager	Primary
P-02 Bilal Ahmed	27 Salaried professional	Primary
P-03 Hamza Sheikh	21 University student	Primary
P-04 Zubair Hassan	Not recorded Family member and spouse of a primary user	Secondary beneficiary
P-05 Usman Raza	41 Small shopkeeper	Secondary direct user

3.2 Ayesha Tariq

Goal: Track weekly household spending and grocery prices. Behaviour: Handles paper receipts and cash; prefers a photograph to transcription. Needs readable review, familiar categories and price history; expects correction and privacy.

3.3 Bilal Ahmed

Goal: Reconcile and understand monthly personal expenses. Behaviour: Comfortable with digital tools; reviews spending periodically. Needs searchable history and plain-language answers; expects minimal upkeep.

3.4 Hamza Sheikh

Goal: Track personal spending and allowance with little effort. Behaviour: Frequent small cash purchases; low tolerance for repeated form entry. Needs quick text entry without a receipt; expects useful category totals.

3.5 Zubair Hassan

Goal: Review household spending with the account holder. Behaviour: Occasional review of summaries shared by the account holder. Needs understandable totals; no separate household login or permissions implied.

3.6 Usman Raza

Goal: Track petty cash and supplier expenses. Behaviour: Uses the same receipt and expense workflow for a general store. Needs dependable expense records; sales, inventory and POS are excluded.

Digital confidence varies within every user group. Persona descriptions guide design and recruitment; they do not justify assuming that all homemakers have low digital literacy or all students have high technical skill. Bilal and Zubair are not reported interview participants. Zubair's age is not recorded and no age is inferred.

Table 5: Persona pain points and expectations

Persona	Pain points	Expectation
Ayesha Tariq	Lost or difficult-to-read receipts; tedious transcription; difficulty comparing grocery prices	Photograph, review and correct a receipt with familiar category labels
Bilal Ahmed	Ongoing manual upkeep and scattered monthly records	Find records and ask clear questions about monthly spending
Hamza Sheikh	Frequent small purchases without receipts; repetitive forms	Quick text capture, automatic proposals and simple confirmation
Zubair Hassan	Difficulty interpreting scattered household records	Understand a summary reviewed with the account holder
Usman Raza	Inconsistent petty-cash and supplier-expense records	Capture expenses simply, without an inventory or sales workflow

3.7 Stakeholder matrix

Table 6: Stakeholder roles interests needs and impact

Stakeholder and role	Interest and need	Impact and engagement
Primary: Ayesha, Bilal and Hamza Use the expense ledger	Reliable personal or household records; low effort; privacy	High design impact. Review capture, corrections, summaries and assistant answers
Secondary direct user: Usman Records shop expenses	Petty cash and supplier-expense visibility	Medium impact within existing expense workflows; reject sales and inventory expansion

Stakeholder and role	Interest and need	Impact and engagement
Secondary beneficiary: Zubair Reviews shared information	Understandable household totals	Medium reporting impact; no household account permissions required
Secondary: accountants and financial advisers Optional report recipients	Clear records and exportable summaries	Inform report clarity; no adviser portal or guaranteed engagement
Internal: four-student development team Builds and evaluates the FYP	Feasible integration, maintainability and controllable costs	High delivery impact. Maintain traceability, tests and decisions
Internal: Nouman Ali and academic evaluators Supervision and assessment	Evidence-based work aligned with assignment criteria	High validation impact. Review scope, research evidence and deliverables
External technical providers, if selected OCR, AI or hosting services	Compatible interfaces and permitted data handling	Affect cost, availability, latency and data exposure. No provider is committed
Future: bank and payment partners Possible transaction import	Would require reliable integration if later approved	No current implementation role or dependency

Privacy and regulatory context is a constraint domain, not itself a named stakeholder organisation. The original D2 label is corrected accordingly. No regulator interview, legal compliance assessment or banking certification is claimed. External technical providers are conditional design dependencies, not arbitrary third-party financial integrations. [DEC-17; project-team analysis]

4 Requirement elicitation

4.1 Interview technique

Interviews were selected in the source to understand why users stopped recording and which capture methods they would accept. The reported participants were Ayesha, Hamza and Usman. The initial questions asked how spending was recorded, how often it was updated, whether a notebook or application had been abandoned and why, and what would encourage continued use. The reported conversations lasted 10 to 15 minutes in person or by phone. [S2, pp. 3, 10]

The source describes revisiting the same participants with three additional questions: whether logging in under 10 seconds would encourage consistent use; whether typing, speaking or photographing was preferred; and what would make an automatically categorised entry trustworthy. It describes these questions both as a later revisit and as following the initial interviews. Without dated records, this reconstruction does not assert a separate visit schedule. No additional participants are inferred.

The reported findings emphasise low effort, no-receipt spending and review of proposed categories. The team derives receipt capture, text-based cash entry, manual quick entry, retrospective entry and confirmation from those themes. Voice-based cash entry remains Should Have despite participant interest. The 10-second question is an elicitation prompt, not evidence that such a time is feasible for every receipt. [EV-01 to EV-05; DEC-07, DEC-10]

4.2 Observation technique

Observation was selected to examine recording actions at the moment of purchase rather than relying only on recalled habits. The source names informal settings and social groups but gives no event count or participant list. It reports that expenses were commonly entered later, if at all, and that phone notes did not give participants immediate category totals in their workflow. [EV-04]

The derived needs are easy retrospective entry, editable dates, correction of saved values, clear category totals and a monthly summary. The team does not infer a numerical omission rate or a causal claim about all users. Any later observation should document what happened before interpreting why it happened. This is a methodological recommendation, not additional completed research. [M1]

4.3 Existing system analysis

The original D2 reports that each team member spent 30 to 45 minutes on Android testing Cashew, Wallet and an unnamed bank application. The task was to add a grocery-style expense and look for history for repeated items. It reports repeated typing, limited local label adaptation in that test and no item-price view. No app version, test date, account tier, screenshot or detailed procedure is available. [EV-06]

These observations are preserved as historical team-reported findings. They cannot establish that the products currently lack receipt capture, voice entry, category customisation or price history. Mint and Notion-based sheets mentioned in D1 are comparison context, not additional tested systems. The derived DailyKhata choices are locally understandable labels, optional custom labels and item-level price history. The rationale remains useful without asserting competitor inferiority. [DEC-09]

4.4 Document analysis and scope reconciliation

For this reconstruction, the original D1, D2, their task instructions, existing governance, Design Thinking slides and D3 brief were read. This document-analysis step reconciled persona facts and priorities and identified capabilities mandated by the owner scope. It supplies authority for authentication, ledger maintenance, the full internal Chart of Accounts, semantic product classification and assistant breadth. These capabilities are not retrospectively attributed to the three interviews. [EV-07]

4.5 Findings to derived requirement candidates

The following are D2 elicitation outcomes, ready for later decomposition and validation. They are not a completed D3 specification. DR identifiers are local D2 traceability labels; the SC and SS identifiers remain the stable scope references. Each requirement candidate inherits the priority of its linked capability.

Table 7: Traceability from findings to requirement candidates

Candidate and basis	Derived behaviour	Scope and priority
DR-01 EV-01, EV-05, EV-07	Capture or upload a receipt, extract structured values and allow correction before saving	SC-04 to SC-07 Must Have
DR-02 EV-02 to EV-05	Record a no-receipt expense through a short manual form or text statement, including retrospective entry	SC-08, SC-09 Must Have
DR-03 EV-03, EV-05	Offer short voice expense capture if feasible	SC-10 Should Have
DR-04 EV-05, EV-06	Propose transaction and line-item categories; obtain confirmation or correction	SC-11 to SC-13 Must Have
DR-05 EV-07	Keep an internal Chart of Accounts and stable category-to-account mappings in accounting-compatible records	SC-14 to SC-16 Must Have
DR-06 EV-04, EV-07	Provide ledger history, search, filtering, category totals, monthly summaries and dashboard	SC-03, SC-17 to SC-20, SC-25 Must Have
DR-07 EV-06, EV-07	Retain item-level price history and classify products semantically without discarding original identity	SC-21, SC-22 Must Have
DR-08 S1 and EV-07	Answer spending questions and provide data-grounded conversational analysis	SC-23, SC-24 Must Have
DR-09 EV-07	Authenticate users, maintain basic profile/settings, protect user records and allow editing/deletion	SC-01, SC-02, SC-26, SC-27 Must Have
DR-10 EV-06, EV-07	Offer bilingual localisation, exports and custom labels while preserving category mappings	SC-28, SC-29, SS-03 Should Have
DR-11 EV-04, EV-07	Offer spending visualisations, comparison views and receipt image archiving	SS-04 to SS-06 Should Have
DR-12 EV-07	Consider user-created categories, offline drafts, reminders and exportable household summaries	SS-08 to SS-11 Could Have

4.6 Quality expectations and validation needs

Table 8: Quality candidates for later measurable validation

Quality area and source	Expectation	Later validation needed
Usability and performance EV-01, EV-02, EV-05	Reduce typing and repeated steps; make processing state and correction clear	Time simple cash entry separately from OCR, review and network delays; set targets after pilot testing
Security and privacy S1, EV-07	Protect storage, communication and user-specific access, including assistant retrieval	Test authentication, authorisation boundaries, safe uploads and secret handling
Device and network behaviour SC-30, DEC-11	Remain reasonably usable on ordinary Android-class devices; show failures and permit retry	Specify test device and network conditions; do not presume offline OCR
Data integrity SC-07, SC-12, SC-16, SC-26	Preserve corrected values, coherent summaries and balanced journals where used	Test mixed receipts, edits, deletion, rounding and category/account mappings
Assistant reliability SC-23, SC-24	Ground answers in authorised stored data and acknowledge missing data	Compare amounts with ledger calculations; test empty history, ambiguous periods and inaccessible records

There is no survey, prototype test, focus group or benchmark dataset in the source workspace. No accuracy percentage, retention improvement, concurrency threshold or universal response-time target is therefore reported as measured. These gaps affect empirical validation, not the agreed feature priorities.

5 Authoritative scope and design constraints

Primary users are homemakers and household budget managers, university students and salaried professionals. Small shopkeepers are secondary direct users for petty cash, supplier expenses, receipt capture and expense summaries. Family members and advisers are secondary beneficiaries of information shared by the account holder.

The baseline is a single-account expense-management system. Household expenses can be recorded by the account holder and reviewed together. CSV and/or PDF export is Should Have; a dedicated exportable household summary is Could Have. Shared household accounts, invitations, household permissions and collaborative editing are not current requirements.

5.1 Current exclusions

Direct bank integration; automatic debit-card or credit-card synchronisation; Easypaisa and JazzCash transaction integration; open banking; payment processing; money transfers; inventory management; point-of-sale functionality; payroll; enterprise ERP; complete SME accounting; tax filing; investment management; credit scoring; fraud-

detection infrastructure; commercial banking functionality; enterprise multi-tenant organisation management; banking-grade regulatory certification; production infrastructure for millions of concurrent users; arbitrary third-party financial integrations.

5.2 Future scope

Bank transaction importing; wallet integrations; shared household accounts; collaborative budgeting; business accounting features; inventory; POS; recurring expenses; budgeting goals; predictive analytics; anomaly detection; advanced financial recommendations; deeper Urdu support; additional languages; multi-currency support; retailer integrations; e-receipt ingestion.

A feature can be excluded from the current project and also be named as potential future work. Future listing is not a delivery promise. Recording an expense paid by a method described by the user does not create a bank or wallet integration.

The following register is shared by D1, D2 and Project Scope. Must Have means required for the minimum successful FYP; Should Have means intended but deferrable; Could Have means optional if time permits. Priority is not a claim of implementation.

Table 9: Canonical feature scope and priorities

ID	Capability	Priority
SC-01	User registration and authentication	Must Have
SC-02	Basic user profile and settings	Must Have
SC-03	Personal digital expense ledger	Must Have
SC-04	Photograph or upload receipts	Must Have
SC-05	OCR processing	Must Have
SC-06	Structured extraction of merchant and date where available, line items, quantities where available, prices and receipt total	Must Have
SC-07	Review OCR results and edit incorrect extracted values before saving	Must Have
SC-08	Manual quick expense entry	Must Have
SC-09	Text-based cash expense entry	Must Have
SC-10	Voice-based cash expense entry	Should Have
SC-11	Automatic transaction and line-item categorisation	Must Have
SC-12	User confirmation or correction of AI-generated categories	Must Have
SC-13	Locally understandable expense category labels	Must Have
SC-14	Full internal Chart of Accounts	Must Have
SC-15	Mapping of user-facing categories to accounting accounts	Must Have

ID	Capability	Priority
SC-16	Accounting-compatible transaction storage	Must Have
SC-17	Transaction history	Must Have
SC-18	Search and filtering	Must Have
SC-19	Category-level spending totals	Must Have
SC-20	Basic monthly spending summaries	Must Have
SC-21	Item-level price history	Must Have
SC-22	Semantic product classification	Must Have
SC-23	Natural-language financial querying	Must Have
SC-24	AI Financial Assistant	Must Have
SC-25	Dashboard	Must Have
SC-26	Editing and deleting saved expense transactions	Must Have
SC-27	Secure user-data storage	Must Have
SC-28	English and Urdu localisation	Should Have
SC-29	CSV and/or PDF export	Should Have
SC-30	Reasonable support for ordinary Android-class devices	Must Have
SS-03	Custom category labels	Should Have
SS-04	Simple spending visualisations	Should Have
SS-05	Month-to-month comparison views	Should Have
SS-06	Receipt image archive	Should Have
SS-08	User-created categories	Could Have
SS-09	Offline draft expense entry	Could Have
SS-10	Expense reminders	Could Have
SS-11	Exportable household summaries	Could Have

Legacy aliases are retained for traceability: SS-01 refers to SC-10, SS-02 to SC-29, and SS-07 to SC-28. They do not create additional features. Month-to-month comparison views are optional; answering period comparisons through the AI Financial Assistant is core.

5.3 Accounting and category boundaries

DailyKhata must maintain a full internal Chart of Accounts with stable account identifiers, account types and mappings from user-facing expense categories. Full means a coherent internal account framework, including the account classes needed for structured recording, not a complete SME accounting interface. Only expense-management workflows are committed. A local label is separate from its category identity and account mapping.

Table 10: Illustrative local category mappings

User-facing category	Internal accounting account
Ration	Groceries Expense
Transport	Transport Expense
Dining	Dining Expense
Utilities	Utilities Expense
Healthcare	Healthcare Expense
Education	Education Expense
Entertainment	Entertainment Expense
Household Supplies	Household Supplies Expense

These mappings illustrate the approved architecture; account codes and the final hierarchy are later design decisions. For groceries purchased in cash for Rs. 2,500, a double-entry implementation debits Groceries Expense by Rs. 2,500 and credits Cash by Rs. 2,500. Every journal must balance wherever double-entry is used. Users should not enter journals or account codes. No accounting or regulatory certification is claimed.

A mixed receipt retains its receipt total and separately categorised line items. Category totals must not count the same purchase once at transaction level and again at line-item level. Edits and deletion must also update dependent totals and price history consistently. Accounting corrections must preserve balance where journals are used. These are project-team design constraints derived from the need for trustworthy records.

5.4 Semantic product classification

Original receipt text, individual product identity, brand, canonical product type, expense category and accounting classification are separate concepts. Preserve the original text alongside corrected values and inferred classifications. A canonical product type groups related products without replacing their identities.

Table 11: Illustrative semantic product distinctions

Original text and brand	Product identity and type	Category and account
Surf Excel 1kg Brand: Surf Excel	Distinct Surf Excel 1kg product Laundry Detergent	Household Supplies Household Supplies Expense
Bonus 1kg Brand: Bonus	Distinct Bonus 1kg product Laundry Detergent	Household Supplies Household Supplies Expense

Both products can support analysis of Laundry Detergent spending. Exact price history still distinguishes brand, product and pack size. Comparisons require comparable quantities and units; where these are missing, show recorded prices with a limitation instead of claiming equivalent value. Uncertain product matches remain reviewable. Semantic similarity is not proof that two products are identical.

5.5 AI Financial Assistant

The AI Financial Assistant is a core conversational capability grounded in the current user's authorised DailyKhata records. It supports natural-language questions, spending summaries, comparisons between periods and categories, recurring-spending analysis, product-price comparisons, spending patterns, unusually high recorded spending, explanations of change and possible saving opportunities. It may give personalised general financial suggestions based on available historical data.

Illustrative response, not research: restaurant spending of Rs. 8,400 this month compared with Rs. 5,900 last month gives a difference of Rs. 2,500. The assistant may explain that returning to the earlier level would reduce spending by that amount. It must distinguish recorded facts, calculations and suggestions, state the relevant period, and acknowledge missing data. It does not move money, execute payments or control accounts.

Conversational analysis of repeated past expenses is core; automatically generating recurring expenses is future scope. Data-grounded observations about high spending are core; predictive anomaly detection and advanced financial recommendation systems remain future scope. The team may integrate existing models and services instead of training a foundation model.

5.6 Localisation and delivery limits

English and Urdu localisation is Should Have. The architecture should permit translated labels, right-to-left Urdu presentation, local terminology, Urdu-friendly interaction and potential Urdu interaction with the AI Financial Assistant. An initial English interface does not prove bilingual localisation. Urdu support is not guaranteed until implemented and validated. Local category labels remain Must Have independently of translation.

The application is mobile-first and should support ordinary Android-class devices. Receipt OCR targets reasonably clear printed receipts in supported formats, with correction and manual fallback for failures. No universal receipt accuracy or response-time threshold has been validated. Frameworks, model providers, device test

specifications and measurable performance targets are later decisions. Offline draft entry is Could Have and does not imply offline OCR or offline assistant services.

6 Validation and compatibility with later requirements work

The D1 audit was completed before this D2 was authored. This D2 inherits its project and problem definitions, five canonical personas, three primary user groups and 38 distinct scope entries. The cross-document audit checks those invariants and the differences between current, optional and future capabilities. Document consistency does not confirm the historical interviews or supervisor approval.

The D3 brief requires business, functional and non-functional requirements, source traceability and validation. This D2 supplies problems, stakeholder roles, EV evidence identifiers, DR candidates and SC/SS scope links for that later task. The next analysis can decompose each candidate, assign formal IDs and define measurable acceptance criteria after student and supervisor review. The brief contains an inconsistent rubric heading and total; no grading interpretation or numerical example is adopted as a DailyKhata requirement. [A3]

Before submission, the team should confirm fieldwork dates and provenance, resolve Usman's participant age from source records, identify the competitor test context and obtain supervisor feedback. These actions must update the Decision Log. They do not authorise adding shared household accounts, bank integration or enterprise features.

7 Conclusion

The preserved qualitative account points to effort, fragmented records and the need for trustworthy review. The reconstructed baseline responds with receipt and cash capture, user-controlled categorisation, structured accounts, item history and an AI Financial Assistant. Evidence limitations are explicit, every capability retains its priority, and optional or future features remain bounded.

8 References

[S1] DailyKhata. Target Market & Audience Analysis. Original submitted D1, dailykhata-d1.docx and corresponding six-page PDF, 01_Deliverable_1. Undated.

[S2] DailyKhata. Original submitted D2, dailykhata-d2.pdf, 02_Deliverable_2, 12 pages. Cover repeats the D1 title; body contains problem identification, stakeholder identification and requirement elicitation. Undated.

[A1] Deliverable 1 task.txt, 01_Deliverable_1/task. User, problem, expectation and target-market assessment criteria. Undated.

[A2] Deliverable 2 task.txt, 02_Deliverable_2/task. Official D2 title and evidence-based assignment requirements. Stated deadline: 25 August 2026, not proof of submission.

[G1] DailyKhata Scope Baseline v1.0 and DailyKhata Documentation Standard v1.0, 00_Project_Governance. Both dated 23 September 2026.

[U1] Project owner instructions for reconstruction, 23 September 2026. Authoritative scope, team identifiers, priorities and constraints.

[A3] Deliverable 3 Requirements Specification, 03_Deliverable_3/task/Deliverable 3.pdf, five pages. Read for compatibility only.

[M1] Design Thinking.pdf, 02_Deliverable_2/task, six instructional slides. Observe, interview, distinguish observation from interpretation, and identify needs.

[M2] Important Links.txt, 02_Deliverable_2/task, 19 teaching-video links. Retained as teaching references; video contents are not treated as research evidence.