

# Supported Connectors

*Applies to: Tableau Desktop*

Follow the link below for information on how to connect to your specific data. Connectors are listed in the order that they appear on the **Connect** pane.

## Other articles in this section

- [JSON File \(examples\\_json.htm\)](#)
- [Microsoft Access \(examples\\_access.htm\)](#)
- [Microsoft Excel \(examples\\_excel.htm\)](#)
- [Other Files \(examples\\_extract.htm\)](#)
- [PDF File \(examples\\_pdf.htm\)](#)
- [Spatial File \(examples\\_spatial\\_files.htm\)](#)
- [Statistical File \(examples\\_statfile.htm\)](#)

- Tableau Server or Tableau Cloud  
(examples\_tableauserver.htm)
- Text File (examples\_text.htm)
- Action Vectorwise (examples\_vectorwise.htm)
- Alibaba AnalyticDB for MySQL  
(examples\_alibaba\_analyticdb.htm)
- Alibaba Data Lake Analytics  
(examples\_alibaba\_data\_lake\_analytics.htm)
- Alibaba MaxCompute  
(examples\_alibaba\_maxcompute.htm)
- Amazon Athena  
(examples\_amazonathena.htm)
- Amazon Aurora for MySQL  
(examples\_amazonaurora.htm)
- Amazon EMR Hadoop Hive  
(examples\_amazonemr.htm)
- Amazon Redshift  
(examples\_amazonredshift.htm)
- Amazon S3 (examples\_amazons3.htm)
- Anaplan (examples\_anaplan.htm)

- [Apache Drill \(examples\\_apachedrill.htm\)](#)
- [Azure Data Lake Storage Gen2 \(examples\\_azure\\_data\\_lake\\_gen2.htm\)](#)
- [Azure SQL Database \(examples\\_azure\\_sql\\_database.htm\)](#)
- [Azure SQL Synapse Analytics \(examples\\_azure\\_sql\\_dw.htm\)](#)
- [Box \(examples\\_box.htm\)](#)
- [Cloudera Hadoop \(examples\\_hadoop.htm\)](#)
- [Databricks \(examples\\_databricks.htm\)](#)
- [Data Cloud \(examples\\_data\\_cloud.htm\)](#)
- [Datorama by Salesforce \(examples\\_datorama.htm\)](#)
- [Denodo \(examples\\_denodo.htm\)](#)
- [Dremio by Dremio \(examples\\_dremio.htm\)](#)
- [Dropbox \(examples\\_dropbox.htm\)](#)
- [Esri Connector \(examples\\_esri.htm\)](#)
- [Exasol \(examples\\_exasolution.htm\)](#)
- [Firebird 3 \(examples\\_firebird.htm\)](#)

- Google Analytics  
(examples\_googleanalytics.htm).
- Google Analytics 4  
(examples\_googleanalytics\_4.htm).
- Google BigQuery  
(examples\_googlebigquery.htm).
- Google BigQuery JDBC  
(examples\_googlebigquery\_jdbc.htm).
- Google Cloud SQL  
(examples\_googlecloudsql.htm).
- Google Drive (examples\_googledrive.htm).
- Google Sheets (examples\_googlesheets.htm).
- Hortonworks Hadoop Hive  
(examples\_hortonworkshadoop.htm).
- IBM BigInsights (\_\_\_\_\_).
- IBM DB2 (examples\_db2.htm).
- IBM PDA (Netezza) (examples\_netezza.htm).
- Impala (examples\_impala.htm).
- Intuit QuickBooks Online  
(examples\_quickbooksonline.htm).

- [Kognitio \(examples\\_kognitio.htm\)](#)
- [Kyvos \(examples\\_kyvos.htm\)](#)
- [LinkedIn Sales Navigator \(examples\\_linkedin\\_sales\\_navigator.htm\)](#)
- [MariaDB \(examples\\_mariadb.htm\)](#)
- [Marketing Cloud Intelligence Connector \(examples\\_marketing\\_cloud\\_intelligence.htm\)](#)
- [Marketo \(examples\\_marketo.htm\)](#)
- [MarkLogic \(examples\\_marklogic.htm\)](#)
- [Microsoft Analysis Services \(examples\\_msas.htm\)](#)
- [Microsoft SQL Server \(examples\\_sqlserver.htm\)](#)
- [MonetDB \(examples\\_monetdb.htm\)](#)
- [MongoDB BI Connector \(examples\\_mongodb.htm\)](#)
- [MySQL \(examples\\_mysql.htm\)](#)
- [OData \(examples\\_odata.htm\)](#)
- [OneDrive \(examples\\_onedrive.htm\)](#)

- [Oracle \(examples\\_oracle.htm\)](#)
- [Oracle Eloqua \(examples\\_eloqua.htm\)](#)
- [Oracle Essbase \(examples\\_essbase.htm\)](#)
- [Oracle Netsuite \(examples\\_oraclenetsuite.htm\)](#)
- [Other Databases \(JDBC\)](#)  
[\(examples\\_otherdatabases\\_jdbc.htm\)](#)
- [Other Databases \(ODBC\)](#)  
[\(examples\\_otherdatabases.htm\)](#)
- [Pivotal Greenplum \(examples\\_greenplum.htm\)](#)
- [PostgreSQL \(examples\\_postgresql.htm\)](#)
- [Presto \(examples\\_presto.htm\)](#)
- [Progress OpenEdge \(examples\\_progress.htm\)](#)
- [Qubole Presto \(examples\\_qubole.htm\)](#)
- [Salesforce \(examples\\_salesforce.htm\)](#)
- [Salesforce Marketing Cloud](#)  
[\(examples\\_salesforce\\_marketing\\_cloud.htm\)](#)
- [SAP HANA \(examples\\_saphana.htm\)](#)
- [SAP NetWeaver Business Warehouse](#)  
[\(examples\\_sapbw.htm\)](#)

- SAP SuccessFactors  
(examples\_sapsuccessfactors.htm)
- SAP Sybase ASE (examples\_sybasease.htm)
- SAP Sybase IQ (examples\_sybaseiq.htm)
- ServiceNow ITSM (examples\_servicenow.htm)
- ServiceNow (examples\_servicenow\_jdbc.htm)
- SharePoint Lists  
(examples\_sharepoint\_lists.htm)
- SharePoint Lists (JDBC)  
(examples\_sharepoint\_lists\_jdbc.htm)
- SingleStore (examples\_memsql.htm)
- Snowflake (examples\_snowflake.htm)
- Spark SQL (examples\_sparksql.htm)
- Splunk (examples\_splunk.htm)
- Splunk JDBC (examples\_splunk\_jdbc.htm)
- Teradata (examples\_teradata.htm)
- Teradata OLAP Connector  
(examples\_teradata\_olap.htm)
- TIBCO Data Virtualization (Cisco Information Server) (examples\_ciscoinfoserver.htm)

- Vertica (examples vertica.htm).
- Web Data Connector  
(examples web data connector.htm).