

# SAFETY DATA SHEET

## **SECTION 1 Identification**

**Product identifier** Iron Oxide Brown S5237

Identified uses Inorganic pigment

Manufacturer Shanghai Yipin Pigments Co.Ltd.

4839 Jiasong bei Rd, Shanghai, China 201814

**Emergency information** Yipin Pigments Inc.

9843 6th St. Suite 105

Rancho Cucamonga, CA 91730

Tel.:909-243-7394

### **SECTION 2 Hazards Information**

**HAZCOM standard Status** This Material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR Part 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Physical state Powder Color Brown

Classification of the

substance or mixtureNot classifiedSignal wordNo signal word

**Hazard statements**No known significant effects or critical hazards

**Hazard Not Otherwise** 

Classified(HNOC) None Known.

**Precautionary statements** 

**Prevention** Not applicable.

Response Not applicable.

Storage Not applicable. Disposal Not applicable.

Supplemental label elements Store in original container protected from direct sunlight in a

dry, cool and well-ventilated area, away from incompatible

materials and food and drink.

## **SECTION 3 Composition/Information on Ingredients**

Substance/mixture Substance

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

### **SECTION 4 First Aid Measures**

#### Description of first aid measures:

**Eye contact** Immediately flush eyes with plenty of water, occasionally lifting

the upper and lower eyelids. Check for and remove any contact

lenses. Get medical attention if irritation occurs.

**Inhalation** Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get medical attention if breathing

becomes difficult.

**Skin contact** Flush contaminated skin with plenty of water. Remove

contaminated clothing and shoes. Get medical attention if

irritation Occurs.

**Ingestion** Wash out mouth with water. Remove victim to fresh air and keep

at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop giving water if the exposed person feels sick as vomiting may be dangerous. Get

medical attention if symptoms occur.

Potential symptoms and effects from acute exposures:

Eye contactMay cause mechanical irritation(Abrasion).InhalationNo known significant effects or critical hazards.Skin contactMay cause mechanical irritation(Abrasion).IngestionNo known significant effects or critical hazards.

Potential Symptoms and effects from over-exposures:

Eye contactNo specific data.InhalationNo specific data.Skin contactNo specific data.IngestionNo specific data.

**Potential Chronic Health effects** 

No known significant effects or critical hazards.

Recommendations for immediate medical attention/treatment:

**Notes to physician** Treat symptomatically. No specific treatment.

**Protection of first-aiders** No special measures required.

See toxicological information(Section 11)

### **SECTION 5** Fire-fighting measures

## Extinguishing media:

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire. In

case of fire, use water spray(fog), foam or dry chemical.

Unsuitable extinguishing

media None known.

Specific hazards arising

**from the chemical** No specific fire or explosion hazard.

**Hazardous thermal** 

**decomposition products** No specific data.

## **SECTION 5** Fire-fighting measures

### Special protective actions for firefighters

Evacuate area. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

### Special protective equipment for fire-fighters

Positive pressure self-contained breathing apparatus(SCBA) and structural firefighters' protective clothing will provide adequate protection.

#### **SECTION 6 Accidental release measures**

## Personal precautions, Protective equipment and

emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personal from entering. Do not touch or walk through spilled material. Avoid breathing dust. Put on appropriate personal protective equipment.

#### **Environmental precautions**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution(Sewers, waterways, soil or air).

# Methods and materials for

containment and cleaning up Move containers from spill area. Approach release from upwind. Vacuum or sweep up material and place in a designed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. Prevent entry into sewers, water courses, basements or confined areas.

## **SECTION 7** Handling and storage

#### Precautions for safe handling

Protective measures:

Avoid breathing dust. Remove

contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. Put on appropriate personal protection equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

#### Conditions for safe storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Empty containers or liners may retain some product residues.

## **SECTION 8** Exposure controls/personal protection

#### Occupational exposure limits

No exposure limit value known.

Appropriate engineering

**Controls** 

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or

statutory limits.

Personal protection

**Hygiene measures** Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate contaminated clothing before using. Ensure that eyewash stations and safety shower are close to the workstation location.

**Eye/face protection** If contact with product is possible, wear safety glasses with side

shields. Skin protection: Wear suitable protective clothing and gloves. Suitable protective footwear. Respiratory protection: Dust-Production mask if there is a risk of dust formation.

Medical Surveillance Not available.

## **SECTION 9 Physical and chemical properties**

Physical State Solid. Powder Color Brown.
Odor Odorless.
Odor threshold Not available.

**Ph** 5 to 8(Conc.(% w/w): 5%)

Boiling pointNot available.Melting point> 1000 °C(>1832°F)Flash pointNot available.Evaporation rateNot available.

Evaporation rate
Explosion limits
Vapor pressure

Not available.
Not available.
Not available.

Specific gravity

(Relative density) 4-5

**Density** approx. 4.5 g/cm<sup>3</sup> at 20 °C

**Solubility** Insoluble in the following materials: cold water.

Partition coefficient

noctanol/waterNot availableVapor densityNot availableViscosityNot availableAuto-ignition temperatureNot availableDecomposition temperatureNot available

## **SECTION 10 Stability and Reactivity**

**Reactivity** Reacts slowly with water forming hydrated compounds, releasing

heat and producing a strong alkaline solution until reaction is

substantially complete.

## **SECTION 10 Stability and Reactivity**

**Chemical Stability** The product is stable.

Possibility of hazardous

**Reactions** Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid Excessive temperatures. At temperatures greater than 176 F

(80C), this product may become unstable and slowly auto-oxidize into Fe2O3 which generates additional heat. Under certain conditions this heat may be sufficient to cause

combustible materials to ignite.

Incompatible materials

Hazardous decomposition

**Products** Under normal conditions of storage and use, hazardous

No specific data.

decomposition products should not be produced.

## **SECTION 11 Toxicological information**

Routes of exposure-Dermal contact, Eye contact, Inhalation and Ingestion.

### Potential accurate health effects

Eye contactMay cause mechanical irritation(abrasion).InhalationNo known significant effects or critical hazardsSkin contactMay cause mechanical irritation(abrasion).IngestionNo known significant effects or critical hazards.

## Symptoms related to the physical, chemical and toxicological characteristics:

Eye contactNo specific data.InhalationNo specific data.Skin contactNo specific data.IngestionNo specific data.

### Potential chronic health effects

Short term exposure:

Potential immediate effects Not available.

Long term exposure

Potential delayed effects Not available.

GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

## Numerical measures of toxicity: Information on toxicological effects

**Acute effects** May be harmful by inhalation, ingestion, or skin absorption.

Cause eye and skin irritation.

ORAL Ld 50 -----5000 mg / kg (rat)

\*EYE EFFECTS----: Non- Irritation to rabbit eyes

\*EYE EFFECTS----: Non- Irritation to rabbit skin (24 hours)

\*Based on results from a similar product

## **SECTION 12 Ecological information**

#### Toxicity

Persistence and degradability There is no data available. There is no data available. Bioaccumulation potential

Mobility in soil Soil/water partition coefficient(Koc): Not available. Other adverse effects No known significant effects or critical hazards.

## **SECTION 13 Disposal considerations**

When handling waste, consideration should be made to the **WASTE MANAGEMENT** 

safety precautions applying to handling of the product. Refer to

Section 7.

**DISPOSAL METHODS** Material which cannot be re-used should be disposed of in

> accordance with federal, state and local environmental control regulations at an authorized site by an approved contractor. This product when discarded as sold is not an RCRA

hazardous waste. However, under RCRA, it is the responsibility

of the product user to determine at the time of disposal. whether a material containing the product or derived from the

product should be classified as a hazardous waste.

(40CFR261.20-24)

**WASTE CLASS** Non Hazardous

## **SECTION 14 Transport Information**

| Transport     | DOT            | IMDG           | IATA          |
|---------------|----------------|----------------|---------------|
| Parameters    | Classification |                |               |
| UN Number     | -              | -              | -             |
| UN Proper     | -              | -              | -             |
| Shipping Name |                |                |               |
| Transport     | -              | -              | -             |
| Hazard Class  |                |                |               |
| Packing Group | -              | -              | -             |
| Additional    | Not regulated. | Not regulated. | Not regulated |
| Information   |                |                |               |

## **SECTION 15 Regulatory Information**

Status under SARA(311/312)

Status under SARA Tile III Section 302 None.

**Extremely Hazardous Substances** 

Not applicable.

Status under SARA Tile III Section 313 This product does not contain toxic chemical subject

to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization

Act of 1986 and 40 CFR Part 372.TSCA:The ingredients of this product are on the TSCA

Inventory.

None

Status under US EPA CERCLA

## **SECTION 15 Regulatory Information**

## Hazardous Substances(40 CFR 302)

### State regulations

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections on the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

Ingredient name CAS Number State Code Concentration(%)

C.I.Pigment Red 101 1309-37-1 50-60% C.I.Pigment Black 11 1317-61-9 40-50%

Massachusetts Substances MA-S

Massachusetts Extraordinary

Hazardous Substances MA-Extra HS

New Jersey Hazardous

Substances NJ-HS

Pennsylvania RTK Hazardous

Substances PA-RTK HS

Pennsylvania Special

Hazardous Substances PA-Special HS

#### **Status under California Prop 65**

Potential exposure to some or all of the California Proposition 65 chemicals in this product have been determined to be below the No Significant Risk Level(NSRL) To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive(R) harm.

## U.S.Toxic Substances

**Control Act** 

### **SECTION 16 Other information**

Hazardous Material Information System:

| Health           | 1 |
|------------------|---|
| Flammability     | 0 |
| Physical hazards | 0 |
|                  |   |

Listed on the TSCA Inventory.

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme \*=Chronic

The customer is responsible for determining the PPE code for this material. National Fire Protection Association (U.S.A.):

## **SECTION 16 Other information**



0= Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

Yipin' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by Yipin as a customer service. Notice to reader:

**Approval or Revision History** 

Date of Issue: (mm/dd/yyyy) 07/28/2014

**Revision** May 2015 Revised Section(S) per HCS-GHS

Notice to Reader The above information is believed to be correct but does not

purport to be all inclusive and shall be used only as a guide. It is provided solely for the customer's consideration, investigation and verification. Hereby specifically claims. It shall not be held liable for any damage resulting from handling or from contact

with the above products.

Seller makes no warranty, express or implied, concerning the product or the merchantability or fitness thereof for any purpose or concerning the accuracy of any information provided by Yipin.