


n


1



Pairwise n = 10
Pearson r = -0.636
Explained Variance = 40.45%
 $y = -0.0001x + 0.0377$
Angle = 0

n

1



Pairwise n = 10
Pearson r = -0.3745
Explained Variance = 14.03%
 $y = -0.0035x + 6.0156$
Angle = -0.2


n

1

Pvalue

Observations

Pairwise n = 10
Pearson r = 0.3782
Explained Variance = 14.31%
 $y = 0.0004x + 0.3563$
Angle = 0.02




n

1

Baseline chisq

Observations

Pairwise n = 10
Pearson r = 0.9919
Explained Variance = 98.39%
 $y = 1.7917x + 87.0446$
Angle = 60.83




n

1

Cfi


Observations

Pairwise n = 10
Pearson r = 0.5307
Explained Variance = 28.17%
 $y = 0x + 0.9905$
Angle = 0



n


1



Pairwise n = 10
Pearson r = 0.4782
Explained Variance = 22.87%
 $y = 0x + 0.9842$
Angle = 0

n

1



Pairwise n = 10
Pearson r = 0.4782
Explained Variance = 22.87%
 $y = 0x + 0.9842$
Angle = 0


n

1

Rfi

Observations

Pairwise n = 10
Pearson r = 0.6581
Explained Variance = 43.31%
 $y = 0.0001x + 0.9402$
Angle = 0





n

1

Nfi

Observations

Pairwise n = 10
Pearson r = 0.6581
Explained Variance = 43.31%
 $y = 0x + 0.9701$
Angle = 0



n

1

Pnfi

Observations

Pairwise n = 10
Pearson r = 0.6581
Explained Variance = 43.31%
 $y = 0x + 0.485$
Angle = 0

0.51

0.50

0.49



0.48

0.47

250

500

750





n

1

Ifi


Observations

Pairwise n = 10
Pearson r = 0.4766
Explained Variance = 22.71%
 $y = 0x + 0.9924$
Angle = 0



n


1



Pairwise n = 10
Pearson r = 0.4782
Explained Variance = 22.87%
 $y = 0x + 0.9921$
Angle = 0

n

1



Pairwise n = 10
Pearson r = -0.9999
Explained Variance = 99.98%
 $y = -8.0784x + -30.4084$
Angle = -82.94



n

1

Unrestricted logI

Observations

Pairwise n = 10
Pearson r = -0.9999
Explained Variance = 99.98%
 $y = -8.0801x + -27.4006$
Angle = -82.94



n

1

Aic

16000

12000

8000

4000



250

500

750

Observations

Pairwise n = 10
Pearson r = 0.9999
Explained Variance = 99.98%
 $y = 16.1568x + 80.8169$
Angle = 86.46




n

1

Bic

Observations

Pairwise n = 10
Pearson r = 0.9999
Explained Variance = 99.98%
 $y = 16.1847x + 106.2389$
Angle = 86.46



n

1

Ntotal

Observations

Pairwise n = 10
Pearson r = 1
Explained Variance = 100%
 $y = 1x + 0$
Angle = 45

750

250

500

750


n

1

Bic2

Observations

Pairwise n = 10
Pearson r = 0.9999
Explained Variance = 99.98%
 $y = 16.1845x + 74.6778$
Angle = 86.46




n

1

Rmse

Observations

Pairwise n = 10
Pearson r = -0.4992
Explained Variance = 24.92%
 $y = -0.0001x + 0.0464$
Angle = 0



n

1

Rmse ci upper

0.2

0.1

0.0



250

500

750

Observations

Pairwise n = 10
Pearson r = -0.7208
Explained Variance = 51.96%
 $y = -0.0002x + 0.1529$
Angle = -0.01





n

1

Rmse pvalue

Observations

Pairwise n = 10
Pearson r = 0.7218
Explained Variance = 52.1%
 $y = 0.0006x + 0.4955$
Angle = 0.04



n

1

Rmse notclose pvalue

0.50

0.25

0.00

-0.25

250

500

750

Observations

Pairwise n = 10
Pearson r = -0.6594
Explained Variance = 43.48%
 $y = -0.0005x + 0.3353$
Angle = -0.03

n

1

Rmr

0.08

0.04

0.00


250

500

750


Observations

Pairwise n = 10
Pearson r = -0.7386
Explained Variance = 54.56%
 $y = -0.0001x + 0.0681$
Angle = 0



n

1



Pairwise n = 10
Pearson r = -0.7386
Explained Variance = 54.56%
 $y = -0.0001x + 0.0681$
Angle = 0

n

1

Smr

0.04

0.02

0.00



250

500

750


Observations

Pairwise n = 10
Pearson r = -0.7176
Explained Variance = 51.49%
 $y = 0x + 0.0321$
Angle = 0



n

1



Pairwise n = 10
Pearson r = -0.7176
Explained Variance = 51.49%
 $y = 0x + 0.0321$
Angle = 0

n

1

Srmr bentler nomean

0.04

0.02

0.00


250

500

750


Observations

Pairwise n = 10
Pearson r = -0.7176
Explained Variance = 51.49%
 $y = 0x + 0.0321$
Angle = 0



n


1



Pairwise n = 10
Pearson r = -0.7176
Explained Variance = 51.49%
 $y = 0x + 0.0393$
Angle = 0

n


1




Pairwise n = 10
Pearson r = -0.7176
Explained Variance = 51.49%
 $y = 0x + 0.0393$
Angle = 0

n

1



Pairwise n = 10
Pearson r = -0.7176
Explained Variance = 51.49%
 $y = 0x + 0.0321$
Angle = 0



n

1

Srmr mplus nomean

0.04

0.02

0.00


250

500

750

Observations

Pairwise n = 10
Pearson r = -0.7176
Explained Variance = 51.49%
 $y = 0x + 0.0321$
Angle = 0



n

1

Cn 05

10000

0


250

500

750

Observations

Pairwise n = 10
Pearson r = 0.5438
Explained Variance = 29.57%
 $y = 9.6489x + -1418.2831$
Angle = 84.08



n

1

Cn 01

20000
10000
0
-10000



250

500

750

Observations

Pairwise n = 10
Pearson r = 0.5438
Explained Variance = 29.57%
 $y = 13.149x + -1933.1219$
Angle = 85.65



n

1

Gfi

1.02

1.00

0.98

0.96

0.94


250

500

750

Observations

Pairwise n = 10
Pearson r = 0.6381
Explained Variance = 40.72%
 $y = 0x + 0.9715$
Angle = 0




n

1

Agfi

Observations

Pairwise n = 10
Pearson r = 0.6381
Explained Variance = 40.72%
 $y = 0.0001x + 0.9146$
Angle = 0.01




n

1

Pgfi


Observations

Pairwise n = 10
Pearson r = 0.6381
Explained Variance = 40.72%
 $y = 0x + 0.3238$
Angle = 0



n

1



Pairwise n = 10
Pearson r = 0.4808
Explained Variance = 23.12%
 $y = 0x + 0.9903$
Angle = 0

n

1

Ecvi

0.4

0.2

0.0

-0.2

250

500

750

Observations

Pairwise n = 10
Pearson r = -0.6967
Explained Variance = 48.53%
 $y = -0.0004x + 0.298$
Angle = -0.02

