

n

1

Fmin

0.04

0.02

0.00

0

2500

5000

7500


10000

Observations

Pairwise n = 100
Pearson r = -0.3969
Explained Variance = 15.76%
 $y = 0x + 0.0087$
Angle = 0

n


1



Pairwise n = 100
Pearson r = 0.8413
Explained Variance = 70.77%
 $y = 0.0052x + 5.1763$
Angle = 0.3

n

1



Pairwise n = 100
Pearson r = -0.4492
Explained Variance = 20.18%
 $y = 0x + 0.0988$
Angle = 0

n

1

Baseline chisq

15000

10000

5000

0

0

2500


5000

7500

10000

Observations

Pairwise n = 100
Pearson r = 0.9989
Explained Variance = 99.79%
 $y = 1.8492x + -0.0115$
Angle = 61.6



n

1

Cfi

1.000

0.995

0.990

0.985

0

2500



5000

7500

10000

Observations

Pairwise n = 100
Pearson r = 0.2339
Explained Variance = 5.47%
 $y = 0x + 0.9961$
Angle = 0



n

1

T_{li}

1.00

0.99

0.98

0.97

0

2500

5000

7500

10000

Observations

Pairwise n = 100
Pearson r = 0.2265
Explained Variance = 5.13%
 $y = 0x + 0.9922$
Angle = 0

n

1

Nnfi

1.00

0.99

0.98

0.97

0

2500



5000

7500

10000

Observations

Pairwise n = 100
Pearson r = 0.2265
Explained Variance = 5.13%
 $y = 0x + 0.9922$
Angle = 0



n

1

Rfi

1.000

0.975

0.950

0.925

0

2500


5000

7500

10000

Observations

Pairwise n = 100
Pearson r = 0.444
Explained Variance = 19.72%
 $y = 0x + 0.9825$
Angle = 0



n

1

Nfi

Observations

Pairwise n = 100
Pearson r = 0.444
Explained Variance = 19.72%
 $y = 0x + 0.9913$
Angle = 0

1.00
0.99
0.98
0.97
0.96



0

2500

5000

7500

10000




n

1

Pnfi

Observations

Pairwise n = 100
Pearson r = 0.444
Explained Variance = 19.72%
 $y = 0x + 0.4956$
Angle = 0



n

1

Ifi

1.000

0.995

0.990

0.985

0

2500

5000

7500

10000

Observations

Pairwise n = 100
Pearson r = 0.2231
Explained Variance = 4.98%
 $y = 0x + 0.9961$
Angle = 0

n

1

Rni

1.000

0.995

0.990

0.985

0

2500



5000


7500

10000



Observations

Pairwise n = 100
Pearson r = 0.2265
Explained Variance = 5.13%
 $y = 0x + 0.9961$
Angle = 0








n
1



Pairwise n = 100
Pearson r = -1
Explained Variance = 100%
 $y = -8.228x + 4.9816$
Angle = -83.07



n
1



Pairwise n = 100
Pearson r = -1
Explained Variance = 100%
 $y = -8.2254x + 7.5697$
Angle = -83.07


n

1

Aic

Observations

Pairwise n = 100
Pearson r = 1
Explained Variance = 100%
 $y = 16.456x + 10.0369$
Angle = 86.52




n

1

Bic


Observations

Pairwise n = 100
Pearson r = 1
Explained Variance = 100%
 $y = 16.459x + 57.279$
Angle = 86.52




n

1



Pairwise n = 100
Pearson r = 1
Explained Variance = 100%
 $y = 1x + 0$
Angle = 45





n

1

Bic2


Observations

Pairwise n = 100
Pearson r = 1
Explained Variance = 100%
 $y = 16.459x + 25.5386$
Angle = 86.52



n

1



Pairwise n = 100
Pearson r = -0.1284
Explained Variance = 1.65%
 $y = 0x + 0.0347$
Angle = 0

n

1

Rmse ci lower

0.03

0.02

0.01

0.00

0

2500

5000

7500

10000

Observations

Pairwise n = 100
Pearson r = 0.5682
Explained Variance = 32.28%
 $y = 0x + 0.0087$
Angle = 0

n

1

Rmse ci upper

0.20

0.15

0.10

0.05

0

2500

5000

7500


10000

Observations

Pairwise n = 100
Pearson r = -0.5348
Explained Variance = 28.6%
 $y = 0x + 0.0707$
Angle = 0

n


1



Pairwise n = 100
Pearson r = 0.6168
Explained Variance = 38.04%
 $y = 0x + 0.7302$
Angle = 0

n

1



Pairwise n = 100
Pearson r = -0.3796
Explained Variance = 14.41%
 $y = 0x + 0.0654$
Angle = 0

n

1

Rmr

0.06

0.04

0.02

0

2500

5000

7500


10000

Observations

Pairwise n = 100
Pearson r = -0.5042
Explained Variance = 25.42%
 $y = 0x + 0.0315$
Angle = 0

n

1



Pairwise n = 100
Pearson r = -0.5042
Explained Variance = 25.42%
 $y = 0x + 0.0315$
Angle = 0

n

1

S_{mr}

0.030

0.025

0.020

0.015

0.010

Observations

0



2500

5000

7500


10000

Pairwise n = 100
Pearson r = -0.5152
Explained Variance = 26.54%
 $y = 0x + 0.0157$
Angle = 0



n


1



Pairwise n = 100
Pearson r = -0.5152
Explained Variance = 26.54%
 $y = 0x + 0.0157$
Angle = 0

n

1



Pairwise n = 100
Pearson r = -0.5152
Explained Variance = 26.54%
 $y = 0x + 0.0157$
Angle = 0

n

1

Cmr


0.03

0.02

0.01

Observations

Pairwise n = 100
Pearson r = -0.5152
Explained Variance = 26.54%
 $y = 0x + 0.0192$
Angle = 0



n

1

Crmr nomean

0.03

0.02

0.01

Observations

0


2500

5000

7500


10000

Pairwise n = 100
Pearson r = -0.5152
Explained Variance = 26.54%
 $y = 0x + 0.0192$
Angle = 0



n


1



Pairwise n = 100
Pearson r = -0.5152
Explained Variance = 26.54%
 $y = 0x + 0.0157$
Angle = 0

n


1



Pairwise n = 100
Pearson r = -0.5152
Explained Variance = 26.54%
 $y = 0x + 0.0157$
Angle = 0

n


1



Pairwise n = 100
Pearson r = 0.3377
Explained Variance = 11.4%
 $y = 0.1027x + 1310.0489$
Angle = 5.87

n

1




n

1

Gfi

Observations

Pairwise n = 100
Pearson r = 0.4222
Explained Variance = 17.82%
 $y = 0x + 0.9934$
Angle = 0




n

1

Agfi

Observations


Pairwise n = 100
Pearson r = 0.4222
Explained Variance = 17.82%
 $y = 0x + 0.9802$
Angle = 0



n

1

Pgfi



Pairwise n = 100
Pearson r = 0.4222
Explained Variance = 17.82%
 $y = 0x + 0.3311$
Angle = 0


n

1

Mfi

Observations

Pairwise n = 100
Pearson r = 0.2351
Explained Variance = 5.53%
 $y = 0x + 0.9964$
Angle = 0



n

1

Ecvi

0.5

0.4

0.3

0.2

0.1

0.0

0

2500

5000

7500

10000

Observations

Pairwise n = 100
Pearson r = -0.3811
Explained Variance = 14.53%
 $y = 0x + 0.0579$
Angle = 0