


n

1



Pairwise n = 10
Pearson r = -0.7109
Explained Variance = 50.53%
 $y = 0x + 0.0244$
Angle = 0



n

1

Chisq

Observations

Pairwise n = 10
Pearson r = 0.0068
Explained Variance = 0%
 $y = 0.0001x + 5.3509$
Angle = 0




n

1

Pvalue

Observations

Pairwise n = 10
Pearson r = 0.0011
Explained Variance = 0%
 $y = 0x + 0.4404$
Angle = 0




n

1

Baseline chisq

Observations

Pairwise n = 10
Pearson r = 0.9928
Explained Variance = 98.57%
 $y = 1.9127x + 26.1189$
Angle = 62.4



n

1

Baseline pvalue

0.000000000000050

0.000000000000025

0.000000000000000

-0.000000000000025

250

500

750

Observations

Pairwise n = 10
Pearson r = -0.5222
Explained Variance = 27.27%
 $y = 0x + 0$
Angle = 0


n

1

Cfi

Observations

Pairwise n = 10
Pearson r = 0.2072
Explained Variance = 4.29%
 $y = 0x + 0.9975$
Angle = 0



n

1

T_{li}

1.02

1.01

1.00

0.99

0.98


250

500

750


Observations

Pairwise n = 10
Pearson r = -0.3771
Explained Variance = 14.22%
 $y = 0x + 1.0086$
Angle = 0



n

1



Pairwise n = 10
Pearson r = -0.3771
Explained Variance = 14.22%
 $y = 0x + 1.0086$
Angle = 0


n

1

Rfi

Observations

Pairwise n = 10
Pearson r = 0.6783
Explained Variance = 46.01%
 $y = 0.0001x + 0.946$
Angle = 0




n

1

Nfi

Observations

Pairwise n = 10
Pearson r = 0.6783
Explained Variance = 46.01%
 $y = 0x + 0.973$
Angle = 0




n

1

Pnfi


Observations

Pairwise n = 10
Pearson r = 0.6783
Explained Variance = 46.01%
 $y = 0x + 0.4865$
Angle = 0



n


1



Pairwise n = 10
Pearson r = -0.3665
Explained Variance = 13.43%
 $y = 0x + 1.004$
Angle = 0

n


1



Pairwise n = 10
Pearson r = -0.3771
Explained Variance = 14.22%
 $y = 0x + 1.0043$
Angle = 0

n

1




Pairwise n = 10
Pearson r = -0.9999
Explained Variance = 99.99%
 $y = -8.1127x + 25.2748$
Angle = -82.97

n

1

Unrestricted logI



Pairwise n = 10
Pearson r = -0.9999
Explained Variance = 99.99%
 $y = -8.1127x + 27.9502$
Angle = -82.97

n

1

Aic

Observations



Pairwise n = 10
Pearson r = 0.9999
Explained Variance = 99.99%
 $y = 16.2254x + -30.5495$
Angle = 86.47

16000
12000
8000
4000
0

250

500

750



n

1

Bic

Observations



Pairwise n = 10
Pearson r = 0.9999
Explained Variance = 99.99%
 $y = 16.2534x + -5.1275$
Angle = 86.48

16000
12000
8000
4000
0

250

500

750




n

1

Ntotal

Observations

Pairwise n = 10
Pearson r = 1
Explained Variance = 100%
 $y = 1x + 0$
Angle = 45



n

1

Bic2

Observations



Pairwise n = 10
Pearson r = 0.9999
Explained Variance = 99.99%
 $y = 16.2531x + -36.6886$
Angle = 86.48

16000
12000
8000
4000
0

250


500

750



n


1



Pairwise n = 10
Pearson r = -0.1164
Explained Variance = 1.36%
 $y = 0x + 0.0198$
Angle = 0

n

1




n

1

Rmse pvalue


Observations

Pairwise n = 10
Pearson r = 0.5901
Explained Variance = 34.83%
 $y = 0.0004x + 0.5776$
Angle = 0.02



n

1



Pairwise n = 10
Pearson r = -0.7064
Explained Variance = 49.9%
 $y = -0.0003x + 0.2194$
Angle = -0.02

n

1

Rmr

0.06
0.04
0.02
0.00



250

500

750


Observations

Pairwise n = 10
Pearson r = -0.7811
Explained Variance = 61.02%
 $y = 0x + 0.0517$
Angle = 0



n


1



Pairwise n = 10
Pearson r = -0.7811
Explained Variance = 61.02%
 $y = 0x + 0.0517$
Angle = 0

n


1



Pairwise n = 10
Pearson r = -0.7463
Explained Variance = 55.69%
 $y = 0x + 0.0284$
Angle = 0

n

1



Pairwise n = 10
Pearson r = -0.7463
Explained Variance = 55.69%
 $y = 0x + 0.0284$
Angle = 0

n

1

Smr bentler nomean

0.03

0.02

0.01

0.00



250

500

750


Observations

Pairwise n = 10
Pearson r = -0.7463
Explained Variance = 55.69%
 $y = 0x + 0.0284$
Angle = 0



n


1



Pairwise n = 10
Pearson r = -0.7463
Explained Variance = 55.69%
 $y = 0x + 0.0348$
Angle = 0

n


1



Pairwise n = 10
Pearson r = -0.7463
Explained Variance = 55.69%
 $y = 0x + 0.0348$
Angle = 0

n


1



Pairwise n = 10
Pearson r = -0.7463
Explained Variance = 55.69%
 $y = 0x + 0.0284$
Angle = 0

n

1



Pairwise n = 10
Pearson r = -0.7463
Explained Variance = 55.69%
 $y = 0x + 0.0284$
Angle = 0

n

1

Cn 05

3000
2000
1000
0
-1000



250

500

750


Observations

Pairwise n = 10
Pearson r = 0.8215
Explained Variance = 67.48%
 $y = 2.8606x + -158.9443$
Angle = 70.73




n

1




Pairwise n = 10
Pearson r = 0.8215
Explained Variance = 67.48%
 $y = 3.8982x + -216.9634$
Angle = 75.61



n

1



Pairwise n = 10
Pearson r = 0.7135
Explained Variance = 50.91%
 $y = 0x + 0.9808$
Angle = 0

n

1

Agfi

1.00

0.95

0.90


250

500

750

Observations

Pairwise n = 10
Pearson r = 0.7135
Explained Variance = 50.91%
 $y = 0.0001x + 0.9424$
Angle = 0




n

1

Pgfi

Observations

Pairwise n = 10
Pearson r = 0.7135
Explained Variance = 50.91%
 $y = 0x + 0.3269$
Angle = 0



n

1

Mfi

1.010

1.005

1.000

0.995


250

500

750


Observations

Pairwise n = 10
Pearson r = -0.3376
Explained Variance = 11.4%
 $y = 0x + 1.0035$
Angle = 0



n

1



Pairwise n = 10
Pearson r = -0.7236
Explained Variance = 52.36%
 $y = -0.0003x + 0.2715$
Angle = -0.02