


n

1

Fmin

Observations

Pairwise n = 100
Pearson r = -0.4836
Explained Variance = 23.39%
 $y = 0x + 0.0071$
Angle = 0




n

1

Chisq


Observations

Pairwise n = 100
Pearson r = 0.8204
Explained Variance = 67.3%
 $y = 0.0047x + 6.3084$
Angle = 0.27



n

1



Pairwise n = 100
Pearson r = -0.4521
Explained Variance = 20.44%
 $y = 0x + 0.165$
Angle = 0


n

1

Baseline chisq

Observations

Pairwise n = 100
Pearson r = 0.9993
Explained Variance = 99.85%
 $y = 1.8551x + -38.8655$
Angle = 61.67




n

1

Cfi


Observations

Pairwise n = 100
Pearson r = 0.1715
Explained Variance = 2.94%
 $y = 0x + 0.9965$
Angle = 0



n

1

T_{li}

Pairwise n = 100
Pearson r = -0.0505
Explained Variance = 0.25%
 $y = 0x + 0.9954$
Angle = 0

n

1

Nnfi

Observations

Pairwise n = 100
Pearson r = -0.0505
Explained Variance = 0.25%
 $y = 0x + 0.9954$
Angle = 0

1.05
1.03
1.01
0.99
0.97




0

2500

5000

7500


10000



n

1


Rfi



Pairwise n = 100
Pearson r = 0.488
Explained Variance = 23.82%
 $y = 0x + 0.985$
Angle = 0

n

1



Pairwise n = 100
Pearson r = 0.488
Explained Variance = 23.82%
 $y = 0x + 0.9925$
Angle = 0

n

1

Pnfi

0.500

0.496

0.492

0.488

0

2500



5000

7500

10000


Observations

Pairwise n = 100
Pearson r = 0.488
Explained Variance = 23.82%
 $y = 0x + 0.4962$
Angle = 0



n


1




Pairwise n = 100
Pearson r = -0.0472
Explained Variance = 0.22%
 $y = 0x + 0.9977$
Angle = 0

n



1



Pairwise n = 100
Pearson r = -0.0505
Explained Variance = 0.25%
 $y = 0x + 0.9977$
Angle = 0



n
1



Pairwise n = 100
Pearson r = -1
Explained Variance = 100%
 $y = -8.2252x + 2.9307$
Angle = -83.07

n

1

Unrestricted logl

0
-20000
-40000
-60000
-80000

0

2500


5000

7500

10000

Observations

Pairwise n = 100
Pearson r = -1
Explained Variance = 100%
 $y = -8.2229x + 6.0849$
Angle = -83.07




n

1

Aic

Observations

Pairwise n = 100
Pearson r = 1
Explained Variance = 100%
 $y = 16.4504x + 14.1387$
Angle = 86.52




n

1

Bic


Observations

Pairwise n = 100
Pearson r = 1
Explained Variance = 100%
 $y = 16.4534x + 61.3808$
Angle = 86.52




n

1



Pairwise n = 100
Pearson r = 1
Explained Variance = 100%
 $y = 1x + 0$
Angle = 45






n

1

Bic2

Observations

Pairwise n = 100
Pearson r = 1
Explained Variance = 100%
 $y = 16.4534x + 29.6404$
Angle = 86.52



n

1

Rmse

0.06

0.04

0.02

0.00

0

2500



5000

7500

10000

Observations

Pairwise n = 100
Pearson r = 0.0339
Explained Variance = 0.12%
 $y = 0x + 0.0299$
Angle = 0



n

1

Rmse ci lower

0.04
0.03
0.02
0.01
0.00

0

2500

5000

7500

10000

Observations

Pairwise n = 100
Pearson r = 0.5277
Explained Variance = 27.84%
 $y = 0x + 0.0089$
Angle = 0

n

1


Rmse ci upper


0.10

0.05

Observations


Pairwise n = 100
Pearson r = -0.5762
Explained Variance = 33.21%
 $y = 0x + 0.0658$
Angle = 0





n

1



Pairwise n = 100
Pearson r = 0.5549
Explained Variance = 30.79%
 $y = 0x + 0.7588$
Angle = 0

n

1

Rmse notclose pvalue

0.4

0.3

0.2

0.1

0.0

Observations

Pairwise n = 100
Pearson r = -0.3438
Explained Variance = 11.82%
 $y = 0x + 0.044$
Angle = 0


n

1

Rmr


Observations

Pairwise n = 100
Pearson r = -0.5014
Explained Variance = 25.14%
 $y = 0x + 0.0299$
Angle = 0



n


1



Pairwise n = 100
Pearson r = -0.5014
Explained Variance = 25.14%
 $y = 0x + 0.0299$
Angle = 0


n

1




n

1



n

1



n

1

Cmr


0.03

0.02

0.01


Observations

Pairwise n = 100
Pearson r = -0.47
Explained Variance = 22.09%
 $y = 0x + 0.0186$
Angle = 0



n


1



Pairwise n = 100
Pearson r = -0.47
Explained Variance = 22.09%
 $y = 0x + 0.0186$
Angle = 0

n


1



Pairwise n = 100
Pearson r = -0.47
Explained Variance = 22.09%
 $y = 0x + 0.0152$
Angle = 0

n

1



Pairwise n = 100
Pearson r = -0.47
Explained Variance = 22.09%
 $y = 0x + 0.0152$
Angle = 0

n

1

Cn 05



6000

4000

2000

0

Observations



Pairwise n = 100
Pearson r = 0.265
Explained Variance = 7.02%
 $y = 0.0948x + 1491.317$
Angle = 5.41


n

1

Cn 01


Observations

Pairwise n = 100
Pearson r = 0.265
Explained Variance = 7.02%
 $y = 0.1291x + 2031.923$
Angle = 7.36



n

1




n


1

Agfi



Observations

Pairwise n = 100
Pearson r = 0.4911
Explained Variance = 24.12%
 $y = 0x + 0.9833$
Angle = 0





n
1



Pairwise n = 100
Pearson r = 0.4911
Explained Variance = 24.12%
 $y = 0x + 0.3315$
Angle = 0

n

1

Mfi

1.02

1.01

1.00

0.99

0

2500

5000

7500

10000

Observations

Pairwise n = 100
Pearson r = -0.0592
Explained Variance = 0.35%
 $y = 0x + 0.998$
Angle = 0

n

1

Ecvi

Observations

Pairwise n = 100
Pearson r = -0.4004
Explained Variance = 16.03%
 $y = 0x + 0.0548$
Angle = 0

