

```
[user@localhost:~/cpython/case_studies$ cd 00.set_env/  
[user@localhost:~/cpython/case_studies/00.set_env$ ./build_and_setup.sh
```

Step 1: Building Python extensions...

running build_ext

copying build/lib.linux-x86_64-cpython-314-pydebug/jitexecleak.cpython-314d-x86_64-linux-gnu.so ->

Step 2: Copying .so files to ../run_dir...


Step 3: Copying AppArmor profile...

Step 4: Reloading AppArmor profile...

Step 5: Running security environment check...

=== [Trampoline Overwrite Experiment Pre-Check + Auto Patch] ===

[AppArmor] Checking AppArmor status...

[AppArmor]  91 profiles in enforce mode

[AppArmor profile]  Loaded for Python3.14

[Seccomp] Checking seccomp mode...

[Seccomp]  Disabled (mode 0)

[Auditd] Checking auditd status...

[Auditd]  Running (systemd)

[Auditd rules] Checking syscall audit rules...

[Auditd rules]  Found 6 syscall rules

It's ready to go!

```
[user@localhost:~/cpython/case_studies/00.set_env$ cd ../case1/
```

```
[user@localhost:~/cpython/case_studies/case1$ ./run_shell.sh
```

[*] code object @ 0x7f02e0f19970

[*] executor found at offset 222

[*] executor @ 0x587eb5c732a0

[*] executor->jit_code @ 0x7f02e0b29000

[*] executor->jit_size @ 65536

\$ 