


How RAPTOR works — every journey

Everyone

Admin only


Sign in, then pick a page from the top bar. Each numbered journey has its own slide.

Sign in



1 Sign in, or ask for access

THE TOP BAR



2 Make a schedule (7 slides)

6 Read the schedule (2 slides)

7 File an input or a medical (2 slides)

8 Update quals

9 Bid for leave (2 slides)

11 The Tracker (8 slides)

12 Let people in, add a person

3 Publish a day

10 Run the Leave War (3 slides)

13 Post out, archive, delete

4 Amend a published day

14 Squadron settings and rules (2 slides)

5 Alternate plans

15 Print, export and data

The two work flows — how these follow one another — are slides 2 and 3.


On every page:

16 Undo, redo and the change history

17 What happens by itself (4 slides)

The work flow — the life of a day


Who does what, in the order it happens. Under each stage: the slide that shows it.



Alongside the day: Quals (slide 19), the Tracker (25), Admin (33 on); what spreads by itself (39).

The work flow — the Leave War

A leave period from start to finish, as the app runs it. Under each stage: the slide that shows it.






The admin can decide bids in any stage but Draft, and can still add leave directly on the war; an approved leave on a published war is changed by stepping back to Bidding closed or on Inputs (D418).


Sign in, or ask for access

Everyone

Where The sign-in card → Admin → Users



 "Your request is with the admins"



- 1 Type the defence mail
- 2 Type a password
- 3 Sign in

- 4 Not on the list: your name
- 5 Pilot, WSO or personnel
- 6 Request access

- 7 Admin shows 1 waiting
- 8 Give access (or Refuse)

What to test

By hand, in the running app

- ☐ A wrong password on a real account shows "Incorrect username or password."
- ☐ A sign-in nobody knows opens Request access; Personnel hides the CAT box.
- ☐ Signing in again while waiting shows the waiting screen, not the form.
- ☐ The admin sees a 1 on the Admin tab, "1 waiting for access" and the bell lit.
- ☐ Give access opens New person already filled in; he then signs in as a member.

Automated tests that cover it


`accounts-ui.test.tsx` request → waiting; the Admin tab counts it
`accounts-newperson.test.tsx` Give access filled in; the bell lights
`onedoor-users.test.tsx` Give access / Refuse; Post in asked
`accounts.test.ts` a new user joins either way
`e2e/geometry.spec.ts` the sign-in cards fit desktop and phone

Two ways to edit: the week and the board

Admin only

Where Edit Schedule · the Scheduler Board


Edit Schedule — the week: the big picture, smaller edits



1 Tap a day's date to open its board

- All seven days side by side: drag a puck to another day
- The Amendments panel, the export buttons, the week picker
- Fill seats, type times, sign and publish — as on the board

The Scheduler Board — one day, every tool



2 ✓ Done goes back to the week

- Add: + Note, + Item, + Wave, + Line, + Block, + Row, + Inputs
- Per row: CX cancel, flag, info, X; Auto sort, Sort all, drag rows
- Its issue list is always open, beside the crew list

What to test

By hand, in the running app

- ☐ The date in a day heading opens the board on that day; ✓ Done returns to the week.
- ☐ A change on the board shows on the week, and the other way round.
- ☐ Both have: sign-off and Publish, the plan selector, Templates, drag, tap-to-arm and right-click remove.


Automated tests that cover it

board.test.tsx the board's adds, kinds and templates
boardnav.test.tsx the board's day and week stepping
editweek.test.tsx the week's editing, arm and plant

A day from nothing: the first steps

Admin only

Where Edit Schedule · the Scheduler Board



1 Templates: apply or save one
 Saved day templates listed here

2 + Item on the programme
 3 Type what it is

4 + Wave
 5 Flying wave, SC, AVALON or BB

6 + Line in the wave
 7 Callsign, then seats and times

What to test

By hand, in the running app

- ☐ A bare day (week of 27 Jul) says "No flying waves yet — + Wave above adds the first."
- ☐ A saved day template fills a draft day in one tap; a published day refuses it.
- ☐ + Wave offers Flying wave / SC / AVALON / BB and a ⚙ to manage wave templates.
- ☐ + Line adds a blank line at the bottom of the wave ("Line added").


Automated tests that cover it

`daytplui.test.tsx` save / apply a day template; published refuses
`board.test.tsx` + Line, + Wave kinds, × Wave
`wavepicker.test.tsx` the wave kinds and saved templates
`wavedefault-add.test.tsx` a new wave lands in the set order

Duties, sims and the ground programme

Admin only

Where Edit Schedule · the Scheduler Board



- 1 + Block under Duties
- 2 A duty template: Standard...

- 3 + Row for one more desk
- ☐ The template's roles land

- 4 Sims: + Block (brief, box, debrief)

- 5 Ground: + Item
- 6 + Inputs: file for a person

What to test

By hand, in the running app

- ☐ Standard gives SDO / SXO / OPS O rows; the pencil in the menu edits the templates.
- ☐ A sims + Block adds BRIEF, BOX and DEBRIEF rows together.
- ☐ + Inputs on the Ground Programme files an input for a person and lands his row ("Input added to the Ground Programme").
- ☐ SANS and Unavailable have their own + Add for leave, medical and SANS.

Automated tests that cover it

`board.test.tsx` + Block offers the duty templates
`DutyTplModal.test.tsx` a duty template: rows, new, delete
`boardaddinput.test.tsx` adding an input through the board
`dutytpl.test.ts` a template copies onto the day


Every way to put a person on a seat (1 of 2)

Admin only

Where Edit Schedule · the Scheduler Board


All of these work on the week and on the board, unless it says.

WAY A Drag from the crew list




- 1 Pick up a name
- 2 Drop on + ADD or a seat

WAY B Tap the seat, then a name




- 1 The seat arms, list narrows
- 2 Tap a free name

WAY C ALL AVAIL or ALL



- 1 A placeholder, dragged in
- 2 Any seat but a jet's

WAY D Seat to seat, or day to day



- 1 Drag a puck already on
- 2 Onto an empty seat: he moves

What to test

By hand, in the running app

- ☐ A dropped name leaves the FREE count (it drops by one) and Undo lights up.
- ☐ Tapping an empty seat rings it and strikes the names who are not free, with their reason.
- ☐ ALL on a jet seat is refused: "ALL — cannot crew a jet..."
- ☐ Dragging a puck to another day moves him (week only); onto another puck swaps the two.

Automated tests that cover it

`e2e/geometry.spec.ts` a real mouse drag lands on the pointer machine
`drag.test.tsx` roster to seat, swaps, drag-off removes
`editweek.test.tsx` arm a seat, then plant a name
`palette.test.ts` the crew list carries ALL AVAIL and ALL


Every way to put a person on a seat (2 of 2)

Admin only

Where Edit Schedule · the Scheduler Board


A tap on a name first does not place him — it lights every copy of him. The search box only highlights.

WAY A + Inputs on the board




1 Person, type, times, Add

WAY B Accept a personal input



1 ACCEPT puts him on the day

WAY C A member files an activity



☐ It lands on the day by itself

What to test

By hand, in the running app

- ☐ An activity input (a meeting, an appointment) lands on its day by itself; UNDO takes it off, ACCEPT puts it back.
- ☐ On a published day a landed input reads as a pending change instead.
- ☐ Loading a template, switching plans and Undo also put pucks back — whole-day copies.

Automated tests that cover it

`boardaddinput.test.tsx` adding through the board

`accept.test.ts` accept and unaccept an input

`inputground.test.ts` an activity lands on its day by itself

Take off, cancel, put in order

Admin only


Where Edit Schedule · the Scheduler Board

WAY A Right-click to remove




1 Right-click the puck

WAY B Drag it off




1 Onto the crew list
Back in the free list

WAY C Cancel, not delete (board)



1 A reason: WX, OPS, LOGS
2 Cancel line

WAY D Put rows in order (board)



1 Auto sort by start time

What to test

By hand, in the running app

- ☐ Right-click removes with a toast ("Trident removed"); Undo brings him back.
- ☐ CX keeps the line and prints "CX DUE WX"; Un-cancel restores it.
- ☐ Auto sort puts one section in time order; Sort all asks first, then sorts the day in one undo.
- ☐ A row's grip drags it up or down; a section's :: grip moves the whole section (display only).




Automated tests that cover it

`drag.test.tsx` drag-off removes
`sort.test.ts` Auto sort and Sort all
`rowdrag.test.tsx` dragging rows, waves and sections
`audit-d-sortall-undo.test.tsx` Sort all is one undo

Check the day: the issues

Admin only

Where Edit Schedule · the Scheduler Board



1 Tap "N issues · tap to review"

One line per issue

- Tap an issue: the week jumps
- to the puck and lights it

- On the board the list
- is always open

What to test

By hand, in the running app

- ☐ The bar opens the day's list; tap it again to fold it.
- ☐ Tapping an issue scrolls to the puck and lights its crew in the warning colours.
- ☐ An X on an issue hides it on both the week and the board; Undo shows it again.


Automated tests that cover it

`warnjump.test.tsx` an issue click scrolls to the puck
`interact.test.tsx` the issues bar opens and folds
`warnmute-week.test.ts` one hide, both surfaces

Publish a day

Admin only

Where Edit Schedule



1 Open Edit Schedule

2 Pick the week

3 Pick the four sign-off names

4 Press Publish day

The day wears ORIG

Unpublish appears

View-only Sched shows ORIG

"Original — as issued"

What to test

By hand, in the running app

- ☐ Publish day stays locked until all four names are picked; its hover hint names who is missing.
- ☐ After publishing: the ORIG tag, the signed line, and "Monday published — APPROVED".
- ☐ A member (us / us) sees the issued day on View-only Sched and has no Edit Schedule.
- ☐ Reload the page: the day is still published.
- ☐ Change anything after signing: the names clear and Publish locks again.


Automated tests that cover it

`pubsweep.test.tsx` sign, publish, ORIG, what viewers see
`publish.test.ts` the four sign-off roles; three of four stays locked
`signbind.test.ts` an edit after signing clears the names
`unpublish-button.test.tsx` Unpublish shows only where it should
`am-01-basics.mjs` walk script: the same, in a real browser


Amend a published day

Admin only


Where Edit Schedule (or the board)




- ☐ Published: ORIG
- ☐ Sign-offs empty again



- 1 Change something
- ☐ "1 pending", "Not yet signed"



- 2 Sign the four again
- 3 Publish AL1



- ☐ The day wears AL1
- 4 Unpublish takes it back

What to test

By hand, in the running app

- ☐ Any change on a published day shows "1 pending" and "Not yet signed"; Publish AL1 stays locked until all four sign.
- ☐ The changed detail carries a pending mark; after publishing it wears a solid AL1 tag.
- ☐ A second change after signing drops all four names again.
- ☐ Unpublish: "AL1 withdrawn — its changes are back on the working copy as pending".
- ☐ Members keep seeing the issued version until AL1 goes out.

Automated tests that cover it

`editweek.test.tsx` an edit grows the AL button, gated on signing
`amendretest.test.tsx` Not yet signed / Not yet published
`publish-commit.test.ts` the Original, then each AL recorded
`unpublish-commit.test.ts` Unpublish re-opens only what differs
`e2e/amendbatch.spec.ts` a changed puck wears its ALn tag





Alternate plans

1 click

what you should see

Admin only

Where Edit Schedule — the plan selector



1 Open the plan selector

2 + Alt Plan

Issued versions: look only

3 Tap a plan to make it live

The live plan is marked •

The day now shows Plan A

Differences mark as the next AL

4 Back to live copy

5 Load onto working copy

What to test

By hand, in the running app


- ☐ + Alt Plan renames the current day to Plan A and makes Plan B the live day.
- ☐ Switching is plain editing: on a published day the differences show as pending marks, no review screen.
- ☐ The toast says how the plan compares with what was issued ("matches Original — nothing pending").
- ☐ Issued rows only look; Load onto working copy asks first if edits are pending.
- ☐ Manage plans renames or deletes a plan.

Automated tests that cover it

`planselector.test.tsx` the label states, switch, preview
`draftsui.test.tsx` the menu, + Alt Plan, a published switch
`editweek.test.tsx` preview a version, load onto working copy
`drafts.test.ts` plans kept per day

Read the schedule

Everyone

Where **View-only Sched**

1 Jump to a date

2 Or tap a week

3 Tap any day to go to it

4 A published day: its versions

The working draft, stamped

5 Tap the issues bar

What the checks found

What to test

By hand, in the running app

- ☐ A member's top bar has no Edit Schedule and no Admin.
- ☐ A published day opens on "Original — as issued"; "Working draft — not issued" shows the live copy under a stamp.
- ☐ An unpublished day shows DRAFT and no version picker.
- ☐ The issues bar opens and folds the list.

Automated tests that cover it


`draftsui.test.tsx` issued by default; working copy under a banner
`interact.test.tsx` the issues bar opens and folds
`weeknav.test.ts` the week picker and its window
`odds.test.tsx` the phone menu's calendar and Today

Other ways to move about

Everyone

Where **View-only Sched**


WAY A Day arrows (desktop)



1 One press, one day

"Day 2-4 of 7"

WAY B Next-week preview



1 Tap a greyed day to load it


WAY C Phone: swipe



● One day fills the screen

Swipe to the next day

WAY D Phone: the menu



1 Menu

2 Pick a date...

What to test

By hand, in the running app

- ☐ At the week's end the › arrow crosses into the next week.
- ☐ Clicking a next-week day loads that week and lands on it.
- ☐ On a phone a swipe off Sunday or Monday changes week.




Automated tests that cover it

`pan.test.tsx` arrows move whole days; the edge crosses weeks
`peek.test.tsx` a peek day lands and loads
`swipeweeks.test.tsx` a swipe off the end changes week

File an input or a medical

Everyone

Where Inputs



1 Pick the day(s)

2 The type

3 Times, if not all day

4 Remarks

5 Add input

☐ It is on the list☐ And on that day's schedule

● A medical, with its document:

☐ the Medical view shows him

What to test

By hand, in the running app

- ☐ A member files for himself only (the person is fixed); an admin picks anyone.
- ☐ An input filed less than two weeks ahead wears LATE; a downchit never does.
- ☐ A medical type asks for its document; adding without one asks first.
- ☐ The Medical button counts "down now" (red) and "owing an upchit" (amber).

Automated tests that cover it

`inputs.test.tsx` a member files for himself; add and delete
`docconfirm.test.tsx` a medical without a document asks
`medicalview.test.tsx` the three sections; a card opens its document
`e2e/medical.spec.ts` the Medical view fits desktop and phone
`lateinput.test.ts` the LATE mark; downchits never

Other ways to file an input

Everyone


Where Inputs

WAY A The Calendar view




- A day → + Input
- 1 Type, times, remarks
- 2 Add

WAY B + Inputs on the board (admin)



- 1 For any person, that day

WAY C Leave through the Leave War



- An approved bid becomes
- his leave input (journey 10)

What to test

By hand, in the running app


- ☐ The Calendar view opens on the real month; < steps back to the demo July.
- ☐ An input added on the board shows on the Inputs page at once.
- ☐ An approved Leave War bid appears on the Inputs page at Approve.

Automated tests that cover it

`inputscal.test.tsx` the day popover; hold to add
`boardaddinput.test.tsx` adding through the board
`sync.test.ts` approving turns bids into one input


Update quals

Everyone

Where Quals

- 1

Enable editing
- Pilots, WSOs, Personnel, All




- 2

Tick your own box
- 3

Your CAT



- Another's row refuses



- 4

Admin: Edit quals
- 5

A new qualification
- 6

Add a column

What to test

By hand, in the running app




- ☐ A tick takes effect at once; "Save changes" only leaves edit mode.
- ☐ A member edits only his own row: "You can only edit your own row".
- ☐ An admin edits any row, renames callsigns and adds or removes columns.
- ☐ A change in Quals re-checks the week (a lapsed qual warns at once).

Automated tests that cover it

`quals-write.test.ts` own row only; admin any row
`quals.test.tsx` a member ticks but cannot reshape
`quals.test.tsx` a tick or CAT change re-checks the week
`qualcols.test.ts` a new column, kept after reload

Bid for leave

Everyone

Where **Leave War** — your own row

- 1 Leave War
- 2 Fold the Manning away
- 3 And the figures
- ☐ The stage: open for bidding

- 4 Tap a day on your row

- 5 Whole day, AM or PM
- 6 The leave
- ☐ Below zero: tap again

- ☐ The bid, plain until answered
- ☐ Your balance moves

What to test

By hand, in the running app

- ☐ A tap on someone else's row opens nothing; a member bids only on his own.
- ☐ A bid lands plain; an admin's answer colours it (green approved, purple Ack, red refused).
- ☐ Going below zero asks once ("Tap the same leave again"), then writes.
- ☐ Bids only inside the "Bidding on" dates; once Bidding closed, a member's tap opens nothing.

Automated tests that cover it

`e2e/leavewar.spec.ts` a bid lands plain; own row only
`bidding.test.tsx` placing a bid; below zero asks once
`window.test.tsx` the bidding window on screen
`e2e/leavewar.spec.ts` closing the war locks members out

Other ways to bid, and after publishing

Everyone


Where **Leave War** — your own row

WAY A Drag across days




- 1 Press the first day
- 2 Release on the last
- 3 The leave

WAY B Pick a range in the sheet



- 1 Pick a range
- 2 The last day
- 3 The leave

WAY C Published: your remarks



- 1 Your approved day
- 2 Remarks
- 3 Save

What to test

By hand, in the running app

- ☐ A drag fills the whole span in one go; today it can go below zero without asking (a fix is filed, D418).
- ☐ Pick a range opens a calendar on the tapped day.
- ☐ After publishing, a member opens only his own approved leave, for its remarks.


Automated tests that cover it

`e2e/leavewar.spec.ts` drag-selecting fills the whole span
`bidding.test.tsx` bidding over a range
`remarks.test.tsx` remarks on an approved leave

Run the Leave War


Admin only

Where Leave War



1 → Bidding closed

The stage now; + New



2 Tap a bid


3 Approve (or Ack, Refuse)

4 ⇌ Move



5 Tap the new day

Cancel stops the move



Published

← Bidding closed undoes it

What to test

By hand, in the running app

- ❑ Stages: Draft → Open for bidding → Bidding closed → Published; no confirm; the top bar's Undo takes a stage back.
- ❑ The admin decides in every stage but Draft (D418).
- ❑ An approved leave reaches Inputs and the schedule at Approve, not at Publish (D418).
- ❑ A bid moved after bidding closed wears a dotted edge and "moved from".
- ❑ Published: members are locked out; an approved leave offers only its remarks (D418).

Automated tests that cover it

`deciding.test.tsx` approve, ack, refuse
`chrome.test.tsx` the stage strip
`stage-undo.test.ts` Undo takes back a stage move
`sync.test.ts` approving turns bids into one input
`moveone.test.tsx` moving one bid

More ways: many at once, and a new period

Admin only

Where Leave War

WAY A Decide many at once




- 1 Drag across
- 2 the bids
- 3 Approve all

WAY B A new period



- 1 Its name
- 2 First day
- 3 Last day
- 4 Create

WAY C It starts in Draft



- 1 → Open for bidding

What to test

By hand, in the running app

- ☐ A drag-selection offers Ack / Approve / Refuse, Move and Delete for every bid in it.
- ☐ A day with two entries shows "+1"; its list decides each one.
- ☐ A new war opens on the admin's screen in Draft; members pick it in Period.
- ☐ A new war's "Bidding on" reads "THE WHOLE YEAR" until its dates are set.




Automated tests that cover it

`selectsheet.test.tsx` decide many; batch approve
`e2e/step4-leavewar.spec.ts` the day's list, each undoable
`wars.test.tsx` creating a leave war

The Manning — set it up your way

Admin only

Where Leave War



1 Tap a row's name

2 ⚙ Settings

Days under-manned

3 Amber below

4 Red below

5 Save

6 Edit counter...

7 A new counter

8 Who: CAT

9 Holding a qual

10 Add counter

11 ↕ Rearrange

12 The eye hides a row

The new row

What to test

By hand, in the running app

- ☐ Everyone can open a row's explainer; only an admin changes anything (a member has no ⚙ or Rearrange).
- ☐ New amber / red lines colour the day's counts at once and change "Under-manned".
- ☐ A new counter shows a preview count before it is added, then a row at the foot.
- ☐ A hidden row folds under "Archive" and comes back from there; ↺ Reset counters asks first.





Automated tests that cover it

`manningsheet.test.tsx` the explainer; an admin edits the lines
`counterform.test.tsx` build, edit, delete; members cannot
`counts.test.tsx` amber and red; reorder, hide, archive
`undermanned.test.tsx` the days breaking a manning rule
`settingsheet.test.tsx` ⚙ is admin only

Find your way

Everyone

Where Tracker — the same for everyone



1 Crew: whose marks

2 Course

3 Syllabus: which chart

☐ A ring slice per student☐ Students, and their progress

4 Show All: filter the events

☐ Done or not, per event

5 Find event

☐ The matches, ringed

What to test

By hand, in the running app

- ☐ A member sees exactly the same bar and menus as an admin.
- ☐ Changing Crew moves the highlighted slice on every ball and the Overall card.
- ☐ Find event rings the ball in turquoise and scrolls to it; Enter steps to the next match.


Automated tests that cover it

`smoke.mjs` the board draws; the bar reads in order
`smoke.mjs` typing a code snaps to that ball
`smoke.mjs` Show All groups by code; says done
`tracker.test.tsx` a member has every control

Make a flow chart: the tools

Everyone

Where Tracker — the same for everyone

1 Syllabus 

2 + Add syllabus

3 Edit chart layout

4 + Acad, + Flight, + Sim...

5  Move: drag it

6 → Connect two events

7  Text: the poke-ball

8 Save

 Its prerequisite links

9 ✓ Save changes

 The event, renamed

What to test

By hand, in the running app

- ☐ Tools: Move, Select, Connect (prerequisite, then the event), Delete (asks), + events, Text, Line, Edit lines, Arrow, Merge, Fit, Reset layout, Edit events.
- ☐ The first structure change lights "✓ Save changes •"; saving clears it and the undo history.
- ☐ A moved ball saves itself; Delete asks, and says marks go at Save.

Automated tests that cover it


- `smoke.mjs` a ball drags in edit mode
- `smoke.mjs` a new event shows Save changes
- `smoke.mjs` the poke-ball editor stays open on Delete?
- `retest.test.tsx` a detail typed on one chart stays there

Edit an event's details — three doors

Everyone

Where Tracker — the same for everyone


WAY A Its pop-up: Edit details



1 Hours, name, type, crew

2 Save


WAY B Show All: its Edit



1 Filter to it

2 Save

WAY C In the chart editor

●  Text: label, colour,

● badge, crew, links

What to test

By hand, in the running app

- ☐ A change of hours shows at once in the event's pop-up.
- ☐ Reset to doc refills the boxes but saves nothing until Save.
- ☐ Hours change only in the details window or Show All — not in the poke-ball editor.

Automated tests that cover it




`smoke.mjs` the inline editor has all five fields

`smoke.mjs` Reset to doc fills the boxes

`retest.test.tsx` details belong to one chart

Mark progress

Everyone

Where Tracker — the same for everyone

- 1

Tap the event
- 2

DCO, DPCO, Marginal, N.A.
- Done on: today

- His slice turns black
- Progress moves on

- 3

Fails +
- Each failure, dated

What to test

By hand, in the running app

- ☐ DCO dates the event today and moves the yellow "available" ring on.
- ☐ Each Fails + is one failure, drawn as a red tick on the ball and a chip in the Failures card.
- ☐ Changing Done on after a grade re-dates the mark.

Automated tests that cover it


- `smoke.mjs` a ball opens the grading pop-up
- `smoke.mjs` DCO dates the day it was pressed
- `smoke.mjs` every failure is its own chip
- `tracker.test.tsx` a grade is one undo step

Other ways to update

Everyone

Where Tracker — the same for everyone


WAY A Another student's slice



- 1

Tap his slice: he is picked
- Crew switches to him

WAY B The Failures list




- 1

Failures
- 2

Change a failure's day

WAY C Undo in the top bar



- 1

↶ one step at a time
- ↷ puts it back

What to test

By hand, in the running app

- ☐ Tapping another student's slice picks him and opens nothing; tapping again opens his pop-up.
- ☐ The side panel's dates (last flown, down days, pace, end dates) save on leaving the box.
- ☐ Undo covers marks, failures, dates, pace and chart edits; there is no bulk marking.

Automated tests that cover it


`smoke.mjs` another crew member's wedge picks them
`smoke.mjs` changing a day in the list re-dates it
`leftovers.test.tsx` Undo takes back pace, end date, lull

What it refuses


Everyone

Where Tracker — the same for everyone


WAY A An N.A. cannot have fails



WAY B A day not yet come



WAY C A loop in the chart



1 Fails + on an N.A.

☐ Refused, with the reason

1 A future Done on

☐ "pick today or earlier"☐ "That link would create a loop"

1 OK

What to test

By hand, in the running app

- ☐ Also refused: the same link twice, a link to itself, a name already used, a colon in a course name, deleting the last course (no automated test yet — filed).
- ☐ A future day is refused in Done on, Failed on and both Last Flown boxes.
- ☐ Switching chart, exporting or signing out with unsaved chart edits asks first.





Automated tests that cover it

- smoke.mjs** an N.A. event cannot be failed
- leftovers.test.tsx** a day after today is refused
- smoke.mjs** switching with unsaved edits asks first

Students and courses

Everyone

Where Tracker — the same for everyone



- 1 + Add
- 2 Search the roster
- 3 Pick him

-  He joins, linked
- 4  rename
- 5  remove

- 6  Course
- 7 + Add course
-  Delete course

- 8  Restore a deleted course
- 9 Save order

What to test

By hand, in the running app

- ☐ A pick from the roster adds him in capitals with a linked dot; a typed new callsign adds a new crew member.
- ☐ Rename keeps his marks; × removes him and his marks on that chart.
- ☐ A new course goes to the top and opens empty; a deleted one comes back with  Restore.
- ☐ There is no "move to another course": remove and add again (starts clean).





Automated tests that cover it

smoke.mjs + Add lists the roster; the pick is added
smoke.mjs rename keeps the id; remove takes the work
smoke.mjs a new course at the top; reorder re-slices
retest.test.tsx a deleted course comes back

Export and import

Everyone

Where Tracker — the same for everyone



- 1 File
- 2 Export...
- ☐ Import...

- 3 Students & courses too?
- 4 All charts
- 5 Export

☐ What the file holds

☐ Import: replace or add?

- 6 Replace it

What to test

By hand, in the running app

- ☐ Export opens with students unticked every time; ticking them shows the ⚠ warning.
- ☐ A charts-only file imports without asking about people and changes no marks.
- ☐ A chart already here asks Skip / Add as new / Replace; a file with people asks once.
- ☐ A damaged file is refused with a message saying what is wrong.

Automated tests that cover it

`smoke.mjs` Export starts with students unticked
`smoke.mjs` charts-only import asks nothing, writes no mark
`smoke.mjs` damaged files refused, with a reason
`fileFormat.test.ts` the file's shape

Let people in, add a person

Admin only

Where Admin → Users

1. Callsign and initials (Callsign: nova, Initials: NV)
 2. Pilot, WSO or personnel (Pilot: CAT C)
 3. His sign-in, if he uses the app (Sign-in: nova@mail)
 4. Add person and sign-in (Add person and sign-in button)



On the list, both dots green



5. Tap a man with no sign-in (Member — own inputs, quals and bids)
 6. Type his defence mail (Defence mail: blank)
 7. Give sign-in (Give sign-in button)



His sign-in dot turns green

- 1 Callsign and initials
- 2 Pilot, WSO or personnel
- 3 His sign-in, if he uses the app
- 4 Add person and sign-in

On the list, both dots green

- 5 Tap a man with no sign-in
- 6 Type his defence mail
- 7 Give sign-in

His sign-in dot turns green

What to test

By hand, in the running app

- ☐ Sign-in left blank: the button reads "Add person", no Role box; typing one changes both.
- ☐ After Add the form clears; he is on People A to Z and has a Quals row.
- ☐ A row with no sign-in offers Give sign-in · Archive · Delete · Cancel.
- ☐ The new sign-in works at once; the top right reads "Nova · Member".
- ☐ Your own row is greyed and cannot be opened. A member has no Admin tab.


Automated tests that cover it

`accounts-newperson.test.tsx` add roster-only; Quals "+ Add person" opens it
`accounts-ui.test.tsx` gives a man on the roster his sign-in
`onedor-users.test.tsx` one row per person, two dots; Post in
`roster-add.test.ts` callsign, initials, seat and CAT checks
`od-walk.mjs` walk: the list, the dots, Give sign-in

Post out, archive, delete

Admin only

Where Leave War (post out) · Admin → Users



- 1 His day → PO: PO from
- 2 Where he goes
- 3 Post out

- 4 Admin → Users: tap his row
- 5 Archive

- 6 Restore: his Post in date
- 7 Restore

- 8 Delete asks twice
-  It says what goes

What to test

By hand, in the running app

- ☐ Post out: the sheet opens on the tapped day, Overseas Sqn chosen; nothing happens until the PO date.
- ☐ Archive is one tap: he moves to "Archived", both dots red, his sign-in says access suspended.
- ☐ Restore asks the Post in date; his next sign-in shows "Welcome back — check your quals and CAT".
- ☐ Delete needs two taps and names what goes before the second.
- ☐ You cannot archive yourself, or the last admin who can sign in.





Automated tests that cover it

`e2e/onedoor.spec.ts` archive → away on the war → restore → welcome back
`onedoor-users.test.tsx` archive one tap; restore asks Post in; delete twice
`po.test.tsx` post out from the grid; members see no PO
`person-delete.test.ts` delete keeps flown days, clears days to come
`accounts-ui.test.tsx` suspend / enable; delete says what goes

Squadron settings and rules

Admin only

Where Admin → Squadron config · Logic



1 Squadron config

2 Move a section (Sims up)

3 Duty templates...

☐ A template editor

4 Logic: find a rule

5 Edit rules (then Done)

6 Change a setting

☐ What changed☐ "Rules modified" on the schedule

What to test

By hand, in the running app

- ☐ A member has no Admin tab; Logic is read-only for him, with no Edit rules.
- ☐ A section nudge rennumbers the list; "Reset to standard order" puts it back.
- ☐ A setting outside its limits is refused and put back, with the limits named.
- ☐ After a change every week shows "Rules modified" until "Reset to standard".

Automated tests that cover it


`admin.test.tsx` template openers; a nudge re-orders
`logic.test.tsx` Edit rules changes the engine; limits refused
`DutyTplModal.test.tsx` a new template, rows, delete
`WaveTplModal.test.tsx` the wave editor; members never see it

Other doors to the same editors

Admin only


Where Admin → Squadron config · Logic

WAY A A day's Templates




- 1 Templates
- 2 Manage templates

WAY B The board's + Block



- 1 + Block
- 2 The pencil

WAY C The board's + Wave



- 1 + Wave
- 2 The ⚙️

What to test

By hand, in the running app

- ☐ Each door opens the same editor as Admin → Squadron config.
- ☐ A template saved from one door shows at every other.





Automated tests that cover it

`daytplui.test.tsx` both entry points open one picker
`board.test.tsx` + Block offers the duty templates
`wavepicker.test.tsx` the pencil opens the editor

Print, export and data

Admin only

Where Edit Schedule · Inputs · Admin → Data



1 Export to Excel

2 Export as PDF

The printable report

3 Inputs: Export to Excel

4 Admin → Data

Clear old data (asks twice)

What to test

By hand, in the running app

- ☐ The schedule's CSV is 142-schedule.csv; a published day exports its issued version.
- ☐ The PDF report is one block per day, marked RESTRICTED, each day stamped signed or working.
- ☐ A member has no schedule export, but has Export to Excel on Inputs and Quals.
- ☐ Admin → Data's Clear buttons stay grey until a date is picked; the first tap only counts.




Automated tests that cover it

`export.test.ts` CSV encoding; both span ends
`export-published.test.ts` a published day exports as issued
`printpdf.test.ts` the report stands alone, by day
`wipe.test.tsx` clearing takes clutter only; undoable

Undo, redo and the change history

Everyone

Where The top bar, every page



- 1 Undo
- 2 Redo
- ☐ The change, taken back or put back

- 3 The clock: the change history
- 4 All changes
- 5 Group by Who

- 6 Tap a change: go to it
- The window stays open

What to test

By hand, in the running app

- ☐ Undo is grey until there is something to undo; it takes back only your own changes.
- ☐ The history window is movable; gold dots mark every detail with a history.
- ☐ "New to you" holds others' changes until "Mark all as seen"; your own are never new.
- ☐ The undo list empties at sign-in and sign-out.

Automated tests that cover it

`e2e/changeswin.spec.ts` the window, gold dots, Group by Item
`histlist.test.tsx` the ways in; a click jumps
`undo-wire.test.ts` undo and redo are wired
`session-undo.test.ts` undo is per sign-in
`topbar-pair.test.tsx` where the pair shows

One leave filed — where it shows

Everyone


Where Everywhere — nobody touches it

ONE ACTION




- 1
- A member picks the day
- 2
- LL
- 3
- Add input


SHOWS UP BY ITSELF IN




Schedule the day's Unavailable block



Crew list struck through, the reason on hover



Issues "On leave + flying" for each seat he held



Admin "1 new" on the day; the clock counts it



Leave War LL, approved, with the blue "from Inputs" edge



A published day "1 pending", the sign-offs fall

What to test

By hand, in the running app

- ☐
- Nothing needs a refresh: the schedule, Inputs calendar and Leave War show it at once.
- ☐
- The Leave War's manning counts for that day drop by one.
- ☐
- On a published day members still see the issued version until the next AL.
- ☐
- The bell does not light for inputs; the day's chip and the clock are the notice.

Automated tests that cover it

- `sync.test.ts` Inputs-filed LL shows on the war

`avail.test.ts` leave and downchit close the day

`latepub.test.tsx` filed after publishing: 1 pending


`changes.test.ts` someone else's change is new to you

An activity, and a downchit

Everyone


Where **Everywhere** — nobody touches it

ONE ACTION




- A Meeting with times, or a
- medical (ATT C), on Inputs


SHOWS UP BY ITSELF IN



Schedule a Meeting lands on the Ground Programme



Leave War the downchit shows on his day



Medical the downchit leads the tracker

What to test

By hand, in the running app

- ☐ An activity with times lands as a Ground Programme row on the week, the board and View-only.
- ☐ An activity never reaches the Leave War; a downchit does.
- ☐ A downchit never wears LATE; each seat he holds raises "Downchit + flying".
- ☐ A weekend Duty asks the OIL question before it is saved.

Automated tests that cover it

inputground.test.ts an activity lands on its day
medicalview.test.tsx the Medical count is live
sync.test.ts a spanned ATT C shows on the war
lateinput.test.ts downchits are never LATE

The Leave War and Inputs, both ways

Everyone

Where **Everywhere** — nobody touches it

ONE ACTION




3 The admin approves a bid


SHOWS UP BY ITSELF IN



Leave War the bid turns green



The other way a leave filed on Inputs shows on the war



Inputs his leave input appears at once

What to test

By hand, in the running app

- ☐ A bid alone never reaches Inputs; Approve does, before the war is published (D418).
- ☐ Publishing the war changes no input.
- ☐ A weekend Duty credited FO reaches the war only when that day is published.

Automated tests that cover it


sync.test.ts a 3-day LL run becomes one input
sync.test.ts refusing a mid-span day splits it
oilsync.test.ts publishing the Saturday lands FO

A name changed on Quals

Everyone

Where **Everywhere** — nobody touches it

ONE ACTION




- An admin renames a callsign
- on Quals (Enable editing)

SHOWS UP BY ITSELF IN



Schedule every puck of his, renamed



Admin → Users his row, same person



Leave War his row's name

What to test

By hand, in the running app

- ☐ The stored person never changes — only his label — so nothing is lost or duplicated.
- ☐ A lapsed qualification ticked off on Quals warns on the week at once, with a Q mark.
- ☐ Archiving a man posts him out of the war from that day and keeps his flown pucks.

Automated tests that cover it

`personid.test.ts` a rename moves nothing
`latepub.test.tsx` a lapsed AAR warns at once
`onedoor.test.ts` archiving keeps every puck