

Unnecessary Output Means

12:00 Monday, August 14, 2017 1

The MEANS Procedure

Variable	N	Mean	Std Dev	Minimum	Maximum
myvar	10000	11.8458143	1.4391338	0	13.2877124
mycovar	9999	5000.87	2886.56	0.4815516	10023.44

Unnecessary Output Correlation

12:00 Monday, August 14, 2017 2

The REG Procedure Model: MODEL1 Dependent Variable: myvar

Number of Observations Read	10000
Number of Observations Used	9999
Number of Observations with Missing Values	1

Analysis of Variance					
Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1	15536	15536	30860.0	<.0001
Error	9997	5032.78957	0.50343		
Corrected Total	9998	20569			

Root MSE	0.70953	R-Square	0.7553
Dependent Mean	11.84700	Adj R-Sq	0.7553
Coeff Var	5.98909		

Parameter Estimates					
Variable	DF	Parameter Estimate	Standard Error	t Value	Pr > t
Intercept	1	9.68739	0.01419	682.48	<.0001
mycovar	1	0.00043185	0.00000246	175.67	<.0001

Unnecessary Output Sample Data

Obs	study_id	mydate	myvar	mycovar
1	1	70-01-02	0.00000	.
2	2	70-01-03	1.00000	2.6632
3	3	70-01-04	1.58496	3.4428
4	4	70-01-05	2.00000	7.9900
5	5	70-01-06	2.32193	6.0228
6	6	70-01-07	2.58496	3.5249
7	7	70-01-08	2.80735	0.4816
8	8	70-01-09	3.00000	9.9649
9	9	70-01-10	3.16993	9.1055
10	10	70-01-11	3.32193	13.0099