

## Document on secret-yaml-files:

1. Get into the killercoda site and perform the commands.
2. Start with sudo su command to become as a root user

Cmd: **sudo su**

```
controlplane:~$ sudo su  
controlplane:~$ ls
```

3. Then clone into the given git repo and get ready
4. After cloning check the cloned repo by ls

Cmd : **git clone <url of git>**

```
controlplane:~$ git clone https://github.com/Msocial123/fss-Retail-App_kubernetes.git  
Cloning into 'fss-Retail-App_kubernetes'...  
remote: Enumerating objects: 2432, done.  
remote: Counting objects: 100% (142/142), done.  
remote: Compressing objects: 100% (102/102), done.  
remote: Total 2432 (delta 79), reused 50 (delta 36), pack-reused 2290 (from 2)  
Receiving objects: 100% (2432/2432), 9.40 MiB | 8.50 MiB/s, done.  
Resolving deltas: 100% (551/551), done.
```

5. Then go into the directory

Cmd: **cd <directory name>**

```
controlplane:~$ ls  
filesystem fss-Retail-App_kubernetes  
controlplane:~$ cd fss-Retail-App_kubernetes/
```

6. Then ls and check for the k8-manifest directory

Cmd: **ls**

```
controlplane:~/fss-Retail-App_kubernetes$ ls  
Dockerfile Public docker-compose.yaml node_modules package.json test-volumes.yaml  
Notes README.md k8s-manifests package-lock.json server.js  
controlplane:~/fss-Retail-App_kubernetes$ cd k8s-manifests/
```

## 7. Then go into the k8-manifest directory

Cmd: **cd <directory name>**

```
controlplane:~/fss-Retail-App_kubernetes$ cd k8s-manifests/
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ ls
mongodb-deployment.yml  mongodb-service.yml  usernode-js-service.yml  userprofile-deployment.yml
```

## 8. Then create a file

Cmd: **vi configmap.yaml**

```
apiVersion: v1
kind: ConfigMap
metadata:
  name: retail-app-config
  namespace: vasist-ns
data:
  MONGODB_URI: "mongodb://mongodb:27017/myDatabase"
  SESSION_SECRET: "1234"
  PORT: "3130"
  MONGO_INITDB_DATABASE: "myDatabase"
```

```
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ vi configmap.yaml
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ ls
configmap.yaml  mongodb-deployment.yml  mongodb-service.yml  usernode-js-service.yml  userprofile-deployment.yml
```

## 9. Then create a name space give your name

Cmd: **kubectl create ns vasist-ns**

```
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl create ns vasist-ns
namespace/vasist-ns created
```

## 10. Then apply the file and check for the running data

Cmd: **kubectl apply -f configmap.yaml** (this cmd is used to apply the yaml file)

**Kubectl get cm -n vasist-ns**( this is cmd is used check all the data applied or not)

```
configmap.yaml mongo-db-deployment.yaml mongo-db-service.yaml user-node.js-service.yaml user-controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl apply -f configmap.yaml
configmap/retail-app-config created
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl get cm -n vasist-ns
NAME          DATA   AGE
kube-root-ca.crt   1    54s
retail-app-config 4    24s
```

## 11. Change the file name and remove the data present in the file and add the new file data

Cmd: **mv userprofile-deployment.yml retail-app-deployment.yaml**(this cmd is used to change the name of the file)  
  **> retail-app-deployment.yaml**(this cmd is used remove the data present inside the file)  
    **vi retail-app-deployment.yaml** (this cmd is used to add the yaml file into the file)

### Yaml file:

```
apiVersion: apps/v1
kind: Deployment
metadata:
  name: retail-mongodb
  namespace: murali-ns
spec:
  replicas: 1
  selector:
    matchLabels:
      app: mongodb
  template:
    metadata:
      labels:
        app: mongodb
    spec:
      containers:
        - name: mongodb
          image: mongo:latest
          ports:
            - containerPort: 27017
          env:
            - name: MONGO_INITDB_DATABASE
              valueFrom:
                configMapKeyRef:
```

```
name: retail-app-config  
key: MONGO_INITDB_DATABASE
```

```
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ mv userprofile-deployment.yaml retail-app-deployment.yaml  
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ ls  
configmap.yaml  mongodb-deployment.yaml  mongodb-service.yaml  retail-app-deployment.yaml  usernode-js-service.yaml  
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ > retail-app-deployment.yaml  
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ vi retail-app-deployment.yaml  
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ ls  
configmap.yaml  mongodb-deployment.yaml  mongodb-service.yaml  retail-app-deployment.yaml  usernode-js-service.yaml
```

## 12. Change the file name and change the namespace

Cmd : **mv usernode-js-service.yaml retail-app-svc.yaml**(this cmd is used to change the name of the file)

```
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ ls  
configmap.yaml  mongodb-deployment.yaml  mongodb-service.yaml  retail-app-deployment.yaml  usernode-is-service.yaml  
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ mv usernode-js-service.yaml retail-app-svc.yaml  
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ vi retail-app-svc.yaml
```

## 13. Change the file name and remove the data present in the file and add the new file data

Cmd :

**mv mongodb-deployment.yaml retail-mongodb-deployment.yaml** (this cmd is used to change the name of the file)  
**> retail-mongodb-deployment.yaml**(this cmd is used remove the data present inside the file)

**vi retail-mongodb-deployment.yaml**(this cmd is used to add the yaml file into the file)

Yaml file:

```
apiVersion: apps/v1  
kind: Deployment  
metadata:  
  name: retail-mongodb  
  namespace: murali-ns  
spec:  
  replicas: 1  
  selector:  
    matchLabels:  
      app: mongodb  
  template:  
    metadata:  
      labels:  
        app: mongodb  
    spec:
```

```

containers:
- name: mongodb
  image: mongo:latest
  ports:
  - containerPort: 27017
  env:
  - name: MONGO_INITDB_DATABASE
    valueFrom:
      configMapKeyRef:
        name: retail-app-config
        key: MONGO_INITDB_DATABASE

```

```

controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ mv mongodb-deployment.yml retail-mongodb-deployment.yaml
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ mv mongodb-deployment.yml retail-mongodb-deployment.yaml
mv: cannot stat 'mongodb-deployment.yml': No such file or directory
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ ls
configmap.yaml  mongodb-service.yml  retail-app-deployment.yaml  retail-app-svc.yaml  retail-mongodb-deployment.yaml
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ > retail-mongodb-deployment.yaml
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ vi retail-mongodb-deployment.yaml

```

#### 14. Change the file name and remove the data present in the file and add the new file data

Cmd: **mv mongodb-service.yml retail-mongodb-svc.yaml**(this cmd is used to change the name of the file)

```

controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ mv mongodb-service.yml retail-mongodb-svc.yaml
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ vi configmap.yaml
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ ls
configmap.yaml  retail-app-deployment.yaml  retail-app-svc.yaml  retail-mongodb-deployment.yaml  retail-mongodb-svc.yaml

```

#### 15. Then apply the file and check for running data

Cmd: **kubectl apply -f configmap.yaml**(this cmd is used to apply the yaml file)

**kubectl get all -n vasist-ns**(used to check all the running data)

```

configmap.yaml  mongodb-deployment.yaml  mongodb-service.yaml  user-nodejs-service.yaml  user-profile-deployment.yaml
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl apply -f configmap.yaml
configmap/retail-app-config created
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl get cm -n vasist-ns
NAME          DATA   AGE
kube-root-ca.crt  1    54s
retail-app-config 4    24s

```

## 16. Then apply the file and check for running data

Cmd: **kubectl apply -f retail-mongodb-deployment.yaml**(this cmd is used to apply the yaml file)  
**kubectl get all -n murali-ns**(this cmd is used to check all the status and data)

```
No resources found in vasist-ns namespace.
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl apply -f retail-mongodb-deployment.yaml
deployment.apps/retail-mongodb created
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl get all -n vasist-ns
NAME           READY   STATUS    RESTARTS   AGE
pod/retail-mongodb-58ffcb7cf9-sq646   0/1     ContainerCreating   0          15s
NAME           READY   UP-TO-DATE   AVAILABLE   AGE
deployment.apps/retail-mongodb   0/1     1           0          15s
NAME           DESIRED  CURRENT  READY   AGE
replicaset.apps/retail-mongodb-58ffcb7cf9   1       1       0          15s
```

## 17. Then apply the file and check for running data

Cmd: **kubectl apply -f retail-mongodb-svc.yaml**(this cmd is used to apply the yaml file)  
**kubectl get all -n vasist-ns**(used to get all the running status of the data)

```
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl apply -f retail-mongodb-svc.yaml
service/mongodb created
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl get all -n vasist-ns
NAME           READY   STATUS    RESTARTS   AGE
pod/retail-mongodb-58ffcb7cf9-sq646   1/1     Running   0          5m38s
NAME           TYPE      CLUSTER-IP      EXTERNAL-IP      PORT(S)      AGE
service/mongodb   ClusterIP   10.101.254.101   <none>        27017/TCP   18s
NAME           READY   UP-TO-DATE   AVAILABLE   AGE
deployment.apps/retail-mongodb   1/1     1           1          5m38s
NAME           DESIRED  CURRENT  READY   AGE
replicaset.apps/retail-mongodb-58ffcb7cf9   1       1       1          5m38s
```

## 18. Then apply the file and check for running data

Cmd: **kubectl apply -f retail-mongodb-deployment.yaml**(this cmd is used to apply the yaml file)

**kubectl get all -n vasist-ns**(used to get all status of data and all the working report)

```
replicaset.apps/retail-mongodb-58ffcb7cf9-sq646
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl apply -f retail-app-deployment.yaml
deployment.apps/retail-app-deployment created
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl get all -n vasist-ns
NAME                 READY   STATUS        RESTARTS   AGE
pod/retail-app-deployment-64c485cbd7-5k5jw  0/1    ContainerCreating  0          14s
pod/retail-app-deployment-64c485cbd7-crps9  0/1    ContainerCreating  0          14s
pod/retail-app-deployment-64c485cbd7-hghkw  0/1    ContainerCreating  0          14s
pod/retail-app-deployment-64c485cbd7-zzc9b  0/1    ContainerCreating  0          14s
pod/retail-mongodb-58ffcb7cf9-sq646         1/1    Running       0          6m6s

NAME           TYPE      CLUSTER-IP     EXTERNAL-IP   PORT(S)      AGE
service/mongodb ClusterIP  10.101.254.101 <none>        27017/TCP   46s

NAME           READY   UP-TO-DATE   AVAILABLE   AGE
deployment.apps/retail-app-deployment  0/4     4           0          14s
deployment.apps/retail-mongodb        1/1     1           1          6m6s

NAME           DESIRED  CURRENT  READY   AGE
replicaset.apps/retail-app-deployment-64c485cbd7  4        4         0      14s
replicaset.apps/retail-mongodb-58ffcb7cf9          1        1         1      6m6s
```

## 19. Then apply the file and check for running data

Cmd: **kubectl apply -f retail-app-svc.yaml**(this cmd is used to apply the yaml file)

**kubectl get all -n vasist-ns**(used to get all status of data and all the working report)

```
replicaset.apps/retail-mongodb-58ffcb7cf9-sq646
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl apply -f retail-app-svc.yaml
service/usernode-js-service created
controlplane:~/fss-Retail-App_kubernetes/k8s-manifests$ kubectl get all -n vasist-ns
NAME                 READY   STATUS        RESTARTS   AGE
pod/retail-app-deployment-64c485cbd7-5k5jw  0/1    ContainerCreating  0          43s
pod/retail-app-deployment-64c485cbd7-crps9  0/1    CreateContainerConfigError  0          43s
pod/retail-app-deployment-64c485cbd7-hghkw  0/1    ContainerCreating  0          43s
pod/retail-app-deployment-64c485cbd7-zzc9b  0/1    CreateContainerConfigError  0          43s
pod/retail-mongodb-58ffcb7cf9-sq646         1/1    Running       0          6m35s

NAME           TYPE      CLUSTER-IP     EXTERNAL-IP   PORT(S)      AGE
service/mongodb ClusterIP  10.101.254.101 <none>        27017/TCP   75s
service/usernode-js-service LoadBalancer  10.96.228.22  <pending>      3130:30958/TCP  16s

NAME           READY   UP-TO-DATE   AVAILABLE   AGE
deployment.apps/retail-app-deployment  0/4     4           0          43s
deployment.apps/retail-mongodb        1/1     1           1          6m35s

NAME           DESIRED  CURRENT  READY   AGE
replicaset.apps/retail-app-deployment-64c485cbd7  4        4         0      43s
replicaset.apps/retail-mongodb-58ffcb7cf9          1        1         1      6m35s
```

## 20. Check the status of the application:

NAME	READY	STATUS	RESTARTS	AGE
pod/retail-app-deployment-68b685c7f6-5l6ps	1/1	Running	0	61s
pod/retail-app-deployment-68b685c7f6-8j64t	1/1	Running	0	61s
pod/retail-app-deployment-68b685c7f6-g1656	1/1	Running	0	61s
pod/retail-app-deployment-68b685c7f6-mrf6l	1/1	Running	0	61s
pod/retail-mongodb-/cd9bb8c49-fw4k5	1/1	Running	0	78s

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
service/mongodb	ClusterIP	10.100.218.198	<none>	27017/TCP	71s
service/retail-app-service	LoadBalancer	10.100.152.130	a40f909364f534bef96e01cb855ab9b7-1849244736.ap-south-1.elb.amazonaws.com	3130:30183/TCP	54s

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
deployment.apps/retail-app-deployment	4/4	4	4	61s
deployment.apps/retail-mongodb	1/1	1	1	78s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/retail-app-deployment-68b685c7f6	4	4	4	61s

NAME	DESIRED	CURRENT	READY	AGE
replicaset.apps/retail-mongodb-7cd9bb8c49	1	1	1	78s

## 21. Open a Linux shell inside the MongoDB container and check files inside the container.

Cmd: **kubectl exec -it retail-mongodb-7cd9bb8c49-fw4k5 -n vasist-ns -- /bin/sh**

```
# env
KUBERNETES_SERVICE_PORT=443
KUBERNETES_PORT=tcp://10.100.0.1:443
MONGODB_PORT_27017_TCP=tcp://10.100.218.198:27017
HOSTNAME=retail-mongodb-7cd9bb8c49-fw4k5
MONGO_INITDB_DATABASE=myDatabase
HOME=/data/db
GLIBC_TUNABLES=glIBC_pthread_rseq=0
MONGODB_SERVICE_HOST=10.100.218.198
TERM=xterm
MONGO_PACKAGE=mongodb-org
KUBERNETES_PORT_443_TCP_ADDR=10.100.0.1
PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
MONGO_MAJOR=8.2
KUBERNETES_PORT_443_TCP_PORT=443
KUBERNETES_PORT_443_TCP_PROTO=tcp
MONGODB_PORT=tcp://10.100.218.198:27017
MONGODB_SERVICE_PORT=27017
MONGODB_PORT_27017_TCP_ADDR=10.100.218.198
JSYAML_VERSION=3.13.1
KUBERNETES_SERVICE_PORT_HTTPS=443
MONGODB_PORT_27017_TCP_PORT=27017
KUBERNETES_PORT_443_TCP=tcp://10.100.0.1:443
GOSU_VERSION=1.19
MONGO_REPO=repo.mongodb.org
MONGODB_PORT_27017_TCP_PROTO=tcp
KUBERNETES_SERVICE_HOST=10.100.0.1
PWD=/
JSYAML_CHECKSUM=662e32319bdd378e91f67578e56a34954b0a2e33aca11d7aab9f4826af24b941
MONGO_VERSION=8.2.5
```

## 22. Open the MongoDB shell directly:

Cmd: **kubectl exec -it retail-mongodb-7cd9bb8c49-fw4k5 -n rithika-ns – mongosh**

To view ,use the databases and shows all documents in the products collection.

```
Connecting to:      mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.7.0
Using MongoDB:     8.2.5
Using Mongosh:    2.7.0

For mongosh info see: https://www.mongodb.com/docs/mongodb-shell/

To help improve our products, anonymous usage data is collected and sent to MongoDB periodically (https://www.mongodb.com/legal/privacy-policy).
You can opt-out by running the disableTelemetry() command.

-----
The server generated these startup warnings when booting
2026-02-22T05:18:09.555+00:00: Access control is not enabled for the database. Read and write access to data and configuration is unrestricted
2026-02-22T05:18:09.555+00:00: For customers running the current memory allocator, we suggest changing the contents of the following sysfsFile
2026-02-22T05:18:09.555+00:00: For customers running the current memory allocator, we suggest changing the contents of the following sysfsFile
2026-02-22T05:18:09.555+00:00: We suggest setting the contents of sysfsFile to 0.
-----



test> show dbs
admin          40.00 KiB
config         60.00 KiB
local          40.00 KiB
myDatabase     172.00 KiB
test> use myDatabase
switched to db myDatabase
myDatabase> show collections
contacts
sessions
users
myDatabase> db.users.find().pretty()
```

```
myDatabase> db.users.find().pretty()
[
  {
    _id: ObjectId('699a9267ad7917f46aa5c848'),
    name: 'rithika',
    email: 'qwerty12@gmail.com',
    phone: '9876543210',
    address: '4/43 somewhere in india',
    password: '$2a$10$J.nejJmKIpDMBZZwempVyeRBRRDbQzCY4JppogAHUNRtwzxDZr9q',
    cart: [],
    purchaseHistory: [],
    __v: 0,
    otp: '274004',
    otpExpiry: ISODate('2026-02-22T05:27:04.195Z')
```


## 23. Copy the External IP and paste it in browser:

<http://a40f909364f534bef96e01cb855ab9b7-1849244736.ap-south-1.elb.amazonaws.com:3130/>

It will get us to the home page.



## 24. The final site output:



## SECRET YAML FILE

A Secret is a Kubernetes object used to store sensitive data such as passwords, tokens, API keys, or certificates. The data is stored in Base64-encoded format.

==> **echo -n 'chagantyteja2502@gmail.com' | base64**

- echo -n → prints the text without adding a newline
- | → sends output to the next command
- base64 → encodes the input into Base64 format

```
controlplane:~$ echo -n 'chagantyteja2502@gmail.com' | base64  
Y2hhZ2FudHI0ZWphMjUwMkBnbWFpbC5jb20=
```

chagantyteja2502@gmail.com

↓

**Y2hhZ2FudHI0ZWphMjUwMkBnbWFpbC5jb20=**

**==> echo -n 'yxoq bjuk rdnt alzp' | base64**

```
controlplane:~$ echo -n 'yxoq bjuk rdnt alzp' | base64  
eXhvcSBianVrlHJkbnQgYWx6cA==
```

yxoq bjuk rdnt alzp

↓

**eXhvcSBianVrlHJkbnQgYWx6cA==**

**==> echo -n 'Y2hhZ2FudHI0ZWphMjUwMkBnbWFpbC5jb20=' | base64 --decode**

**==> decodes the input**

```
controlplane:~$ echo -n 'Y2hhZ2FudHI0ZWphMjUwMkBnbWFpbC5jb20=' | base64 --decode  
chagantyteja2502@gmail.comcontrolplane:~$
```

Y2hhZ2FudHI0ZWphMjUwMkBnbWFpbC5jb20=

↓

**chagantyteja2502@gmail.com**

## 1. Vi secret.yaml

Create secret yaml file

```
root@ip-172-31-17-28:/home/ubuntu/fss-Retail-App_kubernetes/k8s-manifests# vi secret.yaml  
root@ip-172-31-17-28:/home/ubuntu/fss-Retail-App_kubernetes/k8s-manifests# ls
```

```
apiVersion: v1  
kind: Secret  
metadata:  
  name: retail-app-secret  
  namespace: vasist-ns  
type: Opaque
```

```
data:  
  EMAIL_USER: Y2hhZ2FudHl0ZWphMjUwMkBnbWFpbC5jb20=  
  EMAIL_PASS: eXhvcSBianVrIHJkbnQgYWx6cA==
```

## 2) **kubectl apply -f secret.yaml**

Apply the file:

```
root@ip-172-31-17-28:/home/ubuntu/fss-Retail-App_kubernetes/k8s-manifests# kubectl apply -f secret.yml  
secret/retail-app-secret created
```

## 3) **kubectl get secret –n vasist-ns**

- Lists **all Secrets** in the **current namespace**
- Shows secret name, type, and age

```
root@ip-172-31-17-28:/home/ubuntu/fss-Retail-App_kubernetes/k8s-manifests# kubectl get secret -n vasist-ns  
NAME          TYPE        DATA   AGE  
retail-app-secret  Opaque      2    35s
```