

AUTOMATED NETWORK REQUEST MANAGEMENT

Complete End-to-End ServiceNow Runtime Workflow

Implementation Evidence • Final Runtime State • 02 October 2026

This workflow documents the complete demonstrated runtime path of the project, including request submission, REQ/RITM creation, Flow Designer execution, operational record creation, approval, approved/rejected branching, final record state, notification evidence, and execution validation.

1. Complete Workflow Overview

AUTOMATED NETWORK REQUEST MANAGEMENT — COMPLETE RUNTIME WORKFLOW




Figure 1. Complete end-to-end runtime workflow of Automated Network Request Management

The implementation is best understood as a sequence of connected ServiceNow events rather than as isolated configurations. The requester begins in Service Catalog; the submitted RITM triggers Flow Designer; the flow reads catalog data, creates the Database Tables operational record, sends notifications, requests approval, evaluates the approval result, updates the record, and produces final email and execution evidence.

2. End-to-End Stage Map

Stage	Phase	ServiceNow component	Purpose
1	Catalog Entry	Service Catalog / Network Request	Open the Network Request item.
2	Data Capture	Catalog Variables + UI Policy	Capture requester and request details.
3	Submission	Service Catalog	Submit request and create REQ/RITM.
4	Automation Trigger	Flow Designer	Catalog Item Requested starts the flow.
5	Variable Retrieval	Get Catalog Variables	Read selected request variables.
6	Operational Record	Database Tables	Create record; Approval Status starts as Requested.
7	Initial Notification	Send Email	Send Request has been Created.
8	Approval	Ask for Approval	Route approval to demonstrated approver.
9	Decision	If Request is Approved	Evaluate approval state.
10A	Approved	Update Record + Send Email	Set Approved and send Request has been Resolved.
10B	Rejected	Else + Update Record	Set Rejected and apply demonstrated assignment.
11	Final Evidence	Database/Approval/Email/Execution	Validate final state and workflow completion.

3. Phase A — Catalog Entry and Request Design

3.1 Open the Network Request Catalog Item

The request starts from Service Catalog → Networks and Connectivity → Network Request. The active catalog item is the business entry point for the workflow.


The screenshot shows the 'Catalog Item' form for 'Network Request'. The form is titled 'Catalog Item Network Request' and includes a toolbar with options like 'Copy', 'Try It', 'Update', 'Edit in Catalog Builder', and 'Delete'. A blue banner at the top states: 'Build and modify items faster with the improved Catalog Builder.' Below this, a description box explains that catalog items are goods or services available to order from the service catalog. The form fields include:

- Name:** Network Request
- Application:** Global
- Catalogs:** Service Catalog
- Category:** Networks and Connectivity
- State:** -- None --
- Checked out:** -- None --
- Owner:** System Administrator
- Secondary owners:** (empty)
- Active:** ☒
- Fulfillment automation level:** Unspecified

Figure 2. Network Request catalog item configuration

3.2 Configure the Request Variables

The implementation captures nine configured variables: Requested For, Mobile Number, Type of Connection, Enter your Existing ID, Total Amount, Mode of Payment, Address, Database Number, and Request Number.




Variables (9)		
Type	Question	Order
Single Line Text	Requested For	100
Single Line Text	Mobile Number	200
Multiple Choice	Type of Connection	300
Single Line Text	Enter your Existing ID	400
Single Line Text	Total Amount	500
Multiple Choice	Mode of Payment	600
Single Line Text	Address	700
Single Line Text	Database Number	800
Single Line Text	Request Number	900

Figure 3. Network Request catalog variables

3.3 Apply Form Behaviour

The visible/hide of ID field Catalog UI Policy controls the form behaviour around the Existing ID field.



Catalog UI Policies (1)							
Short description	Variable set	Conditions	Reverse if false	On load	Inherit	Updated	Order
visible/hide of ID field	(empty)		true	true	false	2026-09-28 23:34:02	100

Figure 4. Catalog UI Policy

4. Phase B — Request Submission

4.1 Open the Request Form

The screenshot shows the 'Network Services Request' form in a web application. The breadcrumb trail at the top reads 'Service Catalog > Networks and Connectivity > Network Request'. A search bar is located in the top right corner. The form is divided into two main columns. The left column contains fields for 'Opened on behalf of', 'Email ID', 'Requested For', 'Mobile Number', 'Type of Connection' (with radio buttons for 'New' and 'Existing'), 'Enter your Existing ID', 'Total Amount', 'Mode of Payment' (with radio buttons for 'CARD' and 'UPI'), 'Address', 'Database Number', and 'Request Number'. The right column contains fields for 'User Name' and 'Phone Number'. On the far right, there is a summary section with 'Order this Item' (Quantity: 1, Delivery time: 2 Days), 'Order Now' and 'Add to Cart' buttons, and a 'Shopping Cart' section showing 'Empty'.

Figure 5. Network Request form before data entry

4.2 Enter Request Information

The screenshot shows the same 'Network Services Request' form, but now it is filled with data. The 'Opened on behalf of' field contains 'ITIL User', 'Email ID' contains 'itil@example.com', 'Requested For' contains 'Pavithran', 'Mobile Number' contains '9876543210', 'Type of Connection' has 'Existing' selected, 'Enter your Existing ID' contains '456789', 'Total Amount' contains '1000', 'Mode of Payment' has 'UPI' selected, 'Address' contains '17/5 silvapuri mainroad, valayapuri garden', 'Database Number' contains '8645639', and 'Request Number' contains '654656'. The 'User Name' field contains 'true' and the 'Phone Number' field contains '08110809920'. The right-hand summary section remains the same, showing 'Order this Item' (Quantity: 1, Delivery time: 2 Days), 'Order Now' and 'Add to Cart' buttons, and an 'Empty' shopping cart.

Figure 6. Completed Network Request form

4.3 Submit and Generate Request Records

Selecting Order Now submits the catalog item. The demonstrated transaction creates Request REQ0010014 and Requested Item RITM0010018.

Order Status

[Back to Catalog](#)
[Continue Shopping](#)
[Home](#)

Thank you, your request has been submitted

Order Placed: 2026-10-02 02:08:05
Request Number: [REQ0010014](#) ☆
Estimated Delivery Date of Complete Order: 2026-10-04

Description	Delivery Date	Stage	Price (ea.)	Quantity	Total
Network Services Request	2026-10-04			1	
					Total

[Back to Catalog](#)
[Continue Shopping](#)

[Home](#)

Figure 7. Order Status showing REQ0010014

Requested Item
RITM0010018

Number

RITM0010018

Item

Network Request

Request

REQ0010014

Requested for

System Administrator

Due date

2026-10-04 02:08:04

Configuration item

Watch list

Opened

2026-10-02 02:08:04

Opened by

System Administrator

Stage

Assess or Scope Task

State

Open

Quantity

1

Estimated delivery

Backordered

☐

Order Guide

Figure 8. RITM0010018 associated with the Network Request

5. Phase C — Flow Designer Automation Starts

The submitted RITM becomes the input to the Network Request Flow Designer flow. The actual execution evidence later confirms that the Catalog Item Requested trigger ran successfully.



Figure 9. Network Request Flow Designer configuration

5.1 Get Catalog Variables

The flow retrieves the request_number, database_number, address, mode_of_payment, total_amount, mobile_number, type_of_connection, and requested_for values required by downstream actions.




Figure 10. Get Catalog Variables action

6. Phase D — Database Tables Operational Record

6.1 Database Tables Structure

The implementation uses the custom operational table labelled Database Tables with technical name `u_database_tables`. This table is the target record structure for the automation.




Figure 11. Database Tables custom table definition




Figure 12. Database Tables field structure

6.2 Create the Operational Record

The Create Record action maps catalog values into the Database Tables record. Approval Status is initialized to Requested.

The screenshot shows the 'Create Database Tables Record' action configuration. The 'Action' is set to 'Create Record'. Under 'Action Inputs', there are two sections: 'Table' and 'Fields'. The 'Table' section has a dropdown menu showing 'Database Tables (u_database_ta...'. The 'Fields' section lists several fields with their corresponding values: 'Customer Address' (1 - Get Catalog Vari...), 'Mobile Number' (1 - Get Catalog...), 'Mode of Payment' (1 - Get Catalog...), 'Requested For' (1 - Get Catalog...), 'Total Amount' (1 - Get Catalog...), 'Type of Connection' (1 - Get Catalog...), 'Database Number' (1 - Get Catalog...), and 'Approval Status' (Requested). There is a '+ Add field value' button at the bottom left. At the bottom right, there are 'Delete', 'Cancel', and 'Done' buttons.

Figure 13. Create Record action and field mappings

The Database Tables record is not the same thing as the Service Catalog request itself: it is the configured operational record created by the flow from the submitted catalog data.

7. Phase E — Request-Created Notification

Once the operational record is created, the flow sends the initial acknowledgement with the subject Request has been Created.

The screenshot shows the 'Send Email' action configuration. The 'Action' is set to 'Send Email'. Under 'Action Inputs', there are several fields: 'Target Record' (2 - Create...), 'Table' (Database Tables (u_database_ta...), 'Include Watermark' (checked), 'To' (pavithran1105@gmail.com), 'CC' (empty), 'BCC' (empty), and 'Subject' (Request has been Created). Below these fields is a rich text editor for the email body. The body text is: 'Hello (2 - Create...), We have received your request with request number: (2 - Create...), Sorry for the inconvenience. Your request will be resolved within 2 Business working days. Thanks for Contacting Us. Network Team'. At the bottom right, there are 'Done' and 'Cancel' buttons.

Figure 14. Request-created Send Email action

<

Figure 15. Email log showing Request has been Created

Preview Email



Hello Pavithran

We have received your request with request number:

Sorry for the inconvenience. Your request will be resolved within 2 Business working days.

Thanks for Contacting Us.

Network Team

Ref:MSG0002086_MQe0eX6kiv7PgQ59ZVxl

Figure 16. Preview of the request-created notification

8. Phase F — Approval Processing

8.1 Create Approval Request

The flow uses Ask for Approval on the Database Tables record. The demonstrated configuration uses Anyone approves and shows System Administrator as the approver.

Figure 17. Ask for Approval action

8.2 Approval Record in Requested State

The created Database Tables record contains an Approval Request related list. The related approval initially appears in Requested state with System Administrator as approver.

State	Approver	Comments	Approval for	Created
Requested	System Administrator		(empty)	2026-10-02 02:11:47

Figure 18. Database Tables record with approval request in Requested state

Figure 19. Approval record before decision

8.3 Evaluate Approval Result

The If condition checks whether the approval result is Approved. This is the control point that separates the successful approval path from the Else/rejected path.

Condition Label: If Request is Approved

* Condition 1: 4 - Ask For Ap... Approval St... is Approved

Add another condition set(OR)

Delete Cancel Done

Expand Action 6 - Global - Update Record

Figure 20. Approval decision condition

9. Phase G — Approved Path and Final Resolution

9.1 Approval Becomes Approved

The demonstrated approval is completed by the approver. The related approval list now shows Approved, and the Database Tables record shows Approval Status = Approved.

servicenow All Favorites History Workspaces Admin Database Tables - Created 2026-10-02 02:11:47

Database Tables Created 2026-10-02 02:11:47

Approved Database Tables: Created 2026-10-02 02:11:47

Database Number: 8645639 Mode of Payment: 200

Assignment to: ITIL User Type of Connection: 200

Mobile Number: 9876543210 Customer Address: 17/5, silvapuri mainroad, valyapuri garden

Total Amount: 1000 Approval Status: Approved

Request Number: RITM0010018 Requested For: Pavithran

Update Delete

Approval Request State Search

State	Approver	Comments	Approval for	Created
Approved	System Administrator		(empty)	2026-10-02 02:11:47

1 to 1 of 1

Figure 21. Database Tables record after approval

9.2 Approved Branch Updates the Record

6 then Update Database Tables Record

Action Properties

Action: Update Record

Action Inputs

* Record: 2 - Cre... Database Tables R...

* Table: Database Tables [u_database_ta...]

* Assignment to: ITIL User

* Approval Status: Approved

+ Add field value

Delete Cancel Done

Figure 22. Approved branch Update Record action

9.3 Send Request-Resolved Notification

The approved branch executes the second Send Email action with the subject Request has been Resolved.

Hello Pavithran

Your ticket has been resolved, thanks for contacting us.

Thank You

Ref:MSG0002087_6QF1oAoaWwoWknKsKEWV

Figure 26. Preview of the request-resolved notification

10. Phase H — Rejected / Else Path

The workflow also contains an Else branch. If the approval condition is not satisfied, the flow updates the operational record with Approval Status = Rejected and the demonstrated Assignment to value.

9 Update Database Tables Record

Action Properties

Action: Update Record

Action Inputs

* Record: 2 - Cre... Database Tables R... X

* Table: Database Tables [u_database_ta... X

* Fields: Assignment to: Abraham Lincoln X Approval Status: Rejected X

+ Add field value

Delete Cancel Done

Figure 27. Rejected / Else branch Update Record action

In the final demonstrated run, the approval condition evaluated True, so the Else branch was not executed. It remains part of the configured workflow for the alternate outcome.

11. Phase I — Final Flow Execution Validation

The strongest final evidence is the Flow Designer Execution Details screen. The demonstrated run is Completed, with the Catalog Item Requested trigger completed, Get Catalog Variables completed, Create Record completed, Send Email completed, Ask for Approval completed, the approval condition evaluated True, Update Record completed, and the resolved Send Email completed. The Else branch is shown as Not Run because the request was approved.




Figure 28. Completed Network Request Flow execution details

12. Phase J — Final Request Tracking and Operational Traceability

The final solution provides traceability across multiple ServiceNow records: the original REQ/RITM, the Database Tables operational record, the Approval Request record, email logs, and Flow Designer execution details.




Figure 29. Request lifecycle / status visibility

The custom operational table also has record-level ACLs for create, write, read, and delete, supporting controlled access to the operational data.




Figure 30. Active ACLs for the Database Tables operational table

The Approval Request relationship provides a direct trace from the Database Tables record to its approval records.




Figure 31. Approval Request relationship

13. Final End-to-End Runtime Sequence

The project is complete when the following chain has been demonstrated and validated:

1. User opens Network Request from Service Catalog.
2. User completes the structured Network Request form.
3. User submits the request through Order Now.
4. ServiceNow creates REQ0010014 and RITM0010018 in the demonstrated transaction.
5. Catalog Item Requested triggers the Network Request Flow Designer flow.
6. Get Catalog Variables retrieves the submitted request values.
7. Create Record creates the Database Tables operational record with Approval Status = Requested.
8. Request-created email is generated and visible in the email log.
9. Ask for Approval creates an approval request for the demonstrated approver.
10. Approval changes from Requested to Approved in the demonstrated successful path.
11. The approval condition evaluates True.
12. The approved branch updates the Database Tables record to Approved.
13. The flow sends Request has been Resolved.
14. The resolved email is visible in the email log and preview.
15. Flow execution details show the successful actions as Completed and the Else branch as Not Run.
16. REQ/RITM lifecycle and related records provide final traceability.

14. Final Implementation Boundary

This document describes only the behavior demonstrated by the supplied ServiceNow evidence. The implemented workflow does not claim direct network-device configuration, external network APIs, Power BI reporting, AI/ML decision-making, payment gateway integration, or external messaging integrations.

Important implementation terminology is preserved: the project is presented as Automated Network Request Management, while the actual configured operational table is retained as Database Tables / u_database_tables and the demonstrated request artifacts retain their actual REQ/RITM identifiers.

15. Demonstration Narration — Final Version

1. “We begin with the Network Request catalog item under Networks and Connectivity.”
2. “The requester completes the structured form and submits it, generating the REQ and RITM.”
3. “The Service Catalog trigger starts the Network Request Flow Designer flow.”
4. “The flow retrieves the catalog variables and creates the Database Tables operational record.”
5. “The workflow sends a request-created acknowledgement and then creates an approval request.”
6. “Once the approver approves the request, the approval condition evaluates true.”
7. “The approved branch updates the operational record to Approved and sends the Request has been Resolved notification.”
8. “We verify the resolved email, the completed Flow Designer execution, and the final request/lifecycle evidence.”
9. “The Else branch is also configured for rejection, but it is not executed in this successful demonstration.”