

SEERVI TRADING

PLASMA ELECTRIC COOKTOPS

PRODUCT CATALOGUE

#Technical Parameters

Product Type: HH-DQ20pro

Thermal efficiency: 78.4%

Fuel: 220V civil electricity

Rated Voltage:220V

Material: Tempered glass


Rated Frequency: 50HZ

Net Weight: 12.56kg

Rated Power:2500W

Installation reserved size (mm):365mm/410mm/90mm

Appearance size (mm):400mm/440mm/170mm



No need for natural gas
No need for liquefied gas



1200°C
Flaming
open flame



78.4% high thermal efficiency
Super Level
Energy Efficiency



Explosion-proof
Glass panel



Real Time
Power consumption
display



Multi-gear
Firepower
regulation



Instantaneous
Quick ignition



8 ious
Security Protection



Smart
Colorful screen
display



Plasma head



Third gear fire adjustment



Real-time electricity
consumption statistics



Large intelligent color screen display

Product Model

U7

Energy Type

220V Household Power

Power (W)

3000

Thermal Efficiency

81.5%

Rated Voltage (V)

220

Rated Frequency (Hz)

50

Net Weight (kg)

Approx. 7kg

Gross Weight (kg)

Approx. 8kg

Exterior Dimensions

425*317*135mm



Product Model

U7Pro

Energy Type

220V Household Power

Power (W)

3000

Thermal Efficiency

81.5%

Rated Voltage (V)

220

Rated Frequency (Hz)

50

Net Weight (kg)

Approx. 7kg

Gross Weight (kg)

Approx. 8kg

Exterior Dimensions

425*317*135mm

Huohua New U7 Electric Cooktop pro

Open flame 1300°C Energy-saving and cost-effective 60% Thermal efficiency 81.5%



Official
Genuine
product

Factory direct sales of genuine products
After-sales service is guaranteed

Plug-in ignition
(with open flame)

- No installation
required



Product Specification Sheet

Item Details : Product Type HH-DTQP5pro

Rated Voltage : 220V civil electricity

Materials : Tempered glass, ABS, aluminum alloy

Net Weight : 15kg

Overall Dimensions (mm): (L) 600 × (W) 457 × (H) 162.5 (including pot ring)

Bottom Shell Dimensions (mm) : (L) 554 × (W) 411 × (H) 109

Thermal Efficiency 81.5%

Rated Power : 3000W

Rated Frequency : 50Hz

Gas stove



Use natural gas, liquefied gas
High risk of leakage
low thermal efficiency,
High exhaust emissions

Induction cooker



No open flame
Not suitable for Chinese cooking
Dishes lack good flavor

Electric stove



Plug in to generate 1300°C open flame
81.5% thermal efficiency
Safe, healthy,
energy-saving, delicious



Product Specification Sheet

Item Details : Product Type HH-DCQTP6
Rated Voltage : 220V civil electricity
Materials : Tempered glass, ABS, aluminum alloy
Net Weight : 15kg
Overall Dimensions (mm): (L) 600 × (W) 457 × (H) 1628 (including pot ring)
Bottom Shell Dimensions (mm) : (L) 575 × (W) 430 × (H) 119
Thermal Efficiency 81.5%
Rated Power : 3000W
Rated Frequency : 50Hz

Extremely hot
bright flame

The stove is delicious

○○●



Fan cooling fault
Detection chip



Instantly
Quick ignition



Easy to disassemble
and install, wipe
clean immediately



APP Bluetooth



Explosion-proof



Protect
Flame


Touch screen adjustment

Glass panel

"Round" type pot ring



Product model	Type of energy
U8	220v household electricity
Total power (w)	Thermal efficiency
Rated total power: 3500w	81.5%
Rated voltage (v)	Rated frequency (hz)
220	50
Bottom shell size (mm)	Opening size (mm)
(length) 650* (width) 340* (height) 120	(length) 660 * (width) 350 * 120 (reserved height)



Product model	Type of energy
U8 pro	220v household electricity
Total power (w)	Thermal efficiency
Rated total power: 3500w	81.5%
Rated voltage (v)	Rated frequency (hz)
220	50
Bottom shell size (mm)	Opening size (mm)
(length) 650* (width) 340* (height) 120	(length) 660 * (width) 350 * 120 (reserved height)

Plasma Electric Fire Technology

From studying fire to harnessing fire

Safety

Eliminate explosion accidents and gas poisoning

Pure electric drive

No need for natural gas, liquefied gas

Health

No harmful gas emissions

Open fire cooking

1300°C stimulates the original fragrance of food

Energy saving

Thermal efficiency 81.5%
Super-class energy efficiency

Eco-friendly

Use clean electricity 0 carbon emissions



HH-HH-U9pro

:

Product Model : U9Pro Energy Type : 220V Civilian Electricity
Total Power (W) : 6000 Thermal Efficiency : 81.5%
Left Electric Stove Power : 3000W
Right Electric Stove Power : 3000W
Rated Voltage (V): 220 Rated Frequency (Hz): 50
Net Weight (kg) Approx.: 14kg
Gross Weight (kg) Approx. : 16kg
Material : Tempered Glass, Aluminum Alloy
Color Ink Black

0 Explosion accident 0 Gas poisoning 0 Harmful gas emissions

1300°C Blazing Fire 81.5% Thermal efficiency



Pure electric open flame 1 does not require gas 10 and has no carbon emissions



Official Genuine Delivery to your doorstep Less than half the cost of gas cylinders, 20% less than gas, generating fire with electricity - no fuel required

Product parameters

Enable you to have a better understanding of us

#Product Dimensions



Product Parameter Translation
(English)

Item	Specification
Product Model	U10Pro
Power Source	220V Household Electricity
Total Power (W)	6000
Thermal Efficiency	81.5%
Left Induction Burner Power	3000W
Right Induction Burner Power	3000W

Rated Voltage (V)	220
Rated Frequency (Hz)	50
Net Weight (kg)	Approx. 18kg
Gross Weight (kg)	Approx. 20kg
Material	Tempered Glass & Aluminum Alloy
Color	Ink Black
Overall Dimension	L740 × W430 × H20 (including pot ring)
Base Shell Dimension	L645 × W360 × H13
Cutout Dimension	L655 × W370 × Reserved Height 14





1. Material: Stainless steel, cast iron
2. Rated voltage: 220V
3. Rated frequency: 50Hz
4. Rated power: 10,000W
5. Net weight: 93.5KG
6. Bottom shell dimensions (mm): (Length) 1000 * (Width) 1130 * (Height) 1120
7. No carton packaging dimensions, fixed with wooden frame
8. Core principle: Plasma electric ignition technology, plug-in to generate an open flame;
9. No need for natural gas or liquefied gas
10. Temperature: 1300 ° C: Blazing Flame
- 11 Thermal efficiency: 81.5%
12. Button/APP Bluetooth/Voice Control for Heat Adjustment/60-minute Automatic Shut-off Protection
13. Chip: Fan cooling failure detection chip, ensuring safe use
14. Cast Iron Pot Ring: Round Flame-Protecting Closed Pot Ring
15. Explosion-proof glass panel
- 16 .Smart color display screen, real-time power display / cumulative power consumption display