

SEERVI TRADING

GARDEN TOOLS

PRODUCT CATALOGUE

POWER TOOLS

GARDEN TOOLS • OUTDOOR EQUIPMENT



GARDEN TOOLS

One-Stop Tools Station



HIGH-POWER MOTOR
STRONG POWER

www.bisonpower.net

61.5cc
Displacement

2.8Kw
Rated Power

550ml
Fuel Tank Capacity

MODEL	BS61(BSG010601)
Engine	2-stroke, single cylinder, air cooled
Displacement	61.5cc
Rated Power	2.8Kw
Fuel Tank Capacity	550ml
Chain oil tank capacity	260ml
Fuel Mix Ratio	25:1
Bar length	22inch/560mm
Bar cutting length	540mm
Chain	0.325,0.058,84links

Parameter

Gasoline Chainsaw



Powerful & Fast Cutting

Auto-Lube & Easy Maintenance

Durable & Reliable

Gasoline Chainsaw

BS2500 (BSG010102)



MODEL	BS2500(BSG010102)
Engine type	1E34F-EA
Max Power	0.9KW
Max power speed	11000rpm
Displacement	25.4CC
Fuel tank capacity	0.4L
Oil tank capacity	0.25L
Bar length	12inch/305mm
Bar cutting length	280mm
Chain	0.375,0.050,45links

Gasoline Chainsaw

BS5200-B (BSG010402)



MODEL	BS35(BSG010402)
Engine	2-stroke, single cylinder, air cooled
Displacement	51.7cc
Idle Speed	3000±300rpm
Rated Power	2.2Kw
Fuel Tank Capacity	550ml
Chain oil tank capacity	260ml
Fuel Mix Ratio	25:1
Bar length	18inch/460mm
Bar cutting length	420mm
Chain	0.325,0.058,72links

Gasoline Chainsaw

BS5200-C (BSG010403)



MODEL	BS35
Engine	2-stroke, single cylinder, air cooled
Displacement	51.7cc
Idle Speed	3000±300rpm
Rated Power	2.2Kw
Fuel Tank Capacity	550ml
Chain oil tank capacity	260ml
Fuel Mix Ratio	25:1
Bar length	18inch/460mm
Bar cutting length	420mm
Chain	0.325,0.058,72links

Gasoline Chainsaw

- Powerful Performance
- Easy Starts
- Built for Professionals
- Low Vibration



MODEL	BS4000 (BSG010201)	BS4500 (BSG010301)	BS5200(BSG010401)
Engine	2-stroke, single cylinder, air cooled	2-stroke, single cylinder, air cooled	2-stroke, single cylinder, air cooled
Displacement	40.1cc	42.7cc	51.7cc
Rated Power	1.65Kw	1.9Kw	2.2Kw
Fuel Tank Capacity	300ml	560ml	550ml
Chain oil tank capacity	200ml	250ml	260ml
Fuel Mix Ratio	25:1	25:1	25:1
Bar length	12"/14"/16"	16"/18"	18"/20"

Gasoline Chainsaw

BS3800 (BSG010701)



MODEL	BS3800 (BSG010701)
Engine	2-stroke, single cylinder, air cooled
Displacement	37.2cc
Idle Speed	3000±300rpm
Rated Power	1.45Kw
Fuel Tank Capacity	280ml
Chain oil tank capacity	200ml
Fuel Mix Ratio	25:1
Bar length	12/14/16inch
Chain	0.325,0.058,76links

Gasoline Chainsaw

BS5800 (BSG010501)



Rated Power	2.6Kw
Fuel Tank Capacity	550ml
Chain oil tank capacity	260ml
Fuel Mix Ratio	25:1
Bar length	20inch/505mm
Bar cutting length	480mm
Chain	0.325,0.058,76links

Gasoline Brush Cutter

- Fast Starts
- Easy Maintenance
- Low Vibration



MODEL	BS250(BSG020101)	BS430 (BSG020201)	BS520 (BSG020301)	BS630(BSG020303)
Engine type	1E34F	1E40F-5	1E44F-5	1E47.5F
Volume (fuel tank)	650cm³	1200cm³	1200cm³	1200cm3
Engine type	2 stroke air cooled cylinder	2 stroke air cooled cylinder	2 stroke air cooled cylinder	2 stroke air cooled cylinder
Engine displacement	25.4cc	42.7cc	48.7cc	60.2cc
Max.engine power/Engine speed	0.75Kw/7000min-1	1.35Kw/7000min-1	1.45Kw/7000min-1	2.2Kw/7000min-1
Engine speed at idling	3000±300	3000±300	3000±300	3000±300
Shaft type	26mm/straight	26mm/straight	26mm/straight	26mm/straight



MODEL	BS430(BSG020304)	BS520 (BSG020305)
Engine type	1E40F-5	1E44F-5
Volume (fuel tank)	1200cm³	1200cm³
Engine type	2 stroke air cooled cylinder	2 stroke air cooled cylinder
Engine displacement	42.7cc	48.7cc
Max.engine power/Engine speed	1.35Kw/7000min-1	1.45Kw/7000min-1
Engine speed at idling	3000±300	3000±300
Shaft type	26mm/straight	26mm/straight

Gasoline Brush Cutter

BS35
(BSG021201)



MODEL	BS35(BSG021201)
Engine type	1E140F 4-STROKE
Displdisacement	35.8CC
Max speed	11000RPM
Idle speed	3000±300RPM
Power	1.0KW
Tank volume	630ML
Carburetor type	DIAPHRAGM

Gasoline Brush Cutter

BS139
(BSG021401)



MODEL	BS139 (BSG021401)
Engine type	139F
Displdisacement	31CC
Max speed	11000RPM
Idle speed	3000±300RPM
Power	0.8KW
Mixed fuel ratto	25:1
Tank volume	900ML
Carburetor type	DIAPHRAGM





MODEL	BSMT430A
Displacement	42.7cc
Max power	1.2kw/6500-7500rpm
Idle speed	3000±200rpm
Fuel capacity	1200ml

MODEL	BSMT520A
Displacement	52cc/58cc
Max power	1.4kw/6500-7500rpm
Idle speed	3000±200rpm
Fuel capacity	1200ml



Gasoline
Brush Cutter

BSG020501



MODEL	BSG020501
Engine	1E140F
Engine type	4-stroke air cooled cylinder
Displacement	35.8CC
Tank Volume	TANK VOLUME:630ML
Max.engine power/Engine speed	1.0Kw/11000rpm
Engine speed at idling	3000±300

Gasoline
Brush Cutter

BSG020502



MODEL	BSG020502
Engine	1E44F-5
Engine type	2 stroke air cooled cylinder
Displacement	48.7cc
Tank Volume	1200cm3
Max.engine power/Engine speed	1.45Kw/7000min-1
Engine speed at idling	3000±300


Gasoline
Earth Auger

- Fast Starts
- Easy Maintenance
- Low Vibration



MODEL	BS52(BSG030102)	BS56(BSG030201)	BS63(BSG030202)
Engine type	1E44F-5E	1E46F	1E48F
Displacement	51.7CC	56CC	63CC
Max Power	1.45KW/2HP	1.8KW/2.5HP	2.3KW/3.1HP
Max power speed	7000rpm	7000rpm	7000rpm
Idle speed	3000±300rpm	3000±300rpm	3000±300rpm
Max speed	10000rpm	10000rpm	10000rpm
Fuel tank capacity	1.2L	1.2L	1.3L
Mixture ratio	40:1	40:1	40:1
Drill bit	80mm/100mm/120mm/150mm/200mm	120mm/150mm/200mm/250mm	150mm/200mm/250mm/300mm

Ordinary drill bit



Ordinary drill bit



Gasoline Water Pump

- Fast Starts
- Easy Maintenance
- Low Vibration



MODEL	BS52-4A(BSG040101)	BS56-4 (BSG040201)	BS43-4 (BSG040301)
Engine	1E44F-5 (2-stroke)	1E46F (2-stroke)	1E40F-5 (2-stroke)
Displacement	51.7CC	56CC	42.7CC
Max Output Power	1.85HP/1.45KW	2.5HP/1.8KW	1.8HP/1.35KW
Mixed Fuel Ratio	25:1	25:1	25:1
Water Outlet Diameter	1inch-25mm/1.5inch-40mm	2inch-50mm	1inch-25mm/1.5inch-40mm
Lift	1inch-15m/1.5inch-29m	30m	1inch-12m/1.5inch-23m
Suction	6-8m	6-8m	6-8m
Flow	8-10m³/h	10-15m³/h"	8-10m³/h

Gasoline Water Pump



BS35-4 (BSG041101)

MODEL	BS35-4(BSG041101)
Engine	GX35 (4-stroke)
Displacement	35.8CC
Max Output Power	1KW/1.4HP
Lift	1inch-15m/1.5inch-29m
Suction	6-8m
Flow	8-10m³/h
Water Outlet Diameter	1inch-25mm/1.5inch-40mm
Stipulation Suction Time	≤80s

Gasoline Propeller

- Fast Starts
- Easy Maintenance
- Low Vibration



MODEL	BS52 (BSG060101)	BS63(BSG060201)
Engine	1E44F-5	1E48F
Volume (fuel tank)	1200cm³	1200cm³
Engine type	2 stroke aril cooled cylinder	2 stroke aril cooled cylinder
Engine displacement	52cc	63cc
Max engine power/Engine speed	1.45Kw/7000min-1	1.8Kw/7000min-1
Engine speed at idling	3000±300	3000±300
Automatic choke switch off	yes	yes

Gasoline Leaf Blower



BS260A (BSG070101)

MODEL	BS260A(BSG070101)
Matched Engine	1E34FE
Displacement	25.4CC
Standard Power	0.75kw/7000r/min
Form Of Carburetor	Diaphragm
Mixed Fuel Ratio	25:1
Tank Capacity	0.5L
Average Air Volune	0.15m³/s
Air Speed	75m/s

Gasoline Leaf Blower



BS750 (BSG070201)

Displacement	63.3CC
Standard Power	2.7kw/6800r/min
Form Of Carburetor	Diaphragm
Mixed Fuel Ratio	25:1
Tank Capacity	2 L
Air Speed	72m/s

Gasoline Hedge Trimmer



MODEL	BS235-C(BSG050103)	BS260(BSG050104)	BS260-B(BSG050102)
Engine	1E32F	1E32F	1E32F
Displacement	23.6CC	23.6CC	23.6CC
Max Output Power	0.65KW/0.9HP	0.65KW/0.9HP	0.65KW/0.9HP
Mixed Fuel Ratio	25:1	25:1	25:1
Tank Volume	0.55L	0.55L	0.55L
Blade Type	Double	Double	Double
Blade Length	550mm	550mm	550mm

Snow Thrower

BS3223B
(BSG090101)



MODEL	BS260A(BSG090101)
Engine model	170F
Start style	Manual start
Engine power	7HP /196cc
Fuel tank capacity	3.6L
Speed	4 forward and 2reverse
One hand control	No
Chute material	Steel
Chute rotating angle	190°
Working width	560mm
Working thickness	410mm
Wheel	13" Normal wheel

Snow Thrower

BS3335
(BSG090102)



MODEL	BS3335(BSG090102)
Engine model	190F
Start Style	AC start
Engine power	15HP/420CC
Fuel tank capacity	3.6L
Speed	6 forward and 2 reverse
One hand control	YES
Chute material	Plastic
Chute rotating angle	190°
Working width	610mm/28"mm
Working thickness	535mm/21"
Wheel	15" snow wheel

Gasoline Lawn Mower

BS158-1B
(BSG080101)



MODEL	BS158-1B(BSG080101)
Engine model	WK1P65
Max power	5.0HP
Displacement	139CC
Start way	Recoil
Drive type	Hand push
Idle speed	2800rpm
Cutting width/Cutting height	400mm(16inch)/25-70mm,8adjustment
Height adjustment	1 lever adjustment
Wheel Diameter	Front:6inch Rear:8inch
Fuel tank capacity	1.3L
Grass bag capacity	40L
Deck	Metal

Gasoline Lawn Mower

BS168-2B
(BSG080102)



MODEL	BS168-2B(BSG080102)
Engine model	WK1P65
Max power	5.0HP
Displacement	139CC
Start way	Recoil
Drive type	Self-propelled
Idle speed	2800rpm
Cutting width/Cuting height	460mm(18inch)/17-60mm,7adjustment
Height adjustment	1 lever adjustment
Wheel Diameter	Front:7inch Rear:10inch
Fuel tank capacity	1.3L
Grass bag capacity	60L
Deck	Metal

Gasoline Lawn Mower

BS178-2A
(BSG080201)



MODEL	BS178-2A(BSG080201)
Engine model	WK1P70
Max power	6.0HP
Displacement	173CC
Start way	Recoil
Drive type	Self-propelled
Idle speed	2800rpm
Cutting width/Cuting height	510mm(20inch)/20-65mm,7adjustment
Height adjustment	1 lever adjustment
Wheel Diameter	Front:7inch Rear:10inch
Fuel tank capacity	1.3L
Grass bag capacity	60L
Deck	Metal

Gasoline Lawn Mower

BS178-2LCJ
(BSG080202)



Start way	Recoil
Drive type	Self-propelled 4in1 with mulching
Idle speed	2800rpm
Cutting width/Cutting height	510mm(20inch)/20-65mm,8adjustment
Height adjustment	1 lever adjustment
Wheel Diameter	Front:7inch Rear:10inch
Fuel tank capacity	1.3L
Grass bag capacity	65L
Deck	Metal

Gasoline Chainsaw



BS180
(BSG011101)

MODEL	BS180(BSG011101)
Engine type	2-stroke, single cylinder, air cooled
Displacement	31.8cc
Rated Power	1.3Kw
Fuel tank capacity	250ml
Chain oil tank capacity	145ml
Fuel Mix Ratio	25:1

Gasoline Chainsaw



BS250
(BSG012101)

MODEL	BS250(BSG012101)
Engine type	2-stroke, single cylinder, air cooled
Displacement	45.4cc
Rated Power	2.1Kw
Fuel tank capacity	470ml
Chain oil tank capacity	200ml
Fuel Mix Ratio	25:1

Gasoline Chainsaw



BS372
(BSG013101)

MODEL	BS372(BSG013101)
Engine type	2-stroke, single cylinder, air cooled
Displacement	70.7cc
Rated Power	3.6Kw
Fuel tank capacity	770ml
Chain oil tank capacity	420ml
Fuel Mix Ratio	25:1

Gasoline Chainsaw



BS070
(BSG014101)

MODEL	BS070(BSG014101)
Engine type	2-stroke, single cylinder, air cooled
Displacement	105cc
Rated Power	4.8Kw
Maximum power speed	9000RPM
Fuel Tank Capacity	1200ml
Chain oil tank capacity	530ml
Fuel Mix Ratio	25:1

Gasoline Brush Cutter



BS143
(BSG021301)

MODEL	BS143(BSG021301)
Engine type	40-9
Displdisacement	41.5CC
Max speed	11500RPM
Idle speed	1.47KW
Power	3000±300RPM
Mixed fuel ratto	25:1
Tank volume	1200ML
Carburetor type	DIAPHRAGM

Gasoline Brush Cutter



BS541
(BSG021302)

MODEL	BS541(BSG021302)
Engine type	541
Displdisacement	41.5CC
Max speed	11500RPM
Idle speed	1.47KW
Power	3000±300RPM
Mixed fuel ratto	25:1
Tank volume	1200ML
Carburetor type	DIAPHRAGM

Electric Chain Saw



BS405A
(BSG410101)

MODEL	BS405A (BSG410101)
Power	900W-1600W
Guide bar length	406mm (16 inches)
Output speed	5400 rpm
AC voltage	220V-230V
Current	3.7A-11A
Motor specifications	Pure copper brushed motor 7250 (split)
Lithium-ion chainsaw net weight	3.8kg

Electric Chain Saw



BS8018-1
(BSG410104)

MODEL	BS8018-1 (BSG410104)
Power	1200W-4200W
Guide Bar Length	406mm (16 inches)
Output Speed	6000 rpm
AC Voltage	220V-230V
Current	5.6A-20A
Motor Specifications	Pure Copper Brushed Motor 9545 (Split)
Lithium Chain Saw Net Weight	5.9kg
Chain	3/8 (59 sections)

Electric Chain Saw



BS405-A
(BSG410102)

MODEL	BS405-A (BSG410102)
Power	750W-1500W
Guide Bar Length	406mm (16 inches)
Output Speed	5650 rpm
AC Voltage	220V-230V
Current	Current: 3.5A-11A
Motor Specifications	Pure Copper Brushed Motor 7250 (Split)
Lithium Chain Saw Net Weight	3.9kg
Chain	3/8 (59 links)

Electric Chain Saw



BS505-3
(BSG410105)

MODEL	BS505-3 (BSG410105)
Power	1160W-2800W
Guide Bar Length	406mm (16 inches)
Output Speed	4100 rpm
AC Voltage	220V-230V
Current	5.5A-14A
Motor Specifications	Pure Copper Brushed Motor 9535 (Split)
Lithium Chain Saw Net Weight	4.7kg
Chain	3/8 (59 sections)

Electric Chain Saw



BS9988-1
(BSG410103)

MODEL	BS9988-1 (BSG410103)
Power	1300W-4400W
Guide Bar Length	406mm (16 inches)
Output Speed	6450 rpm
AC Voltage	220V-230V
Current	6.3A-28A
Motor Specifications	Pure Copper Brushed Motor 9545 (Split)
Lithium Chain Saw Net Weight	3.9kg
Chain	3/8 (59 sections)

Electric Chain Saw



BS501
(BSG410106)

AC Voltage	220V-230V
Current	5A-8A
Motor Specifications	Pure copper brushed motor 7240 (split)
Lithium Chain Saw Net Weight	3.4kg
Chain	3/8 (59 links)

Electric
Brush cutter

BS7301A/B
(BSG420101)



MODEL	BS7301A/B (BSG420101)
Rated Voltage	230-240V
Frequency	50Hz
Rated Power	1000/1200W
Rated Power speed	8500rpm
Cutting Width	35cm

Electric
Brush cutter

BS7301AH/BH
(BSG420102)



MODEL	BS7301AH/BH(BSG420102)
Rated Voltage	230-240V
Frequency	50Hz
Rated Power	1000/1500W
Rated Power speed	10500rpm
Cutting Width	23/35cm

Electric
Brush cutter

BS6908
(BSG420103)



MODEL	BS6908(BSG420103)
Rated Voltage	230V
Frequency	50Hz
Rated Power	1200W
Rated Power speed	8600rpm
Cutting Width	37cm

Electric
Brush cutter

BS6909
(BSG420104)



MODEL	BS6909(BSG420104)
Rated Voltage	230V
Frequency	50Hz
Rated Power	1200W
Rated Power speed	6800rpm
Cutting Width	37cm
Blade size	φ255±0.3mm

Electric
Brush cutter

BS6910-1
(BSG420105)



MODEL	BS6910-1(BSG420105)
Rated Voltage	230V
Frequency	50Hz
Rated Power	1200W
Rated Power speed	8600rpm
Cutting Width	42cm
Blade size	φ255±0.3mm

Electric Hedge trimmer

BS12B-550L (BSG430101)



- With mechanical brake
- With rotary handle
- With Aluminium press bar



Electric Hedge trimmer

BS14E-510L (BSG430102)



- With electric brake
- With rotary handle
- With Aluminium press bar



Electric Hedge trimmer

BS17C-410C (BSG430103)



- Dual safety switch
- Dual action blade
- With electric brake
- With normal handle
- With steel press bar
- Includes blade sheath & safety guard



MODEL	BS12B-550L(BSG430101)
Voltage/Frequency	230-240V~/50Hz
Rated power	750W
No-load speed	1600min-1
Cutting length	550mm
Bar length	610mm
Cutting capacity	20mm

MODEL	BS14E-510L (BSG430102)
Voltage/Frequency	230-240V~/50Hz
Rated power	600W
No-load speed	1700min-1
Cutting capacity	16mm
Cutting length	510mm
Bar length	560mm

MODEL	BS17E-410C(BSG430103)
Voltage/Frequency	230-240V~/50Hz
Rated power	520W
No-load speed	1700min-1
max. cutting dia	16mm
Cutting length	410mm
Bar length	460mm

Electric Lawn Mower

BS7601 (BSG450101)



MODEL	BS7601(BSG450101)
Rated Voltage	230-240/50Hz
Rated Input Power	1000W, 1300W
Mowing Width	300mm, 320mm
No-Load Speed	3500rpm ± 10%
Mowing Height Adjustment	Three Manual
Height Adjustments	25/40/55mm
Catcher Capacity	25L (Plastic)
Wheel Size	4x125mm
Brake	Electronic Brake (<3s)

Electric Lawn Mower

BS7602B (BSG450102)



MODEL	BS7602B(BSG450102)
Rated Voltage	230-240/50Hz
Rated Input Power	1300W
Mowing Width	320mm
No-Load Speed	3500rpm ± 10%
Mowing Height Adjustment	Three Manual
Height Adjustments	25/40/55mm
Wheel Size	4x140mm
Brake	Electronic Brake (<3s)

Electric
Lawn Mower



BS7604
(BSG450103)

MODEL	BS7604 (BSG450103)
Rated voltage	230-240Hz/50Hz
Rated input power	1400W/1600W
Mowing width	360mm/380mm
No-load speed	3500rpm ±10%
Height adjustment	Single lever (25-75mm)
Catcher capacity	45L (all plastic/cloth bag)
Wheel size	Front 160mm, Rear 200mm
Brake	Mechanical brake <3s
Drive structure	Belt drive/Gear drive

Garden
Shredder



BSLD01DA
(BSG440101)

MODEL	BSLD01DA (BSG440101)
Voltage/Frequency	230-240V~/50Hz
Rated power	2500W (P40)
Motor	Brushed
No-load speed	4500min-1
Max cutting dia.	40mm
Collecting bag capacity	60L
Guaranteed sound power level	106 dB(A)

Electric
Lawn Mower



BS7605
(BSG450104)

MODEL	BS7605(BSG450104)
Rated voltage	230-240Hz/50Hz
Rated input power	1800W/2000W
Mowing width	400mm/420mm
No-load speed	3500rpm ±10%
Height adjustment	Single lever (25-75mm)
Catcher capacity	45L (all plastic/cloth bag)
Wheel size	Front 160mm, Rear 200mm
Brake	Mechanical brake <3s
Drive structure	Belt drive/Gear drive

Garden
Shredder



BSLD02DA
(BSG440102)

MODEL	BSLD02DA (BSG440102)
Voltage	230-240V
Frequency	50Hz
Collecting box capacity	50L

BS-CS-4
(BSG200101)
4 Inch Mini chain saw

- Light and portable
- Long battery life
- Can be held with one hand



MODEL	BS-CS-4
Cutting Size	<100 mm(4 inch)
Motor	Strong magnet motor With power light
Size	34*12cm

BS-CS-6
(BSG200102)
6 Inch Mini chain saw

- Light and portable
- Long battery life
- Can be held with one hand



MODEL	BS-CS-6
Cutting Size	<150 mm(6 inch)
Motor	Strong magnet motor With power light
Size	38*12cm

BS-CS-8
(BSG200103)
8 Inch Mini chain saw

- Light and portable
- Long battery life
- Can be held with one hand



MODEL	BS-CS-8
Cutting Size	<200 mm(8 inch)
Motor	Strong magnet motor With power light
Size	42*12cm



Cordless Chainsaw
BS6685
(BSG210101)



MODEL	BS6685(BSG210101)
Power	230W-1150W
Screen Type	Multi-function LCD
Guide Plate Length	304mm (12 inches)
Output Speed	4180 rpm
DC Voltage	18V-21V
Current	11A-55A
Motor Specifications	Pure copper brushless motor 5025 (integrated)
Net Weight	2.8kg
Chain Size	1/4 (64 links) 3/8 (45 links)

Cordless Chainsaw
BS6686
(BSG210102)



MODEL	BS6686(BSG210102)
Power	237W-1100W
Screen Type	Digital Tube
Guide Plate Length	304mm (12-inch)
Output Speed	3510r/min
DC Voltage	18V-21V
Current	11A-52A
Motor Specifications	Pure Copper Brushless Motor 5025 (Split)
Net Weight	2.45kg
Chain Size	3/8 (45 links)

Cordless Chainsaw
BS6689
(BSG210103)



MODEL	BS6689(BSG210103)
Power	164W-1800W
Screen Type	Digital Tube
Guide Plate Length	406mm (16 inches)
Output Speed	3900 rpm
DC Voltage	36V-42V
Current	4A-44A
Motor Specifications	Pure Copper Brushless Motor 5230 (Integrated)
Net Weight	3.8kg
Chain Size	3/8 (59 links)

Cordless Chainsaw
BS8866
(BSG210104)



MODEL	BS8866(BSG210104)
Power	164W-1800W
Screen Type	Digital Tube
Guide Plate Length	406mm (16 inches)
Output Speed	4300 rpm
DC Voltage	36V-42V
Current	6.7A-55A
Motor Specifications	Pure Copper Brushless Motor 5040 (Integrated)
Net Weight	3.5kg
Chain Size	3/8 (59 links) 1/4 (74 links)

Cordless
Brush cutter

BS6655
(BSG220101)



MODEL	BS6655 (BSG220101)
Power	100W-610W
Aluminum Tube Length	1100mm
Output Speed	5000rpm
DC Voltage	18V-21V
Current	Current: 4.6A-29A
Motor Specifications	Pure Copper Brushless Motor 4815 (Split)
Blade Size	Blade Size: 9-inch (40 teeth)

Cordless
Brush cutter

BS6656
(BSG220102)



MODEL	BS6656(BSG220102)
Power	320W-1340W
Aluminum Tube Length	1130mm
Output Speed	5600 rpm
DC Voltage	18V-24V
Current	11A-46A
Motor Specifications	Pure Copper Brushless Motor 5025 (Split)
Blade Size	9-inch (40 teeth)

Cordless
Brush cutter

CGTLD05
(BSG220104)



MODEL	CGTLD05(BSG220104)
Motor Specifications	20V 755 DC Motor
Cutting Diameter	230 or 260mm
Line length	2*3m
Without Battery and Charger.	

Cordless
Brush cutter

CGTLD06
(BSG220103)



MODEL	CGTLD06(BSG220103)
Motor Specifications	20V 755 DC Motor
Cutting Diameter	230 or 260mm
Line length	2*3m
Without Battery and Charger.	

Cordless
Lawn Mower

BS8601A
(BSG250101)



MODEL	BS8601A(BSG250101)
Voltage	DC18V-4.0AH
Current	4.5A
Motor Type	Brushless
Cutting Diameter	300mm
Speed	2800RPM
Three Height Adjustments	20/40/60mm
Wheel Diameter	140mm*4
Grass Capacity	30L

Cordless
Lawn Mower

BS8601B
(BSG250102)



MODEL	BS8601B(BSG250102)
Voltage	DC18V-4.0AH
Current	4.5A
Motor Type	Brushless
Cutting Diameter	320mm
Speed	2800RPM
Three Height Adjustments	20/40/60mm
Wheel Diameter	140mm*4
Grass Capacity	30L

Cordless
Lawn Mower

BS8604A
(BSG250103)



Mowing Width	360mm
No-Load Speed	3500rpm ±10%
Height Adjustment	Single-Lever Height Adjustment (25-75mm)
Grass Collection Basket Capacity	45L (Plastic/Cloth Bag)
Wheel Size	Front 160mm, Rear 200mm



BS8604B
(BSG250104)

MODEL	BS8604B(BSG250104)
Battery	DC40V-4.0Ah
Charging Current	2.4/4.5A
Motor Type	Brushless
Mowing Width	380mm
No-Load Speed	3500rpm ±10%
Height Adjustment	Single-Lever Height Adjustment (25-75mm)
Grass Collection Basket Capacity	45L (Plastic/Cloth Bag)
Wheel Size	Front 160mm, Rear 200mm



BS8605A
(BSG250105)

MODEL	BS8605A(BSG250105)
Battery	DC40V-4.0Ah
Charging Current	2.4/4.5A
Motor Type	Brushless
Mowing Width	400mm
No-Load Speed	3500rpm ±10%
Height Adjustment	Single-Lever Height Adjustment (25-75mm)
Grass Collection Basket Capacity	45L (Plastic/Cloth Bag)
Wheel Size	Front 160mm, Rear 200mm



BS8605B
(BSG250106)

MODEL	BS8605B(BSG250106)
Battery	DC40V-4.0Ah
Charging Current	2.4/4.5A
Motor Type	Brushless
Mowing Width	420mm
No-Load Speed	3500rpm ±10%
Height Adjustment	Single-Lever Height Adjustment (25-75mm)
Grass Collection Basket Capacity	45L (Plastic/Cloth Bag)
Wheel Size	Front 160mm, Rear 200mm

Cordless Blower

BS1105
(BSG310101)



MODEL	BS1105 (BSG310101)
Power Type	Rechargeable Lithium Battery
Rated Voltage Range	AC single-phase and DC 50V and above
Power Supply Voltage	21V
No-load Speed	11,000 rpm
Rated Power	420 W
Air Volume	80/81m³/min
Battery Capacity	3/4/4.5/6/9/12Ah
Air Collection Duct Length	500mm
Tube Diameter	85mm
Peak Air Volume	580 m³/h
Packaging Dimensions	76*38*54cm



CBVLD01
(BSG310102)

MODEL	CBVLD01 (BSG310102)
Motor Specifications	20V 775 DC Motor
Air speed	180km/h
No load speed	7000 rpm
Air volume	12m³/s

Cordless Hedge Trimmer

CHTLD01
(BSG320101)



Blade length	520mm
Cutting length	450mm
Cutting capacity	18.5mm