

PRODI

CATALOGUE

2025 vol.1

Professional ergonomic bracket manufacturer

SEERVI TRADING

TV MOUNTS & STANDS

PRODUCT CATALOGUE



SEERVI TRADING

PRODUCT CATALOGUE

TV MOUNTS • STANDS • BRACKETS

Product models and technical specifications are shown in the following sections.

SEERVI TRADING




TABLE OF CONTENTS

Fixed TV wall Mount 01

Tilting TV wall Mount 05

Full Motion TV wall Mount 09

TV Cart 19

Ceiling TV Mount 33

TV Stand 39

Monitor Stand 41

Laptop Stand 44

DVD Stand/Projector Ceiling Mount 47

Speaker/Microphone Stand 48

AC Bracket 49

Electric Standing Desk 53

Fixed TV Wall Mount



Advantages

01

Favorable prices and good quality

Fixed TV wall mount not only has high quality, but also the price is absolutely favorable!

02

Easy to install and transport


The ultra-thin design is only 20mm away from the wall. Simple structure makes the installation fast and easy. The open structure increases ventilation and makes it easier to access wires. Reduced package size can reduce transportation and storage costs.

03

High durability and rust resistance

The fixed TV bracket is made of solid large-size steel castings. Powder coating provides a smooth, modern appearance and provides higher durability. Powder coating is the process of coating powder pigment on the surface and curing. The process involves removing impurities and contaminants and then using pigments. The material is then cured at a high temperature, allowing the pigments to flow together and react chemically to form a coating.

Powder coatings are preferred for some surfaces because they contain little volatile organic compounds and do not sag or run with thicker coatings, providing the smoothest and most effective finish even on surfaces with multiple angles or depressions. The firm combination with the metal surface provides longer service life and rust resistance.



HT-101

Screen Size: 14"-42"

VESA: 200*200mm

Load Capacity: 25kg



HT-102

Screen Size: 26"-63"

VESA: 400*400mm

Load Capacity: 50kg



HT-103

Screen Size: 40"-80"

VESA: 600*500mm

Load Capacity: 75kg



GJ-104S

Screen Size: 46"-100"

VESA: 700*500mm

Load Capacity: 80kg




GJ-104

Screen Size: 50"-110"

VESA: 700*600mm

Load Capacity: 150kg



GJ-105

Screen Size: 55"-120"

VESA: 800*600mm

Load Capacity: 150kg



GJ-106

Screen Size: 60"-120"

VESA: 900*600mm

Load Capacity: 150kg



20F

Screen Size: 12"-43"

VESA: 200*200mm

Load Capacity: 20kg



41F

Screen Size: 22"-43"

VESA: 300*300mm

Load Capacity: 40kg

**43-F**

Screen Size: 23"-55"

VESA: 400*400mm

Load Capacity: 50kg

**63-F**

Screen Size: 32"-80"

VESA: 600*400mm


Load Capacity: 75kg

**HT-48**

Screen Size: 32"-65"

VESA: 480*400mm


Load Capacity: 40kg

**SH-808**

Screen Size: 40"-90"

VESA: 650*500mm

Load Capacity: 75kg

**100F**

Screen Size: 40"-100"

VESA: 700*500mm


Load Capacity: 80kg

**V120**

Screen Size: 42"-120"

VESA: 960*600mm

Load Capacity: 100kg

**D2-F**

Screen Size: 32"-55"

VESA: 400*400mm

Load Capacity: 50kg

**C2-F**

Screen Size: 32"-55"

VESA: 400*400mm


Load Capacity: 36.4kg

**C3-F**

Screen Size: 40"-65"

VESA: 600*400mm


Load Capacity: 68.2kg

**YSD-900**

Screen Size: 60"-120"

VESA: 900*400mm

Load Capacity: 200kg

**960**

Screen Size: 60"-120"

VESA: 900*600mm

Load Capacity: 150kg

**D1100**

Screen Size: 80"-120"

VESA: 1100*600mm

Load Capacity: 200kg

**K40**

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 35kg

**K60**

Screen Size: 32"-70"

VESA: 600*400mm

Load Capacity: 50kg

**V90**

Screen Size: 42"-90"

VESA: 800*500mm

Load Capacity: 100kg

Tilting TV Wall Mount



Advantages

01

Easy to clean

After the TV is installed and used for a period of time, the back of the TV will accumulate dust, which is difficult to clean; But don't worry, the tilting TV bracket can help you adjust the vertical angle of the TV, and then you can easily clean the dust on the back of the TV.

02

Convenient cable insertion

There are usually three jacks on the TV. Yellow is connected to video, red is connected to (left) audio, and white is connected to (right) audio; Each jack has two wires.

The center of the jack is the signal path, and the metal part of the outer surface of all jacks is the ground wire. When the TV needs to be connected with other equipment, it is difficult to plug in the cable; The tilting TV bracket can adjust the angle and easily insert the connecting wire.




C35

Screen Size: 14"-42"

VESA: 200*200mm

Load Capacity: 30kg



C45

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 45kg



C55

Screen Size: 32"-70"

VESA: 600*400mm

Load Capacity: 60kg



HT-001

Screen Size: 15"-42"

VESA: 300*300mm

Load Capacity: 35kg



HT-002

Screen Size: 32"-55"

VESA: 400*400mm

Load Capacity: 40kg



HT-003

Screen Size: 32"-70"

VESA: 600*400mm

Load Capacity: 50kg



AA1

Screen Size: 14"-42"

VESA: 200*200mm

Load Capacity: 25kg



AA2

Screen Size: 26"-60"

VESA: 400*400mm

Load Capacity: 45kg



AA3

Screen Size: 40"-80"

VESA: 600*400mm

Load Capacity: 60kg



SH-20T

Screen Size: 15"-43"

VESA: 200*200mm

Load Capacity: 30kg



SH-42T

Screen Size: 22"-43"

VESA: 300*300mm

Load Capacity: 45kg



SH-44T

Screen Size: 23"-55"

VESA: 400*400mm

Load Capacity: 75kg



C2-T

Screen Size: 32"-65"

VESA: 400*400mm

Load Capacity: 36.4kg



C3-T

Screen Size: 55"-75"

VESA: 600*400mm

Load Capacity: 56.8kg




DF-70T

Screen Size: 55"-85"

VESA: 500*400mm

Load Capacity: 68.2kg




SH-64T

Screen Size: 15"-43"

VESA: 200*200mm

Load Capacity: 30kg




70T

Screen Size: 40"-86"

VESA: 700*500mm

Load Capacity: 80kg



75T

Screen Size: 40"-90"

VESA: 700*500mm

Load Capacity: 80kg



DF-80T

Screen Size: 68"-90"

VESA: 700*400mm

Load Capacity: 90.9kg



K2

Screen Size: 14"-32"

VESA: 200*200mm

Load Capacity: 35kg



K4

Screen Size: 26"-60"

VESA: 400*400mm

Load Capacity: 50kg



HT-A48

Screen Size: 32"-65"

VESA: 480*480mm

Load Capacity: 45kg



V-120T

Screen Size: 42"-120"

VESA: 1000*500mm

Load Capacity: 100kg



C1-T

Screen Size: 17"-45"

VESA: 200*200mm

Load Capacity: 18.2kg



K6

Screen Size: 32"-70"

VESA: 600*400mm

Load Capacity: 80kg



DF70-T

Screen Size: 55"-85"

VESA: 500*400mm

Load Capacity: 68.2kg

Full Motion
TV Wall Mount



Advantages

01

Multi-angle viewing, easy adjustment

The full motion TV bracket can facilitate users to watch TV at different positions and angles. For example, when dining in a restaurant, you can easily watch TV by adjusting the angle of the TV bracket.

02

Easy to clean

The full motion TV bracket is also conducive to the maintenance of the TV. After the TV bracket is fixed on the wall, the TV cannot be moved at will. It is troublesome to remove the dust on the back, and the full motion TV bracket is easy for you to clean.

03

adjustable distance, moisture protection

It is troublesome to remove the dust on the back, and the full motion TV bracket is easy for you to clean. In addition, in wet weather, the distance between the TV and the wall can be adjusted with a full motion TV bracket to prevent moisture from damaging the TV.

04

Adjustable angle

Watching TV at a certain angle for a long time is easy to lead to cervical fatigue. Buying a full motion TV bracket can adjust the angle of watching TV according to sitting posture and needs.



P4-1

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 31.8kg



P4

Screen Size: 32"-60"

VESA: 400*400mm

Load Capacity: 31.8kg



P5

Screen Size: 32"-65"

VESA: 400*400mm

Load Capacity: 36.5kg



P6

Screen Size: 40"-80"

VESA: 600*400mm

Load Capacity: 45.5kg



P65

Screen Size: 40"-85"

VESA: 600*400mm

Load Capacity: 68.2kg



L767-L600

Screen Size: 40"-75"

VESA: 600*400mm

Load Capacity: 45.5kg



S100

Screen Size: 10"-26"

VESA: 100*100mm

Load Capacity: 12kg



X100

Screen Size: 10"-26"

VESA: 100*100mm

Load Capacity: 12kg



HY-210

Screen Size: 10"-32"

VESA: 100*100mm

Load Capacity: 10kg

**HY-210(Welding)**

Screen Size: 10"-32"

VESA: 100*100mm

Load Capacity: 10kg

**P200**

Screen Size: 14"-42"

VESA: 200*200mm

Load Capacity: 31.8kg

**P400**

Screen Size: 32"-55"

VESA: 400*400mm

Load Capacity: 31.8kg

**304E**

Screen Size: 14"-42"

VESA: 200*200mm

Load Capacity: 36kg

**304E-2**

Screen Size: 14"-55"

VESA: 400*400mm

Load Capacity: 40kg

**305E**

Screen Size: 32"-58"

VESA: 400*400mm

Load Capacity: 31.8kg

**117B**

Screen Size: 14"-42"

VESA: 200*200mm

Load Capacity: 40kg

**117B-2**

Screen Size: 14"-55"

VESA: 400*400mm

Load Capacity: 45kg

**117B-2(Welding)**

Screen Size: 14"-55"

VESA: 400*400mm

Load Capacity: 45kg

**306E**

Screen Size: 14"-43"

VESA: 200*200mm

Load Capacity: 40kg

**307E**

Screen Size: 14"-43"

VESA: 200*200mm

Load Capacity: 40kg

**P1**

Screen Size: 23"-52"

VESA: 400*400mm

Load Capacity: 31.8kg

**X200**

Screen Size: 17"-42"

VESA: 200*200mm

Load Capacity: 22kg

**X400**

Screen Size: 32"-55"

VESA: 400*400mm

Load Capacity: 45kg

**303E**

Screen Size: 14"-42"

VESA: 200*200mm

Load Capacity: 25kg

**P3**

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 31.8kg

**M400**

Screen Size: 32"-58"

VESA: 400*400mm

Load Capacity: 31.8kg

**XZ-4**

Screen Size: 32"-60"

VESA: 400*400mm


Load Capacity: 36.5kg

**DC200-1**

Screen Size: 17"-42"

VESA: 200*200mm

Load Capacity: 25kg

**DC200**

Screen Size: 19"-42"

VESA: 200*200mm

Load Capacity: 35kg

**DC200-X**

Screen Size: 19"-56"

VESA: 400*400mm

Load Capacity: 30kg

**CP501**

Screen Size: 32"-70"

VESA: 600*400mm

Load Capacity: 50kg

**CP402**

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 65kg

**CP502**

Screen Size: 40"-80"

VESA: 600*400mm

Load Capacity: 50kg

**501**

Screen Size: 17"-60"

VESA: 400*400mm

Load Capacity: 30kg

**HT-805**

Screen Size: 14"-24"

VESA: 100*100mm

Load Capacity: 15kg

**QT-100**

Screen Size: 10"-27"

VESA: 100*100mm

Load Capacity: 10kg

**CP602**

Screen Size: 40"-80"

VESA: 600*400mm

Load Capacity: 50kg

**SH-S001**

Screen Size: 32"-60"

VESA: 400*400mm

Load Capacity: 50kg

**SH-S002**

Screen Size: 32"-65"

VESA: 400*400mm

Load Capacity: 50kg

**CP101**

Screen Size: 14"-27"

VESA: 100*100mm

Load Capacity: 20kg

**CP201**

Screen Size: 14"-42"

VESA: 200*200mm

Load Capacity: 25kg

**CP401**

Screen Size: 26"-52"

VESA: 400*400mm

Load Capacity: 50kg

**SH-S003**

Screen Size: 23"-63"

VESA: 350*400mm

Load Capacity: 50kg

**SH-S005**

Screen Size: 26"-60"

VESA: 400*400mm

Load Capacity: 50kg

**SH-S006**

Screen Size: 40"-80"

VESA: 600*400mm

Load Capacity: 60kg

**SH-34P**

Screen Size: 14"-43"

VESA: 200*200mm

Load Capacity: 35kg

**SH-44P**

Screen Size: 23"-60"

VESA: 480*400mm

Load Capacity: 45kg

**AY598**

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 55kg

**DC88**

Screen Size: 26"-60"

VESA: 400*400mm

Load Capacity: 40kg

**DC400-1**

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 31.8kg

**DC400**

Screen Size: 32"-65"

VESA: 400*400mm

Load Capacity: 36.4kg

**HT-814**

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 40kg

**SH-815**

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 25kg

**SH-816**

Screen Size: 32"-70"

VESA: 600*400mm

Load Capacity: 35kg

**DC600**

Screen Size: 32"-70"

VESA: 600*400mm

Load Capacity: 45kg

**L570**

Screen Size: 26"-70"

VESA: 400*400mm

Load Capacity: 45kg

**L580**

Screen Size: 37"-80"

VESA: 600*400mm

Load Capacity: 45kg

**AY826**

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 75kg

**SH-360P**

Screen Size: 23"-60"

VESA: 400*400mm

Load Capacity: 65kg

**SH-720P**

Screen Size: 32"-80"

VESA: 600*400mm

Load Capacity: 100kg

**X5**

Screen Size: 32"-70"

VESA: 400*400mm

Load Capacity: 40kg

**L757-L400**

Screen Size: 32"-70"

VESA: 400*400mm

Load Capacity: 45.5kg

**H8**

Screen Size: 40"-80"

VESA: 600*400mm

Load Capacity: 50kg



XZ700

Screen Size: 37"-70"
VESA: 400*400mm
Load Capacity: 37.5kg



777-L400

Screen Size: 32"-75"
VESA: 400*400mm
Load Capacity: 45.5kg



C6

Screen Size: 32"-65"
VESA: 400*400mm
Load Capacity: 45.5kg



P900

Screen Size: 50"-120"
VESA: 900*600mm
Load Capacity: 150kg



SH-818

Screen Size: 32"-70"
VESA: 600*400mm
Load Capacity: 55kg



SH-S600

Screen Size: 40"-100"
VESA: 600*600mm
Load Capacity: 100kg



S400

Screen Size: 32"-65"
VESA: 400*400mm
Load Capacity: 35kg



S600

Screen Size: 32"-75"
VESA: 600*400mm
Load Capacity: 45kg



LF850

Screen Size: 37"-80"
VESA: 600*400mm
Load Capacity: 50kg



SH-S900

Screen Size: 60"-120"
VESA: 900*600mm
Load Capacity: 150kg



A09

Screen Size: 45"-90"
VESA: 600*500mm
Load Capacity: 75kg



A10

Screen Size: 75"-120"
VESA: 900*600mm
Load Capacity: 130kg



P800

Screen Size: 50"-120"
VESA: 800*600mm
Load Capacity: 200kg

TV Cart



Advantages

01

Installation

It is easy to install without punching and can be used at any time. It is suitable for most TV models and sizes in the market.

02

Space

Applicable regardless of space size. No matter where you want to watch TV, you can move freely in your bedroom, living room or balcony.

03


Technology

Cold rolled steel is integrally formed, with exquisite technology and durability.

04

Organized setup

TV carts are usually equipped with adjustable shelves where you can place additional electronic devices, such as laptops or DVD players. In addition, the TV cart with an internal cable management system ensures that your wires are clean, hidden, invisible, and protected from general wear and tear.




FD1200

Screen Size: 14"-55"

VESA: 400*400mm

Load Capacity: 30kg




FD1260

Screen Size: 14"-55"

VESA: 400*400mm

Load Capacity: 30kg




FD1500

Screen Size: 32"-65"

VESA: 600*400mm


Load Capacity: 45.5kg

**FD1600**

Screen Size: 32"-65"

VESA: 600*400mm


Load Capacity: 45.5kg

**FD1800**

Screen Size: 42"-86"

VESA: 900*600mm


Load Capacity: 120kg

**FD1700**

Screen Size: 32"-70"

VESA: 630*460mm


Load Capacity: 80kg

**FD2100**

Screen Size: 55"-120"

VESA: 1140*600mm


Load Capacity: 200kg

**1700A**

Screen Size: 32"-70"

VESA: 620*420mm


Load Capacity: 80kg

**2100A**

Screen Size: 55"-120"

VESA: 1140*600mm


Load Capacity: 200kg

**FD3000**

Screen Size: 98"-150"

VESA: 1130*600mm


Load Capacity: 500kg

**AVA1800**

Screen Size: 55"-90"

VESA: 800*500mm


Load Capacity: 90.9kg

**FD5800**

Screen Size: 55"-100"

VESA: 900*600mm

Load Capacity: 150kg

**AVA1500**

Screen Size: 32"-75"

VESA: 600*400mm


Load Capacity: 45.5kg

**FD570**

Screen Size: 42"-75"

VESA: 700*500mm


Load Capacity: 80kg

**FD580**

Screen Size: 55"-100"

VESA: 940*600mm


Load Capacity: 120kg

**FD590**

Screen Size: 75"-120"

VESA: 1200*600mm


Load Capacity: 200kg

Invisible
casters**M70**

Screen Size: 37"-70"

VESA: 620*400mm


Load Capacity: 45kg

Invisible
casters**M60**

Screen Size: 32"-60"

VESA: 620*400mm


Load Capacity: 30kg

Motorized
Height Adjustment**W100**

Screen Size: 55"-100"

VESA: 900*600mm


Load Capacity: 100kg

Invisible
casters**M65**

Screen Size: 32"-65"

VESA: 400*400mm


Load Capacity: 35kg

Motorized
Height Adjustment**W1150**

Screen Size: 55"-100"

VESA: 1000*600mm


Load Capacity: 100kg

**T60**

Screen Size: 32"-70"

VESA: 630*460mm


Load Capacity: 60kg

**T100M**

Screen Size: 42"-86"

VESA: 900*600mm


Load Capacity: 150kg

**T100**

Screen Size: 42"-86"

VESA: 900*600mm


Load Capacity: 80kg

**602S**

Screen Size: 32"-70"

VESA: 600*400mm


Load Capacity: 45.5kg

**T200**

Screen Size: 55"-100"

VESA: 1140*600mm


Load Capacity: 120kg

**XZ50**

Screen Size: 32"-55"

VESA: 400*400mm

Load Capacity: 35kg




XZ55

Screen Size: 32"-60"

VESA: 400*400mm

Load Capacity: 35kg




B1

Screen Size: 26"-45"

VESA: 400*400mm

Load Capacity: 30kg




XZ65

Screen Size: 42"-70"

VESA: 600*400mm

Load Capacity: 50kg




B2

Screen Size: 32"-55"

VESA: 500*600mm

Load Capacity: 45kg





XZ75

Screen Size: 42"-75"

VESA: 600*500mm

Load Capacity: 65kg




B3

Screen Size: 32"-55"

VESA: 400*400mm


Load Capacity: 35kg

**1800-2**

Screen Size: 32"-65"

VESA: 600*800mm


Load Capacity: 100kg

**SX1700**

Screen Size: 32"-50"

VESA: 600*400mm


Load Capacity: 80kg

**2100-2**

Screen Size: 42"-70"

VESA: 600*600mm


Load Capacity: 120kg

**SX1800**

Screen Size: 32"-70"

VESA: 900*600mm


Load Capacity: 100kg

**T100M-2**

Screen Size: 32"-65"

VESA: 600*600mm

Load Capacity: 100kg

**SM1800**

Screen Size: 42"-86"

VESA: 900*600mm

Load Capacity: 120kg

Ceiling TV Mount



Advantages

01

360-degree view

Ceiling TV mounts are an excellent alternative to wall mount brackets and are usually more suitable for smaller spaces or walls or rooms with unusual shapes. Ceiling TV wall mounts provide unparalleled flexibility with many adjustment points and 360-degree view. Ceiling TV wall mounts can also be used in a variety of locations, such as bars, restaurants or gyms.

02

Easy Cable Management

For ceiling TV mounts, cable management is an easy task. You can choose the hollow straight through suspender design. Like all our TV wall mounts, it also comes with supporting accessories. You can easily install it by reading the easy-to-follow assembly guide.



S-001

Screen Size: 14"-32"

VESA: 100*100mm

Load Capacity: 30kg



X-021

Screen Size: 14"-40"

VESA: 200*200mm

Load Capacity: 40kg



CB03

Screen Size: 26"-55"

VESA: 400*400mm

Load Capacity: 40kg



K22

Screen Size: 26"-60"

VESA: 400*400mm

Load Capacity: 40kg



CB05

Screen Size: 32"-72"

VESA: 600*400mm

Load Capacity: 45kg



T560-15

Screen Size: 32"-75"

VESA: 600*400mm

Load Capacity: 55kg

**SD-07**

Screen Size: 40"-85"
VESA: 600*400mm
Load Capacity: 70kg

**SD-906**

Screen Size: 55"-95"
VESA: 900*600mm
Load Capacity: 75kg

**T-580**

Screen Size: 32"-65"
VESA: 600*400mm
Load Capacity: 50kg

**SD-580**

Screen Size: 60"-110"
VESA: 850*600mm
Load Capacity: 100kg

**CB01**

Screen Size: 14"-42"
VESA: 200*200mm
Load Capacity: 40kg

**X-03**

Screen Size: 26"-55"
VESA: 400*400mm
Load Capacity: 40kg

**SD-916**

Screen Size: 70"-110"
VESA: 900*600mm
Load Capacity: 90kg

**BK-01**

Screen Size: 14"-40"
VESA: 200*200mm
Load Capacity: 40kg

**S-04**

Screen Size: 32"-60"
VESA: 400*400mm
Load Capacity: 45kg

**S-05**

Screen Size: 42"-80"
VESA: 600*400mm
Load Capacity: 60kg

**BK-06**

Screen Size: 32"-55"
VESA: 600*400mm
Load Capacity: 55kg

**BK-604**


Screen Size: 40"-70"
VESA: 600*400mm
Load Capacity: 70kg



BK-926
Screen Size: 50"-90"
VESA: 900*600mm
Load Capacity: 100kg



3T4-3500
Screen Size: 40"-43"
VESA: 400*400mm
Load Capacity: 90kg



2T2-1500
Screen Size: 40"-43"
VESA: 400*400mm
Load Capacity: 60kg



2T3-2500
Screen Size: 40"-43"
VESA: 400*400mm
Load Capacity: 60kg

TV Stand



Advantages

01

Easy to move

As the name suggests, the TV stand refers to the bracket that can place the TV on the TV cabinet. At present, most of the TVs used in families are LCD TVs or flat-panel TVs.

Although in most cases, people will choose to hang the TV on the TV background wall, in some cases, the TV cannot be hung due to the insufficient bearing capacity of the wall. Therefore, different TV placement methods can be selected according to different situations.

The advantage of the TV stand is good heat dissipation, there is no need to disassemble and assemble the TV on the wall. It is convenient to insert the connecting line and move easily. It can be moved to any place you want to go.


D300

Screen Size: 26"-37"

Load Capacity: 45kg


D500

Screen Size: 40"-75"

Load Capacity: 80kg


HT-006

Screen Size: 26"-32"

VESA: 400*400mm

Load Capacity: 40kg


HT-007

Screen Size: 37"-55"

VESA: 600*400mm

Load Capacity: 50kg


DZ-X40

Screen Size: 32"-50"

VESA: 400*400mm

Load Capacity: 40kg


DZ-X60

Screen Size: 32"-65"

VESA: 600*400mm

Load Capacity: 50kg

Monitor Stand



Advantages

01

Space-saving

Monitor stand elevate the screen, freeing up desktop space and reducing clutter.

02

Adjustable

It allow users to adjust height and angle as needed, enhancing viewing comfort. Adjusting monitor height helps maintain proper posture, reducing neck and back discomfort.

03

Simplified Cable Management

Some stands feature cable management systems, helping to keep the workspace tidy.



F160

Screen Size: 14"-32"

VESA: 100*100mm

Load Capacity: 35kg/Screen



T022

DIM: 500*300*400mm

VESA: 100*100mm

Load Capacity: 8kg/Screen



T044

DIM: 800*100*100*100mm

VESA: 100*100mm

Load Capacity: 8kg/Screen



Z011

DIM: 400*400*100mm

VESA: 100*100mm

Load Capacity: 8kg/Screen



Z044

DIM: 800*400*100mm

VESA: 100*100mm

Load Capacity: 8kg/Screen



Z001

DIM: 400*400*100mm

VESA: 100*100mm

Load Capacity: 8kg/Screen



T001

DIM: 400*400*100mm

VESA: 100*100mm

Load Capacity: 8kg/Screen



T002

DIM: 400*400*100mm

VESA: 100*100mm

Load Capacity: 8kg/Screen



T003

DIM: 800*100*100*100mm

VESA: 100*100mm

Load Capacity: 8kg/Screen



Z002

DIM: 400*400*100mm

VESA: 100*100mm

Load Capacity: 8kg/Screen

.....

.....

Laptop Stand



Advantages

01

Improves Viewing Angle

A stand allows for angle adjustment according to personal preference, making viewing more comfortable.

02

Increases Ventilation

A stand elevates the laptop, improving airflow and reducing the risk of overheating.

03

Simplified Cable Management

Laptop stands are lightweight and portable, making them suitable for use in various locations.



GFS01-T

Material: Carbon steel, Aluminum Alloy, Silica Gel
Colour: Silver, Gray
DIM: 280*225*40mm



GFS01-L

Material: Aluminum Alloy, Silica Gel
Colour: Silver, Gray
DIM: 280*225*45mm



GFS05-T

Material: Carbon steel, Aluminum Alloy, Silica Gel
Colour: Silver, Gray
DIM: 280*225*40mm



GFS06-T

Material: Carbon steel, Aluminum Alloy, Silica Gel
Colour: Silver, Gray
DIM: 260*220*50mm



GFS02-T

Material: Carbon steel, Aluminum Alloy, Silica Gel
Colour: Silver, Gray
DIM: 260*235*47mm



GFX03-L

Material: Aluminum Alloy, Silica Gel
Colour: Silver, Gray
DIM: 260*220*45mm



GFS08-T

Material: Carbon steel, Aluminum Alloy, Silica Gel
Colour: Silver, Gray
DIM: 260*220*50mm



GFS08-T

Material: Carbon steel, Silica Gel
Colour: Silver, Gray
DIM: 260*224*46mm



GFS03-T

Material: Carbon steel, Aluminum Alloy, Silica Gel
Colour: Silver, Gray
DIM: 260*220*50mm



GFS04-T

Material: Aluminum Alloy, Silica Gel
Colour: Silver, Gray
DIM: 280*220*40mm



GFS08-T

Material: Aluminum Alloy, Silica Gel
Colour: Silver, Gray
DIM: 255*45*15mm



HT-Q08

Smaller Size: 287*178mm

Bigger Size: 345*243mm

Load Capacity: 15/20kg (Smaller/Bigger)



HT-Q09

Load Capacity: 20kg



SPS-502M

Leg Length: 660mm

Maximum load: 25kg

Stand Material: Metal

Speaker Stand



HT-Q10

Size: 320*220mm

Load Capacity: 20kg



DVD08

Size: 300*250mm

Load Capacity: 25kg



SPS-501

Fits : 32"-63"

Maximum load: 45.5kg

VESA: 500*700mm

Speaker Stand




PM-01



SH-T3

Projector Ceiling Mount

Load Capacity: 25kg



Microphone stand

Stretching maximum height: 180cm

AC Bracket



Advantages

01

Sturdy Support

Our brackets provide strong support, ensuring the AC unit is securely mounted and preventing tilting or falling.

02

Customized Products

Manufacture any size based on your requirements and produce according to your samples.



F-01

Size: 365*450mm



F-02

Size: 800*300*450mm



UN-01

Size: 365*450mm



UN-03

Size: 460*460mm



UN-04

Size: 420*420mm



F3-02

Size: 80*430mm



JF-135

Size: 750*630*1200mm

SEERVI TRADING

Electric Standing Desk

Advantages



01

Adjustable Ergonomics

Electric standing desks let you easily switch between sitting and standing, promoting a healthier posture and reducing fatigue.

02


Quiet & Smooth Operation

Modern electric standing desks feature quiet motors and smooth transitions, minimizing distractions in your workspace.

03

Enhanced Safety Features

Incorporates advanced safety mechanisms such as anti-drop systems for secure adjustments.



SW-D-01

N. W. : 17 KG


G. W. : 18.3 KG

Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 79*42*14CM

Motor: 1 PCS



SW-D-02

N. W. : 18 KG


G. W. : 19.7 KG

Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 79*42*14CM

Motor: 1 PCS



SW-S-01

N. W. : 21.8 KG


G. W. : 23.2 KG

Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 99*39*14CM

Motor: 2 PCS



SW-S3-01

N. W. : 23.7 KG


G. W. : 25 KG

Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 99*39*14CM

Motor: 2 PCS

**SW-Z-02**

N. W. : 24 KG


G. W. : 25.7 KG

Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 109*25*20CM

Motor: 2 PCS

**SW-S-A2**

N. W. : 29 KG

G. W. : 32 KG


Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 99*39*14CM

70*50*19CM

Motor: 2 PCS

**SW-Z-03**

N. W. : 26 KG


G. W. : 27.5 KG

Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 109*25*20CM

Motor: 2 PCS

**SW-S-A3**

N. W. : 30.7 KG

G. W. : 33.7 KG


Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 99*32*14CM

70*50*19CM

Motor: 2 PCS

**SW-Z-S2**

N. W. : 24.3 KG


G. W. : 25.7 KG

Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 109*25*23CM

Motor: 2 PCS

**SW-S-04**

N. W. : 40.7 KG


G. W. : 42.5 KG

Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 83*79*36CM

Motor: 2 PCS

**SW-Z-S3**

N. W. : 26 KG

G. W. : 27.5 KG

Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 99*39*14CM

Motor: 2 PCS

**SW-S-01**

N. W. : 23.1 KG

G. W. : 24.4 KG

Voltage: 100-240VAC

Motor parameters: 24V 80W

Package size: 99*39*14CM

Motor: 2 PCS