

**SEERVI TRADING**

**WINDOW & DOOR  
ALUMINIUM PROFILE  
SYSTEMS**

**SEERVI TRADING**

PRODUCT CATALOGUE



## Cutting-edge design technology




## High end quality



## Product catalog

|                                         |    |                                   |     |
|-----------------------------------------|----|-----------------------------------|-----|
| 150 Panoramic Sliding Door              | 05 | 110 sliding window                | 68  |
| ZP150 Motorized Vertical Sliding Window | 15 | 120-1 Slim casement window        | 73  |
| 130+195 Heavy-Duty Lift sliding Door    | 20 | 110-Disrupter 3 / 115-Disrupter 5 | 79  |
| 130 Lift Sliding Window                 | 35 | 90-1 New casement window          | 89  |
| 128 Floating Sliding Window             | 41 | 126 side pressure sealed window   | 97  |
| 40 Medium narrow sliding door           | 51 | 100 drifting sliding window       | 103 |
| 128 scenery sliding window              | 61 |                                   |     |

# 150 # Panoramic Sliding Door >>>




## Product Features:

- ① With embedded drainage lower rail
- ② Extremely narrow design, the vertical door frame is 25mm
- ③ Super size design, the width of a single window can be 1000-3700mm, and the height can be 1000-6000mm
- ④ Super load bearing, customized pulley combination, slide wheel individual weight 170kg


## >>> 150 Panoramic Sliding Door

### Universal Profiles




#### JNW-CT1865F

intelligent electric vertical door frame  
Weight: 3.03kg/m




#### JNW-CT1801F

top frame  
Weight: 1.1kg/m



#### JNW-CT1802F

bottom frame  
Weight: 1.73kg/m




#### JNW-XT1803F

horizontal bottom frame base for roller  
Weight: 0.9kg/m



#### JNW-XT1816

side seal cover  
Weight: 0.34kg/m




#### JNW-XT1804

embedded additional rail  
Weight: 1.25kg/m




#### JNW-XT1893

panoramic door closing  
Weight: 0.6kg/m




#### JNW-XT1806F

small floating cover  
Weight: 0.17kg/m



#### JNW-XT1807

big floating cover  
Weight: 0.4kg/m




#### JNW-XT1892

lock slot  
Weight: 0.55kg/m



#### JNW-XT1808D

vertical interlock frame with handle  
Weight: 2.0kg/m



#### JNW-XT1877

drainage cover  
Weight: 0.6kg/m


150 Panoramic Sliding Door <<<



( Used in three, four, five-track )


**JNW-XT1817**

side seal cover  
Weight: 0.33kg/m



**JNW-XT1890**


additional drainage slot  
Weight: 1.11kg/m



**JNW-XT1812D**


double vertical door frame with hook  
Weight: 1.46kg/m

Double Tracks Profiles




**JNW-CT1798F2**

double top rail and side seal  
Weight: 3.28kg/m




**JNW-CT1799F2**

double bottom rail  
Weight: 3.46kg/m



**JNW-CT1805F2**


embedded double bottom rail  
Weight: 3.53kg/m



**JNW-CT1887F2**


double track vertical drainage  
Weight: 2.98kg/m

Three Tracks Profiles




**JNW-CT1811F3**

triple top rail and side seal  
Weight: 5.0kg/m



**JNW-XT1909**


triple side seal middle cover  
Weight: 0.46kg/m



**JNW-CT1813F3**


triple rail bottom rail  
Weight: 5.28kg/m

>>> 150 Panoramic Sliding Door



**JNW-CT1805F3**


triple rail pre-embedded bottom rail  
Weight: 5.35kg/m



**JNW-CT1891F3**


triple track vertical drainage  
Weight: 4.47kg/m

Four Tracks Profiles



**JNW-CT1811F4**


four top rail and side seal  
Weight: 6.7kg/m



**JNW-CT1813F4**


four rail bottom rail  
Weight: 7.0kg/m

Five Tracks Profiles



**JNW-CT1811F5**


five top rail and side seal  
Weight: 8.4kg/m



**JNW-CT1813F5**


five rail bottom rail  
Weight: 8.85kg/m

Double Tracks Ceramic Tile Style



**JNW-CT1798F2**

double top rail and side seal  
Weight: 3.28kg/m



**JNW-CT1805F2**

embedded double bottom rail  
Weight: 3.53kg/m



**JNW-XT1818**


tiled horizontal bottom frame base for roller  
Weight: 1.02kg/m

150 Panoramic Sliding Door <<<



**JNW-XT1810**


tile side cover  
Weight: 0.18kg/m



**JNW-XT1815**


tile middle cover  
Weight: 0.4kg/m

Automatic Profiles




**JNW-CT1861F**

intelligent double top rail  
Weight: 2.78kg/m




**JNW-CT1862F**

intelligent additional top rail  
Weight: 4.3kg/m




**JNW-CT1881F3**

intelligent triple top rail  
Weight: 4.04kg/m



**JNW-CT1882F3**

intelligent triple top rail  
Weight: 4.04kg/m



**JNW-XT1863**

intelligent rail intermediate additional material  
Weight: 1.55kg/m







**JNW-XT1864**

electric machine pallet  
Weight: 0.86kg/m

>>> 150 Panoramic Sliding Door


► Assembly Diagram >>

Double Tracks




150 Panoramic Sliding Door <<<

Triple Tracks




>>> 150 Panoramic Sliding Door


Four Tracks



Five Tracks



150 Panoramic Sliding Door <<<



>>> 150 Panoramic Sliding Door


> Accessories >>



top track roller  
(Positioning wheel)-2pcs/panel



water proof rubber  
pad for bottom track



cap for both side vertical  
outer frame(8pcs/set)



I shape lock



anti-collision block for  
vertical handle frame



drainage cap for  
bottom track



anti-collision rubber for  
vertical interlock frame(left)



cap for vertical interlock  
frame(top & bottom)



50cm length bottom track roller  
(Load-bearing wheels)-2pcs/panel



anti-collision rubber for  
vertical interlock frame



brush strip for  
bottom track covered



sealing rubber for  
vertical interlock frame



covered rubber for  
vertical handle frame



water blocking strip for  
vertical outer frame



sealing rubber for  
vertical outer frame




Electric motor accessories set

Automatic Options:



face recognition access control



human body induction probe automatic  
door opening and closing equipment



wireless infrared  
air sensor switch



infrared induction  
anti-pinch equipment


# ZP150 # Motorized Vertical Sliding Window >>>



## Product Features:


- ① Maximum width 4.8m, maximum height 2.5m
- ② Two motors, chain drive, wide field of view
- ③ Rain sensor, automatic closing when it rains
- ④ Infrared anti-pinch design, can be equipped with anti-mosquito screens

## >>> ZP150 Motorized Vertical Sliding Window




### JNW-SJC22A

150 upper frame  
Weight: 4.04kg/m




### JNW-ZN023

screen cover  
Weight: 1.71kg/m




### JNW-SJC24A

screen upper frame  
Weight: 2.29kg/m




### JNW-SJC26A

150 side frame  
Weight: 3.34kg/m




### JNW-SJC28A

150 side frame transform  
Weight: 3.29kg/m




### JNW-ZN029

150 side frame cover  
Weight: 0.8kg/m



### JNW-ZN031

150 handrail  
Weight: 3.8kg/m




### JNW-SJC33A

150 lower frame  
Weight: 2.68kg/m




### JNW-ZN032

not screen mesh closing  
Weight: 1.82kg/m




### JNW-ZN034

clip  
Weight: 0.47kg/m



### JNW-ZN036


screen frame  
Weight: 0.35kg/m



### JNW-ZN035


clip  
Weight: 0.41kg/m

ZP150 Motorized Vertical Sliding Window <<<



**JNW-ZN037**

150 not screen mesh cover  
Weight: 1.0kg/m




**JNW-ZN030**

screen profile  
Weight: 1.31kg/m




**JNW-ZN038**

150 upper frame cover  
Weight: 0.85kg/m




**JNW-SJC09**

glass door panel  
Weight: 2.25kg/m




**JNW-SJC12**

glass door with hook  
Weight: 2.58kg/m




**JNW-SJC23**

strengthen glass door  
Weight: 3.39kg/m




**JNW-SJC25**

strengthen glass door with hook  
Weight: 3.72kg/m




**JNW-SJC31**

strengthen glass door  
Weight: 3.25kg/m




**JNW-SJC33**

strengthen glass door with hook  
Weight: 1.82kg/m




**JNW-SJC14**

strengthen inner frame  
Weight: 1.82kg/m



**JNW-SJC039**

glass door panel  
Weight: 2.05kg/m




**JNW-SJC041**

glass door with hook  
Weight: 2.38kg/m

>>> ZP150 Motorized Vertical Sliding Wind

► Assembly Diagram >>



► Accessories >>>



battery backup



handrail pc cover



opening sash pc cover



lifting arm



motor



intelligent voice sensor



24 power source / controller




100 speed reducer



single – shaft motor / double shaft motor


# 130+195 # Heavy-Duty Lift Sliding Door >>>



## Product Features:


- ① Sound and heat insulation, energy efficient
- ② Lifting sliding for better sealing performance
- ③ Positioned at will, easy to adjust the ventilation area
- ④ Hidden bottom rail floor drain design

Thermal Break Profiles  
Universal Profiles




**JNW-BF923F**

double side seal  
Weight: 1.93kg/m




**JNW-ZT938F**

double rail center column  
Weight: 2.0kg/m



**JNW-BF950F**


three-rail side seal  
Weight: 2.74kg/m



**JNW-ZT954F**


triple rail center column  
Weight: 2.68kg/m

130+195 Thermal Break Profiles



**JNW-TS911F**

75 lifting door frame  
Weight: 1.79kg/m




**JNW-XT914**

75 door frame slot  
Weight: 0.23kg/m




**JNW-XT936**

75 vertical door frame with hook  
Weight: 0.20kg/m




**JNW-TS1281F**

90 lifting door frame  
Weight: 2.53kg/m




**JNW-XT1488**

90 door frame slot  
Weight: 0.50kg/m




**JNW-XT1284**

90 vertical door frame with hook  
Weight: 0.23kg/m



**JNW-TS929F**

inside slim vertical door frame  
Weight: 1.23kg/m




**JNW-TS935F**

outside slim vertical door frame  
Weight: 0.17kg/m




**JNW-TS930F**

double vertical door frame with hook  
Weight: 0.4kg/m




**JNW-TS939F**

screen center  
Weight: 1.37kg/m



**JNW-A-042**

60 bale cover  
Weight: 0.77kg/m



**JNW-A-018**

100 bale cover  
Weight: 1.05kg/m




**JNW-A-016**

F-groove  
Weight: 0.18kg/m



**JNW-A-015**

p-strip  
Weight: 0.18kg/m




**D-A470**

100 buckle plate  
Weight: 0.49kg/m




**JNW-XT924F**

side seal lock slot  
Weight: 0.44kg/m



**JNW-XT951**


side sealing cover plate  
Weight: 0.37kg/m



**JNW-XT913D**


door clip  
Weight: 0.15kg/m

130+195 Heavy-Duty Lift sliding Door <<<




JNW-XT1080F

fixed glass door clip  
Weight: 0.18kg/m



JNW-XT1008

75 intelligent lock slot  
Weight: 0.42kg/m



JNW-XT931F

closing  
Weight: 0.66kg/m




JNW-XT937

single vertical door frame with hook  
Weight: 0.27kg/m



JNW-XT953

double vertical door frame with hook  
Weight: 0.31kg/m




JNW-XT915

diamond mesh sub-frame  
Weight: 0.41kg/m




JNW-XT916

diamond mesh clip  
Weight: 0.10kg/m




JNW-XT1217

highly transparent mesh sub-frame  
Weight: 0.45kg/m




JNW-XT1218

55 vertical door frame  
Weight: 1.82kg/m



JNW-A-009

two rail flat rail  
Weight: 0.89kg/m




JNW-A-020

three track flat track  
Weight: 1.28kg/m


>>> 130+195 Heavy-Duty Lift sliding Door

Automatic Profiles




JNW-XT863

intelligent double rail top rail  
Weight: 1.63kg/m




JNW-XT861

intelligent three-rail top rail  
Weight: 2.35kg/m



JNW-XT864

intelligent two-rail additional rail  
Weight: 1.82kg/m




JNW-XT862

intelligent three-rail additional rail  
Weight: 3.23kg/m




JNW-XT860

intelligent top rail cover  
Weight: 0.50kg/m




JNW-TS918F

lifting double rail top rail  
Weight: 2.84kg/m




JNW-TS921F

lifting two-rail bottom rail  
Weight: 3.0kg/m



JNW-TS952F

lifting three-rail top rail  
Weight: 4.0kg/m




JNW-TS955F

lifting three-rail bottom rail  
Weight: 4.05kg/m




JNW-XT917

lifting top rail cover plate  
Weight: 0.23kg/m



JNW-TS1121F


inner reinforce vertical door frame  
Weight: 2.11kg/m



JNW-TS1122F


outside reinforced vertical door frame  
Weight: 2.11kg/m

Sinking And Embedded Profiles




JNW-TS1120G

pre-embedded double rail bottom rail  
Weight: 0.18kg/m



JNW-TS1519F

pre-embedded three-rail bottom rail  
Weight: 0.42kg/m




JNW-XT1119G

pre-embedded sinking hidden drainage  
Weight: 0.66kg/m


► Assembly Diagram ►►




Two track



Triple track




Non-Thermal Break Profiles  
Universal Profiles




**JNW-A-007**

mesh center cross  
Weight: 0.99kg/m




**JNW-XT1080F**

fixed glass clip  
Weight: 0.18kg/m




**JNW-A-030**

screen frame  
Weight: 0.34kg/m




**JNW-A-039**

inner bottom track frame  
Weight: 0.37kg/m



**JNW-A-017**

closing  
Weight: 0.53kg/m



**JNW-A-040**

bottom rail cover plate  
Weight: 0.32kg/m




**JNW-A-053**

side sealing cover platet  
Weight: 0.28kg/m




**JNW-A-013**

top rail cover plate  
Weight: 0.25kg/m




**D-A470**

100 buckle platet  
Weight: 0.538kg/m



**JNW-A-042**

60 bale cover  
Weight: 0.81kg/m



**JNW-A-018**

100 bale cover  
Weight: 1.11kg/m




**JNW-A-016**

f groove  
Weight: 0.19kg/m




**JNW-A-015**

p-strip  
Weight: 0.18kg/m



**M949**


35x22 grid strip  
Weight: 0.294kg/m



**GT-061**


35x27 grid strip  
Weight: 0.30kg/m

130+195 Non-Thermal Break Profiles




**JNW-A-035**

55 vertical door frame  
Weight: 1.82kg/m




**JNW-A-041**

30 slim vertical door frame  
Weight: 1.40kg/m




**JNW-A-044**

30 slim double vertical door frame with hook  
Weight: 1.35kg/m




**JNW-A-036**

55 single vertical door frame with hook  
Weight: 0.43kg/m




**JNW-A-037**

55 double vertical door frame with hook  
Weight: 0.65kg/m




**JNW-TS70**

70 lifting vertical door frame  
Weight: 2.26kg/m



**JNW-TS71**

elevation add-on material  
Weight: 0.30kg/m



**JNW-A-027**


70 single vertical door frame with hook  
Weight: 0.44kg/m



**JNW-A-028**


70 double vertical door frame with hook  
Weight: 0.66kg/m

130+195 Heavy-Duty Lift sliding Door <<<




JNW-A-005

112 vertical door frame  
Weight: 1.92kg/m




JNW-A-006

112 vertical door frame  
Weight: 2.27kg/m



JNW-A-031


112 single vertical door frame with hook  
Weight: 0.50kg/m



JNW-A-032


112 double vertical door frame with hook  
Weight: 0.83kg/m

Automatic Profiles



JNW-XT861

intelligent three-rail top rail  
Weight: 2.35kg/m




JNW-XT862

intelligent three-rail additional rail  
Weight: 3.23kg/m



JNW-XT863

55 vertical door frame  
Weight: 1.63kg/m



JNW-XT864

intelligent two-rail additional rail  
Weight: 2.18kg/m




JNW-XT860

intelligent top rail cover  
Weight: 0.50kg/m


>>> 130+195 Heavy-Duty Lift sliding Door

Double Track Profile




JNW-A-008

two rails top rail  
Weight: 2.07kg/m




JNW-A-038

double rails hidden drainage bottom rail  
Weight: 1.68kg/m




JNW-A-009

Double rails flat rail  
Weight: 0.89kg/m




JNW-A-014

two rails central column  
Weight: 1.77kg/m




JNW-A-011

double rails side seal  
Weight: 1.80kg/m



JNW-A-033


two rail side seal 2.0  
Weight: 2.13kg/m



JNW-A-012


two rail side seal cover plate  
Weight: 0.74kg/m

Triple Track Profiles




JNW-A-019

three-rail top rail  
Weight: 3.04kg/m



JNW-A-043


three-rail hidden drain bottom rail  
Weight: 3.19kg/m



JNW-A-020


three-rail flat rail  
Weight: 1.28kg/m

130+195 Heavy-Duty Lift sliding Door <<<




**JNW-A-025**

three-rail center column  
Weight: 2.58kg/m



**JNW-A-023**

three-rail hidden drainage bottom rail  
Weight: 3.09kg/m



**JNW-A-034**


three-rail side seal 2.0  
Weight: 3.52kg/m



**JNW-A-024**


three-rail side seal cover  
Weight: 1.05kg/m

► Double Track Assembly Diagram >>>





>>> 130+195 Heavy-Duty Lift sliding Door


► Assembly Diagram >>>



► Triple Track Assembly Diagram >>>



130+195 Heavy-Duty Lift sliding Door <<<



► Accessories >>



zinc alloy bumpers



thermal break heavy door  
high track composite steel wheel  
four bottom wheels (15 \* 27)



glass fan corner code  
(20.6\*11.4)



pre-built dust-proof strip for  
heavy-duty door (9\*78)



central column corner code  
(11.3\*20.6)



55 special lock metal gray  
(without key, left)




70 lifting hardware with key  
170kg load capacity



stainless steel dust-proof strip for bottom  
rail of thermal break heavy-duty door



195 heavy-duty door special  
top wheel (90/102/112 special  
upper wheel 28.5 high)




thermal break heavy door  
do sealing balcony sliding  
window mold (7 head)


>>> 130+195 Heavy-Duty Lift sliding Door



130 Lift Door - Regular Lift Version




130 Lift Door - Electric Lift Model 0062



195 heavy-duty sliding door profile

# 130 # Lift Sliding Window >>>




## Product Features:

- ① Lifting sliding for better sealing performance
- ② Positioned at will, easy to adjust the ventilation area
- ③ Sound and heat insulation, energy efficient


## >>> 130 Lift Sliding Window

### Lifting Profiles



#### JNW-GD925F

lifting top rails  
Weight: 2.62kg/m



#### JNW-GD919F


lifting bottom rail  
Weight: 2.48kg/m



#### JNW-XT917


lifting top rail cover plate  
Weight: 0.23kg/m

### 130 Lift Sliding Window




#### JNW-BF923F

side frame  
Weight: 1.93kg/m




#### JNW-BF925F

two-fixed, two-activated side seals  
Weight: 2.4kg/m




#### JNW-ZT938F

center column  
Weight: 2.0kg/m




#### JNW-TS1121F

inner strengthen door frame  
Weight: 2.11kg/m




#### JNW-TS911F

75 lifting door  
Weight: 1.79kg/m




#### JNW-TS929F

inside slim vertical door frame  
Weight: 1.23kg/m




#### JNW-CT1564F

drainage conversion for bottom rails  
Weight: 0.81kg/m



#### JNW-CT1566F


thermal break reinforced hook center frame  
Weight: 1.94kg/m



#### JNW-XT1022


two-way reinforced center frame  
Weight: 1.80kg/m

130 Lift Sliding Window <<<




JNW-A-042

60 packs  
Weight: 0.77kg/m



JNW-XT934F

sinking sealing aluminum strip  
Weight: 0.21kg/m




JNW-XT913D

door clip  
Weight: 0.15kg/m




JNW-XT1080F

fixing glass door clip  
Weight: 0.18kg/m



GD-131

outdoor clip  
Weight: 0.16kg/m




JNW-XT926F

indoor cover  
Weight: 0.19kg/m



JNW-A-012

fixing glass conversion cover plate  
Weight: 0.74kg/m



JNW-XT933

treadle cover  
Weight: 0.44kg/m




JNW-XT924F

side closure slots  
Weight: 0.44kg/m



JNW-XT951

side sealing cover plate  
Weight: 0.37kg/m



JNW-XT914

75 door slot  
Weight: 0.23kg/m



JNW-XT1008


intelligent lock slot  
Weight: 0.42kg/m

>>> 130 Lift Sliding Window



JNW-XT931F

closing  
Weight: 0.66kg/m



JNW-XT240

glass guardrail  
Weight: 0.70kg/m



JNW-A-016

f groove  
Weight: 0.18kg/m



JNW-A-015

p-strip  
Weight: 0.18kg/m




GD-014

universal slot cover  
Weight: 0.05kg/m




D-A470

100 buckle plate  
Weight: 0.49kg/m




JNW-XT927

hooked center frame  
Weight: 1.31g/m



JNW-XT1023


reinforced hook center frame  
Weight: 1.81kg/m



JNW-XT956


bottom rail drainage conversion  
Weight: 1.31kg/m

Automatic profiles



JNW-XT1185

intelligent top rail  
Weight: 2.16kg/m



JNW-XT1186




intelligent top rail additional groove  
Weight: 1.78kg/m



JNW-XT860

intelligent top rail cover  
Weight: 0.50kg/m

► Assembly Diagram >>



► Accessories >>



zinc alloy bumpers



thermal break heavy door  
high track composite steel wheel  
four bottom wheels (15 \* 27)




glass fan corner code  
(20.6\*11.4)



55 special lock metal gray  
(without key, left)



central column corner code  
(11.3\*20.6)



thermal break heavy door  
do sealing balcony sliding  
window mold (7 head)



70 lifting hardware with key  
170kg load capacity



stainless steel dust-proof strip for bottom  
rail of thermal break heavy-duty door



195 heavy-duty door special  
top wheel (90/102/112 special  
upper wheel 28.5 high)

# 128 # Floating Sliding Window >>>




## Product Features:

- ① Suspended design and hidden track, easy to clean.
- ② Embedded frame design, enhance the sealing performance.
- ③ Smooth edge does not hurt hands.
- ④ Outstanding drainage function, maximum 7.5meters.


## >>> 128 Floating Sliding Window

### Universal Profiles




#### JNW-CT1461F

upper door frame  
Weight: 0.93g/m




#### JNW-CT1462F

bottom door frame  
Weight: 0.91kg/m




#### JNW-CT1325F

single vertical door frame with hook  
Weight: 0.85kg/m




#### JNW-CT1325G

double vertical door frame with hook  
Weight: 0.91kg/m



#### JNW-CT1324F

hidden door frame  
Weight: 0.79kg/m




#### JNW-XT1463

mesh door upper frame  
Weight: 1.35kg/m




#### JNW-XT1464

mesh door bottom frame  
Weight: 1.30kg/m




#### JNW-XT1465F

hidden mesh door  
Weight: 1.20kg/m




#### JNW-XT1466F

mesh door with hook  
Weight: 1.17kg/m




#### JNW-XT1671

outside mesh door with hook  
Weight: 1.24kg/m



#### JNW-XT1469


suspended track  
Weight: 0.70kg/m



#### JNW-XT1672

suspended track with woolen strips  
Weight: 0.70kg/m


128 Floating Sliding Window <<<




**JNW-XT1468**  
bottom double side frame cover  
Weight: 0.38kg/m




**JNW-XT1467**  
bottom single side frame cover  
Weight: 0.23kg/m




**JNW-XT1331**  
side frame double cover  
Weight: 0.46kg/m



**JNW-XT1332F**  
side frame single cover  
Weight: 0.41kg/m



**JNW-XT1342**  
indoor square clip  
Weight: 0.30kg/m




**GD-131**  
outdoor clip  
Weight: 0.16kg/m



**JNW-XT1355F**  
mesh door clip  
Weight: 0.07kg/m




**GD-014**  
universal slot cover  
Weight: 0.05kg/m




**JNW-XT1333**  
side frame anti-collision strips  
Weight: 0.15kg/m




**JNW-XT1334**  
closing  
Weight: 0.31kg/m



**JNW-XT389**  
clothes drying guardrail frame  
Weight: 0.50kg/m



**JNW-XT263**  
additional european standard slot  
Weight: 0.20kg/m




**JNW-XT1470**  
handrail  
Weight: 1.51kg/m

>>> 128 Floating Sliding Window




**JNW-XT051F**  
two-color grid  
Weight: 0.40kg/m




**GD-036A**  
integrated grid strip  
Weight: 0.37kg/m


Double Track Profile




**JNW-CT1487F**  
two-track suspended upper rail  
Weight: 2.32kg/m




**JNW-CT1459F**  
two-track suspended bottom rail  
Weight: 2.29kg/m




**JNW-CT1416F**  
two rail side seal  
Weight: 1.34kg/m




**JNW-CT1420F**  
two-track side frame transform  
Weight: 1.40kg/m



**JNW-CT1343E**  
two tracks fixed up and down  
Weight: 1.49kg/m




**JNW-CT1343G**  
two rail inner frame  
Weight: 1.54kg/m



**JNW-CT1676F**  
two-track suspended bottom rail(landing)  
Weight: 2.19g/m


128 Floating Sliding Window <<<

Triple Track Profiles




**JNW-CT1485F**

three-track suspended upper rail  
Weight: 3.04kg/m




**JNW-CT1460F**

three-track suspended bottom rail  
Weight: 3.07kg/m




**JNW-CT1708F**

3.0 three-track suspended bottom rail  
Weight: 3.87kg/m




**JNW-CT1417F**

three rail side seal  
Weight: 1.70kg/m




**JNW-CT1418F**

three-track side frame transform  
Weight: 1.77kg/m




**JNW-CT1329F**

three tracks fixed up and down  
Weight: 1.94kg/m



**JNW-CT1347F**


three track inner frame  
Weight: 1.99kg/m



**JNW-CT1458F**


three-track suspended bottom rail(landing)  
Weight: 2.97kg/m

Five Track Profiles




**JNW-CT1554F**

five-track suspended upper rail  
Weight: 4.57kg/m



**JNW-CT1552F**


five-track suspended bottom rail  
Weight: 5.85kg/m



**JNW-CT1548F**


five-track side frame  
Weight: 2.50kg/m

>>> 128 Floating Sliding Window




**JNW-CT1555F**

five tracks fixed up and down  
Weight: 2.75kg/m




**JNW-CT1546F**

five tracks central column  
Weight: 2.98kg/m




**JNW-XT1545**

five-track side frame transform outside  
Weight: 1.24kg/m




**JNW-XT1551**

five-track side frame transform inside  
Weight: 1.05kg/m




**JNW-XT1547**

five-track side frame two covers  
Weight: 0.70kg/m



**JNW-XT1549**


five-track side frame three covers  
Weight: 1.10kg/m



**JNW-XT1550**


five-track side frame four covers  
Weight: 1.44kg/m

Automatic Profiles



**JNW-CT1584F**

128 intelligent top rail  
Weight: 2.95kg/m




**JNW-XT1586**

suspended window intelligent upper track additional track  
Weight: 1.82kg/m


128 Floating Sliding Window <<<

► Assembly Diagram >>>  
Triple Track




>>> 128 Floating Sliding Window

Five Track




128 Floating Sliding Window <<<

Five Track



>>> 128 Floating Sliding Window

Automatic electric



► Accessories >>



scenery sliding window 150kg load-bearing rubyfour wheels



scenery sliding window special self-tightening ruby high upper wheel



drilling sealant



125 thermal break scenery window special lock black (left) nice style



3MM semicircular stainless steel rail



128 suspended window special self-tightening 23 high upper wheel



120 sliding window drying guardrail pin code (21\*14.7)



125 thermal break scenery window center column code (JM-18.55ZH)

# # 40 Medium narrow sliding door >>>




## Product Features :

- ① The push and pull process is stable and smooth;  
all series of lower rails are upgraded to double-row wheel
- ② Multiple rail scheme: flat rail, higher rail, suspended rail, lifting rail
- ③ A variety of thickness are available: 2.0, 3.0, 5.0
- ④ Many door frame combinations available: 52mm, 65mm, 75mm


## >>> Medium narrow sliding door

### Universal Profiles




#### KY01-004

double-row wheel bottom rail  
Weight: 0.33kg/m




#### KY01-040

single-row wheel bottom rail  
Weight: 0.31kg/m




#### KY01-010F

suspended clip  
Weight: 0.39kg/m



#### KY01-011

suspended rail cover  
Weight: 0.26kg/m




#### KY01-024

65 door frame closing  
Weight: 0.48kg/m




#### KY01-008

fixed clip  
Weight: 0.19kg/m




#### KY01-026

mesh center cross  
Weight: 0.67kg/m



#### KY01-027

mesh clip  
Weight: 0.19kg/m




#### KY01-047

side seal cover  
Weight: 0.19kg/m



#### KY01-025

suspended rail  
Weight: 0.9kg/m



#### KY01-028


inner f groove  
Weight: 0.14kg/m



#### KY01-029


outer f groove  
Weight: 0.16kg/m

Medium narrow sliding door <<<




JNW-A-042

60 packs  
Weight: 0.77kg/m




D-A470

buckle plate  
Weight: 0.49kg/m




JNW-XT1442

glass guardrail  
Weight: 0.52kg/m



JNW-XT1003


glass guardrail  
Weight: 0.50kg/m



KY01-045


bottom rail cover  
Weight: 0.24kg/m

Two Track




KY01-043

double-rail top buffer rail  
Weight: 1.64kg/m




KY01-001

1.4 double-rail frame  
Weight: 1.25kg/m




KY01-041

2.0 double-rail frame  
Weight: 1.57kg/m




KY01-006

double-rail center column  
Weight: 1.21kg/m



KY01-003F


double-rail higher bottom rail  
Weight: 1.94kg/m



KY01-038


double-rail single-row wheel flat rail  
Weight: 0.46kg/m

>>> Medium narrow sliding door




KY01-005

double-rail double-row wheel flat rail  
Weight: 0.51kg/m



KY01-009


double-rail suspended bottom rail  
Weight: 2.32kg/m



KY01-007


double-rail frame cover  
Weight: 0.5kg/m

Three Track




KY01-044

triple-rail buffered top rail  
Weight: 2.41kg/m




KY01-014F

triple-rail higher bottom rail  
Weight: 2.79kg/m




KY01-016

triple-rail double-row wheel flat rail  
Weight: 0.77kg/m




KY01-039

triple-rail single-row wheel flat rail  
Weight: 0.71kg/m




KY01-015

triple-rail suspended rail  
Weight: 3.04kg/m




KY01-017

triple-rail center column  
Weight: 1.7kg/m




KY01-018

triple-rail cover  
Weight: 0.72kg/m



KY01-012


triple-rail three-groove side seal 1.4  
Weight: 2.17kg/m



KY01-042


triple-rail three-groove side seal 2.0  
Weight: 2.62kg/m

Medium narrow sliding door <<<



**KY01-036**


triple-rail two-groove side seal 1.4  
Weight: 1.91kg/m



**KY01-037**


triple-rail one-groove side seal 1.4  
Weight: 1.73kg/m

52 vertical door frame



**KY01-030**

3.0-52 vertical door frame  
Weight: 1.34kg/m




**KY01-034**

5.0-52 vertical door frame  
Weight: 1.46kg/m




**KY01-033**

4.0-18 vertical door frame  
Weight: 0.85kg/m




**KY01-046**

4.0-18 strengthen door frame  
Weight: 1.62kg/m



**KY01-031**


52 single vertical door frame with hook  
Weight: 0.31kg/m



**KY01-032**


52 double vertical door frame with hook  
Weight: 0.48kg/m

65/75 vertical door frame




**KY01-019**

2.0-65 vertical door frame  
Weight: 1.32kg/m



**KY01-020**


3.0-65 vertical door frame  
Weight: 1.44kg/m



**KY01-035**


5.0-65 vertical door frame  
Weight: 1.64kg/m

>>> Medium narrow sliding door



**KY01-021**

3.0-75 vertical door frame  
Weight: 1.61kg/m




**KY01-049**

3.0-75 lifting vertical door frame  
Weight: 1.74kg/m




**KY01-050**

75 lifting vertical door frame lock slot  
Weight: 0.28kg/m



**KY01-022**


65 single vertical door frame with hook  
Weight: 0.34kg/m



**KY01-023**


65 double vertical door frame with hook  
Weight: 0.54kg/m

casement door




**KY02-001**

1.2 door jamb  
Weight: 0.76kg/m




**KY02-002**

1.2 double door jamb  
Weight: 0.82kg/m




**KY02-003**

2.0 door jamb  
Weight: 1.04kg/m




**KY02-004**

2.0 double door jamb  
Weight: 1.04kg/m



**D-A005A**


1.2 vertical door frame  
Weight: 0.63kg/m



**KY02-005**


2.0 vertical door frame  
Weight: 0.9kg/m

Medium narrow sliding door <<<




**JNW-A-042**

60 pecks  
Weight: 0.77kg/m




**D-A470**

buckle plate  
Weight: 0.49kg/m



**KY01-028**


inner F groove  
Weight: 0.14kg/m



**GT044**







10x15 grid strip  
Weight: 0.104kg/m

► Assembly Diagram >>>  
casement door




>>> Medium narrow sliding door


sliding door




8 MAJOR RAIL SYSTEMS




double rails flat rail  
double-row wheel




double rails higher rail  
double-row wheel



triple-rails flat rail  
double-row wheel




triple-rail higher rail  
double-row wheel



double rails suspended rail  
double-row wheel



triple-rails suspended rail  
double-row wheel




double rails lifting rail  
single-row wheel



triple-rails lifting rail  
single-row wheel

■ PROFILE ADVANTAGES



ADVANTAGES OF FLAT RAIL

Track height only 5mm  
Ultra-thin design  
less likely to trip over people  
Fits better with the needs of daily life  
Enabling more efficient cleaning



ADVANTAGES OF HIGHER RAIL

Track height 45mm  
Excellent sealing performance  
Water-proof and dust-proof



ADVANTAGES OF SUSPENDED RAIL

Track height 65mm  
Exquisite design  
good-looking  
Outstanding sealing performance



ADVANTAGES OF LIFTING RAIL

Track height 45mm  
Support the lifting function  
More efficient and reliable

► Accessories >>



SK514 specific aluminum corner code  
corner code : wrapped packs corner code



corner for panel



universal higher pulley  
specific lower pulley



hanging pulley ( with buffer )



hanging pulley ( with two-way buffer )



hanging pulley ( without two-way buffer )



diamond buffer  
bidirectional buffer



three door linkage accessories



handrail



specific lock( sliver )




corner for panel  
corner for panel with screws



side seal hanging rail plug  
Anti - collision leather Strip

# 128 # scenery sliding window >>>




## Product Features :

- ① Equipped 3.0 thickness screen sash and bottom rail
- ② Superior drainage system, moveable guardrail
- ③ Six-rail design, 100mm large handrail surface


## >>> 128 scenery sliding window

### Universal Profiles




#### JNW-CT1326F

upper door frame  
Weight: 0.83kg/m




#### JNW-CT1327F

bottom door frame  
Weight: 0.95kg/m




#### JNW-CT1325F

single vertical door frame with hook  
Weight: 0.85kg/m




#### JNW-CT1325G

double vertical door frame with hook  
Weight: 0.91kg/m




#### JNW-CT1324F

hidden door frame  
Weight: 0.79kg/m



#### JNW-XT1352

mesh door upper frame  
Weight: 1.21kg/m




#### JNW-XT1353

mesh door bottom frame  
Weight: 1.33kg/m




#### JNW-XT1351F

mesh door with hook  
Weight: 1.23kg/m




#### JNW-XT1350

hidden mesh door  
Weight: 1.17kg/m




#### JNW-XT1331

side frame double cover  
Weight: 0.46kg/m



#### JNW-XT1332F


side frame single cover  
Weight: 0.41kg/m




#### JNW-XT1342

indoor square clip  
Weight: 0.30kg/m


128 scenery sliding window <<<




**GD-131**  
outdoor clip  
Weight: 0.16kg/m



**JNW-XT1354**  
door frame bottom wheel slot  
Weight: 0.16kg/m




**JNW-XT1355F**  
mesh door clip  
Weight: 0.07kg/m




**JNW-XT1333**  
side seal anti-collision strip  
Weight: 0.15kg/m




**JNW-XT1334**  
closing  
Weight: 0.31kg/m




**JNW-XT389**  
clothes drying guardrail frame  
Weight: 0.50kg/m



**JNW-XT263**  
additional european standard slot  
Weight: 0.20kg/m



**JNW-XT051F**  
two-color grid strip  
Weight: 0.20kg/m




**GD-036A**  
integrated grid strip  
Weight: 0.37kg/m



**GD-014**  
universal slot cover  
Weight: 0.05kg/m




**JNW-XT1422**  
bottom rail guard  
Weight: 0.09kg/m




**XTC-ZJ90B**  
90 corner -135°  
Weight: 1.251kg/m


>>> 128 scenery sliding window



**XTC-ZJ90A**  
90 corner -90°  
Weight: 1.728kg/m




**XTC-ZJ130A**  
130 corner -90°  
Weight: 2.80kg/m




**XTC-ZJ130B**  
130 corner -90°  
Weight: 1.95kg/m


Four track




**JNW-CT1487F**  
four-rail top rail  
Weight: 2.32kg/m




**JNW-CT1346F**  
four-rail bottom rail  
Weight: 1.80kg/m




**JNW-XT1345**  
four-rail additional bottom rail  
Weight: 0.46kg/m




**JNW-CT1416F**  
four-rail side seal  
Weight: 1.34kg/m




**JNW-CT1420F**  
four-rail side seal conversion  
Weight: 1.40kg/m



**JNW-CT1343E**  
four-rail fixed up and down  
Weight: 1.49kg/m




**JNW-CT1343G**  
four-rail center column  
Weight: 1.54kg/m




**JNW-CT1346S**  
four-rail bottom rail (land)  
Weight: 1.69kg/m

Six track




**JNW-CT1485F**

six-rail top rail  
Weight: 3.04kg/m




**JNW-CT1318F**

six-rail bottom rail  
Weight: 2.92kg/m




**JNW-CT1348F**

six-rail bottom rail  
Weight: 3.76kg/m




**JNW-XT1330**

six-rail additional bottom rail  
Weight: 0.86kg/m




**JNW-CT1417F**

six-rail side seal  
Weight: 1.70kg/m




**JNW-CT1418F**

six-rail side seal conversion  
Weight: 1.77kg/m




**JNW-CT1329F**

six-rail fixed up and down  
Weight: 1.77kg/m




**JNW-CT1347F**

six-rail center column  
Weight: 1.99kg/m



**JNW-CT1357F**



six-rail bottom rail  
Weight: 2.82kg/m



**DZ-822F**


handrail  
Weight: 1.52kg/m

► Assembly Diagram >>



128 scenery sliding window <<<


► Assembly Diagram >>>



► Accessories >>>




110 # sliding window >>>



Product Features :


- ① High cost-effective, extreme cost control
- ② Can equipped cloth hanger,automatic locking

110 thermal break sliding window <<<




JNW-CT1236F

top rail  
Weight: 1.61kg/m




JNW-CT1159F

bottom rail 1.4  
Weight: 2.18kg/m




JNW-CT1234F

bottom rail 2.0  
Weight: 2.69kg/m




JNW-CT1239F

side seal  
Weight: 1.28kg/m




JNW-CT1165F

side seal conversion  
Weight: 0.98kg/m




JNW-CT1161F

center column  
Weight: 1.29kg/m



JNW-CT1162F

door frame  
Weight: 0.92kg/m




JNW-XT1240

mesh door frame  
Weight: 0.75kg/m




JNW-XT518

mesh door clip  
Weight: 0.12kg/m




JNW-XT1166

indoor clip  
Weight: 0.34kg/m



GD-131


outdoor clip  
Weight: 0.16kg/m



JNW-XT1168

single vertical door frame with hook  
Weight: 0.26kg/m

>>> 110 thermal break sliding window




JNW-XT1169

double vertical door frame with hook  
Weight: 0.41kg/m



JNW-XT1170

side seal double cover  
Weight: 0.26kg/m




JNW-XT1171

side seal single cover  
Weight: 0.2kg/m




JNW-XT1172

door frame lock slot  
Weight: 0.12kg/m




JNW-XT1241

side seal lock slot  
Weight: 0.17kg/m




JNW-XT1167

screen cover  
Weight: 0.14kg/m




JNW-XT1202

detachable guardrail  
Weight: 0.46kg/m




JNW-XT389

clothes drying guardrail frame  
Weight: 0.50kg/m




JNW-XT263

additional European standard slot  
Weight: 0.20kg/m




JNW-XT051F

two-color grid strip  
Weight: 0.20kg/m



GD-036A


integrated grid strip  
Weight: 0.37kg/m




DZ-714

closing  
Weight: 0.24kg/m


110 thermal break sliding window <<<




**GD-014**  
universal slot cover  
Weight: 0.05kg/m



**JNW-XT1173**  
handrail frame  
Weight: 1.06kg/m




**ZJ110A**  
110 corner -90°  
Weight: 1.35kg/m



**ZJ110B**  
110 corner -135°  
Weight: 1.09kg/m

► Assembly Diagram >>



>>> 110 thermal break sliding window



► Accessories >>



110 sliding window drying  
guardrail pin code (21\*14.7)



110 thermal break scenery window  
center column code (JM-18.55ZH)



110 window special  
self-tightening 23 high upper  
wheel



110 thermal break scenery  
window  
special lock black (left) nice style




3MM  
semicircular stainless steel rail



drilling sealant




sliding window 150kg  
load-bearing rubyfour wheels



sliding window special  
self-tightening ruby high upper wheel

# 120-1# Slim Casement Window >>>




## Product Features :

- ① Glass: 5+20A+5, Aluminum alloy handle
- ② Can do outside opening fan, very narrow frame
- ③ Sash, glass fan can be done with the same type of handle
- ④ Sash can be made of adamantine and HD Sash


## >>> 120-1 Slim casement window

### ► 120-1#Slim Casement Window




#### JNW-CT1189F

out frame  
Weight : 1.89 kg/m




#### JNW-CT1190F

center column  
Weight : 2.12 kg/m




#### JNW-CT1214F

glass sash A  
Weight : 1.34 kg/m




#### JNW-CT1221F

glass sash B  
Weight : 1.43 kg/m




#### JNW-CT1191F

subframe A  
Weight : 1.2 kg/m



#### JNW-CT1222F

subframe B  
Weight : 1.15 kg/m




#### JNW-XT1192

screen sash  
Weight : 0.64 kg/m




#### JNW-XT518

mesh door clip  
Weight : 0.12 kg/m




#### JNW-XT1193

square clip  
Weight : 0.24 kg/m



#### JNW-XT1194

screen sash subframe  
Weight : 0.17 kg/m



#### JNW-XT11212


skew clip  
Weight : 0.29 kg/m



#### JNW-XT1213


slot for sash clip  
Weight : 0.12 kg/m

120-1 Slim casement window <<<




**JNW-XT208**  
frame splicing strip  
Weight : 0.28 kg/m


► Assembly Diagram >>>




>>> 120-1 Slim casement window




**JNW-BK812A**  
injection molded frame  
Weight : 1.69 kg/m




**JNW-ZH813A**  
injection molded center post  
Weight : 1.82 kg/m



**DZ-CT797F**  
slim subframe  
Weight : 1.55 kg/m




**DZ-CT795F**  
slim glass sash  
Weight : 1.36 kg/m




**DZ-793**  
slim screen sash  
Weight : 0.59 kg/m




**DZ-794**  
mesh door clip  
Weight : 0.09 kg/m




**JNW-XT1230**  
guardrail frame  
Weight : 0.12 kg/m




**JNW-XT1231**  
latticework  
Weight : 0.20 kg/m



**JNW-XT772**  
bevelled edge clip  
Weight : 0.32 kg/m



**JNW-XT778**  
diamond clip  
Weight : 0.40 kg/m




**JNW-XT780**  
bent clip  
Weight : 0.50 kg/m




**GD-014**  
universal slot cover  
Weight : 0.05 kg/m


120-1 Slim casement window <<<




**JNW-XT1009**  
outside 90° slim corner  
Weight : 1.14 kg/m




**JNW-XT1010**  
inside 90° slim corner  
Weight : 0.38 kg/m



**JNW-XT208**  
frame splicing strip  
Weight : 0.28 kg/m




**ZJ110A**  
110 corner-90°  
Weight : 1.42 kg/m



**ZJ110B**  
110 degree corner-135°  
Weight : 1.13 kg/m

► Assembly Diagram >>



>>> 120-1 Slim casement window

► Accessories >>



120 slim outer frame color  
injection corner code(26.2\*13.2)



120 slim center column inner color  
injection corner code (jm16zh\*13.2)



side lock (silver) left




side lock (silver) right



large center column machine  
(without blade)




13.5\*1.0\*1.2 stainless steel injection  
molding group corner piece



slim frame center column mold 6 molds

# 110-Disrupter 3 / 115-Disrupter 5

Outside&Inside Opening Window >>>




## Product Features :

- ① 8 cavities structure and 6 layers sealing
- ② three options of thickness to choose: 1.8mm,2.0mm,3.0mm
- ③ Vertical isothermal line design
- ④ customized molded thermal insulation strips
- ⑤ Better noise insulation and heat insulation
- ⑥ Excellent water tightness and air tightness performance
- ⑦ Side frame width 115mm, performance upgrade comprehensively

## >>> Disrupter 3


### 110#3 Outside opening Window

#### ► Universal Profiles




#### JNW-HC847A

75 new clip glass sash  
Weight : 1.39 kg/m




#### JNW-HC771A

3 glass sash  
Weight : 1.31 kg/m



#### JNW-XT778

diamond clip  
Weight : 0.39 kg/m




#### JNW-XT768

guardrail frame  
Weight : 0.35 kg/m




#### JNW-XT846B

clip  
Weight : 0.15 kg/m




#### JNW-XT051F

two-color grid  
Weight : 0.2 kg/m



#### JNW-XT1009

90° slim corner  
Weight : 1.14 kg/m



#### JNW-XT1010


90° slim corner  
Weight : 0.38 kg/m



#### JNW-XT772


subversive 3 clip  
Weight : 0.32 kg/m

### ► 110#3 Outside Opening Window




#### JNW-BK812A

injection molded frame  
Weight : 1.69 kg/m




#### JNW-ZH813A

injection molded center post  
Weight : 1.82 kg/m




#### JNW-FK773A

subframe  
Weight : 1.29 kg/m




**JNW-ZT802**

strengthen inner frame  
Weight : 3.26 kg/m




**JNW-1007**

50 screen sash  
Weight : 0.62 kg/m




**JNW-1011**

sash cover  
Weight : 0.09 kg/m




**JNW-XT770**

sash without folded edge  
Weight : 0.7 kg/m




**JNW-XT769**

sash square clip  
Weight : 0.16 kg/m




**JNW-XT780**

bent clip  
Weight : 0.5 kg/m




**ZJ110A**

90 degree corner  
Weight : 1.35 kg/m




**ZJ110B**

135 degree corner  
Weight : 1.08 kg/m




**HC235B**

enter frame for glass sash  
Weight : 1.0 kg/m




**HC110**

sash center frame  
Weight : 1.0 kg/m



**GD-026**


sash center frame  
Weight : 0.56 kg/m



**JNW-HC807A**


double inward opening glass sash  
Weight : 1.65 kg/m

► 110#3 Inside opening Window




**JNW-BK760A**

outer frame  
Weight : 1.65 kg/m




**JNW-ZH762A**

center column  
Weight : 1.78 kg/m




**JNW-XT816**

additional european standard slot  
Weight : 0.21 kg/m



**JNW-XT902**

screen sash subframe  
Weight : 0.3 kg/m




**JNW-XT287**

double inside opening sash  
Weight : 0.6 kg/m




**JNW-XT267**

mesh door clip  
Weight : 0.15 kg/m




**JNW-1006**

75 screen sash  
Weight : 0.73 kg/m




**JNW-1010**

75 mesh door clip  
Weight : 0.13 kg/m




**JNW-XT815**

clip  
Weight : 0.28 kg/m



**JNW-XT811**


square clip  
Weight : 0.41 kg/m



**JNW-XT855**


round clip  
Weight : 0.4 kg/m

► **Assembly Diagram** ►►




**Disrupter 5**

## ► Universal Profiles




**JNW-CT1860F**

Sub frame  
Weight : 1.36 kg/m




JNW-CT1776F

Glass sash  
Weight : 1.83 kg/m




**JNW-XT1780G**

Glass sash clip  
Weight : 0.20 kg/m



JNW-XT1778

mosquito net  
Weight : 0.57 kg/m



JNW-XT1779

mosquito net clip  
Weight : 0.08 kg/m




JNW-XT1781

Diagonal clip  
Weight : 0.38 kg/m




DZ-L1559

Diagonal clip  
Weight : 0.36 kg/m




JNW-XT1867

Diagonal clip  
Weight : 0.33 kg/m




JNW-XT772

Diagonal clip  
Weight : 0.32 kg/m




JNW-XT1866

Diamond shaped clip  
Weight : 0.40 kg/m




**JNW-XT778**

Diamond shaped clip  
Weight : 0.39 kg/m




JNW-XT780


stretch bending clip  
Weight : 0.50 kg/m



**GD-014**  
Universal slot cover  
Weight : 0.05 kg/m




**JNW-XT1230**  
Guardrail frame  
Weight : 0.12kg/m




**JNW-XT1231**  
Grid bar  
Weight : 0.20kg/m


2.0 thickness




**JNW-CT1711G**  
2.0 Outer Frame  
Weight : 1.93 kg/m



**JNW-CT1713G**  
2.0 Center Column  
Weight : 2.06 kg/m




**JNW-BK812F**  
Glue injection frame  
Weight : 1.79 kg/m




**JNW-ZH813F**  
Glue injection center column  
Weight : 1.92 kg/m


3.0 thickness




**JNW-BK781F**  
3.0 Outer Frame  
Weight : 2.15 kg/m



**JNW-ZH783F**  
3.0 Center Column  
Weight : 2.27 kg/m





**ZJ115A**  
115 turns -90 degrees  
Weight : 1.48 kg/m




**ZJ115B**  
115 corner-135 degrees  
Weight : 1.14 kg/m


► Assembly Diagram ►►




► Assembly Diagram >>



► Accessories >>



# 90-1# New Casement Window >>>




## Product Features :

- ① Ultra-narrow visible surface, customized molded thermal insulation strips, three major series, dozens of opening programmes.
- ② Excellent water tightness and air tightness performance
- ③ multi-cavity structure design, outstanding thermal insulation function, new floor drainage system.


## >>> 90-1 New casement window

### ► Universal Aluminium Profiles




#### JNW-CT1249D

outer frame  
Weight : 1.84kg/m




#### JNW-CT1251D

center column  
Weight : 1.87 kg/m




#### JNW-CT1738F

strengthen center column  
Weight : 2.42 kg/m




#### JNW-XT1737F

large glass square clip  
Weight : 0.34 kg/m




#### JNW-XT1739

bending clip  
Weight : 0.59 kg/m




#### JNW-XT1741F

large glass square clip  
Weight : 0.36kg/m




#### DZ-014

bending clip screw cover  
Weight : 0.05 kg/m



#### JNW-XT1721


double glass bevel edge clip  
Weight : 0.29 kg/m



#### JNW-XT1729

three glass sash double thermal break clip  
Weight : 0.27 kg/m

### ► 65 Medium Narrow Glass Sash Series – Double inward Opening




#### JNW-CT1254E

65 medium narrow double inner open glass sash  
Weight: 1.52kg/m



#### JNW-XT267


65 medium narrow sash clip  
Weight: 0.15kg/m



#### JNW-XT1256F


65 medium narrow sash  
Weight: 0.62kg/m

90-1 New casement window <<<



**JNW-XT1677**


65 glass door double inward open double glass clip  
Weight: 0.17kg/m



**JNW-XT1678**


65 double inner open three glass sash  
double thermal break clip  
Weight: 0.15kg/m

► 55 Slim Glass Sash Series -Double inward Opening




**JNW-CT1720F**

55 ultra narrow double inner open glass sash  
Weight :1.23 kg/m




**JNW-XT1718**

55 ultra narrow double inner open glass sash  
Weight : 0.5 kg/m




**JNW-XT518**

55 ultra narrow double inner open glass sash clip  
Weight : 0.15 kg/m



**JNW-XT1732F**


55 ultra narrow double inner open  
double glass sash clip  
Weight : 0.16 kg/m



**JNW-XT1731F**


55 double inner open three glass sash  
double thermal break clip  
Weight : 0.12 kg/m

► 55 Slim Glass Sash Series - Single inward Opening




**JNW-CT1716F**

55 ultra narrow single inner open sash  
Weight :1.48 kg/m



**JNW-XT1717F**

55 single inner open double glass sash clip  
Weight : 0.23 kg/m




**JNW-XT1715F**

55 single inner open three glass sash  
double thermal break clip  
Weight : 0.2 kg/m

>>> 90-1 New casement window

► 65 Medium Narrow Glass Sash Series - Single inward Opening




**JNW-CT1255F**

65 medium narrow single inner open glass sash  
Weight: 1.81kg/m



**JNW-XT1676**


65 single inner open three glass sash  
double thermal break clip  
Weight: 0.21kg/m



**JNW-XT1675**


65 single inner open double glass clip  
Weight: 0.23kg/m

► 90 Glass Sash Series-Single outward Opening




**JNW-CT1736F**

90 single outward open glass door  
Weight :2.18 kg/m




**JNW-CT1733F**

90 outward open subframe  
Weight : 1.5 kg/m



**JNW-XT1676**


65 single outward open three glass sash  
double thermal break clip  
Weight : 0.21 kg/m



**JNW-XT1675**


65 single inner open double glass clip  
Weight : 0.23 kg/m

► 90 Glass Sash Series -Single inward Door or Counter Door




**JNW-CT1272F**

90 single inward open door  
Weight : 2.29 kg/m




**JNW-CT1271F**

double door closing  
Weight : 1.46 kg/m



**JNW-XT1676**


90 three glass sash double  
thermal break clip  
Weight : 2.29 kg/m



**JNW-XT1675**


90 double glass clip  
Weight : 0.23 kg/m

► **Micro Ventilation Double inward Opening Casement**



**JNW-CT1723F**

micro ventilation sash  
Weight : 1.3 kg/m




**JNW-XT1718**

55 ultra narrow double inner open glass sash  
Weight : 0.5 kg/m



**JNW-XT518**


55 ultra narrow double inner open glass sash clip  
Weight : 0.15 kg/m



**FG100A**


micro ventilation square tube  
Weight : 1.18 kg/m

► **Horizontal – pushing window**




**JNW-CT1728F**

flat sliding door  
Weight : 1.9 kg/m



**JNW-CT1725F**

flat sliding sub-frame  
Weight : 1.74 kg/m



**JNW-XT1727**

flat sliding double inner glass clip  
Weight : 0.18 kg/m

► **Assembly Diagram** >>



90 glass sash  
(double inward open window)


100 glass sash  
(double inward open window)

110 glass sash  
(double inward open window)

customized molded thermal insulation strips, three major series


90-1 New casement window <<<

► Assembly Diagram >>>



>>> 90-1 New casement window


► Accessories >>>



# 126 # side pressure sealed window >>>




## >>> 126 side pressure sealed window




### JNW-CT1568F

outer frame  
Weight: 1.98kg/m




### JNW-CT1570F

center column  
Weight: 2.07kg/m




### JNW-CT1573F

strengthen center column  
Weight: 2.04kg/m




### JNW-CT1571F

center column  
Weight: 1.50kg/m




### JNW-CT1575F

68 glass sash  
Weight: 1.65kg/m



### JNW-XT1646

mesh sub-frame  
Weight: 0.52kg/m




### JNW-XT1224

47 screen sash  
Weight: 0.98kg/m




### JNW-XT518

mesh clip  
Weight: 0.12kg/m




### JNW-XT1580

top guide rail  
Weight: 0.49kg/m




## Product Features :

- ① Adopting innovative floor drain drainage system.
- ② Equipped with inward opening mesh, folding hidden mesh and glass guardrail.
- ③ Combine the convenience of sliding windows and the sealing of casement windows.




### JNW-XT1579

bottom guide rail  
Weight: 0.39kg/m



### JNW-XY1577

inner baffle  
Weight: 0.16kg/m



### JNW-XT1576

outer baffle  
Weight: 0.31kg/m

126 side pressure sealed window <<<



JNW-XT1581

cover for center column  
Weight: 0.11kg/m




JNW-XT1476F

glass sash with hook  
Weight: 0.29kg/m




JNW-XT1454

glass sash clip  
Weight: 0.18kg/m



JNW-XT1433

fixed clip  
Weight: 0.2kg/m



JNW-XT1648

skew clip  
Weight: 0.37kg/m



JNW-XT1583

side seal cover  
Weight: 0.11kg/m




JNW-XT1577

side seal lock slot  
Weight: 0.38kg/m



JNW-XT1582F

glass sash lock slot  
Weight: 0.24kg/m




JNW-XT1651

fixed guardrail frame  
Weight: 0.38kg/m



JNW-XT1652

frame cover  
Weight: 0.08kg/m



JNW-XT1647F


closing  
Weight: 0.76kg/m



JNW-XT1231


grid strip  
Weight: 0.20kg/m

>>> 126 side pressure sealed window



JNW-XT1442

glass guardrail  
Weight: 0.52kg/m




JNW-XT1003


glass guardrail  
Weight: 0.50kg/m




► Assembly Diagram >>>



► Assembly Diagram >>>




# 100 # drifting sliding window >>>



## Product Features :


- ① Unique sliding opening method, does not occupy indoor space, avoids the trouble of accidental collisions.
- ② Extrusion type of closure, waterproof and more sealed.
- ③ Equipped with mosquito net as standard.

## >>> 100 drifting sliding window




### JNW-CT1587F

drifting side frame  
Weight: 1.72kg/m




### JNW-CT1589F

drifting center column  
Weight: 1.865kg/m



### JNW-CT1590F

drifting sub-frame  
Weight: 1.18kg/m



### JNW-CT1592F

drifting glass sash  
Weight: 1.52kg/m




### JNW-XT1594

glass sash clip  
Weight: 0.21kg/m




### JNW-XT1599

screen sash  
Weight: 0.69kg/m




### DZ-1118

mesh clip  
Weight: 0.1kg/m




### JNW-XT1650

guardrail frame  
Weight: 0.23kg/m



### JNW-XT1596

drifting window vertical lock slot  
Weight: 0.41kg/m



### JNW-XT1579F

opening horizontal clip  
Weight: 0.43kg/m




### JNW-XT1598

opening vertical clip  
Weight: 0.34kg/m



### JNW-XT1595

drifting window top guide rail  
Weight: 0.11kg/m




**JNW-XT1600**  
inner opening sash transfer groove  
Weight: 0.23kg/m



**JNW-XT1644**  
accessories level  
Weight: 0.11kg/m




**JNW-XT1645**  
top and bottom wheel level  
Weight: 0.18kg/m




**JNW-XT051F**  
two-color grid strip  
Weight: 0.20kg/m



**GD-036A**  
integrated grid strip  
Weight: 0.37kg/m



**JNW-XT1003**  
glass guardrail  
Weight: 0.5kg/m



► Assembly Diagram >>

