

Phase 3: Curated Graph A/V Review Worksheet

Reviewer: _____ Date: _____ Commit: e1f2c5b0 Audio device: _____ Listening level: _____

Classification Key

- **ready** – no issues
- **minor polish** – small cosmetic/balance issues, not blocking
- **confusing but usable** – works but could mislead a beginner
- **blocking** – must fix or remove from beta surface
- **env skip** – requires hardware/media not present, labeled correctly

intro/ (9 graphs)

1. Hello Audio (intro/audio_demo.json)

Type: Audio | Difficulty: beginner | Env: — | Packages: —

The smallest audio patch: one oscillator through gain into the audio output.

Check	Result	Notes
First-load		

Check	Result	Notes
Audio		
Result		

2. Audio-Reactive Visuals (intro/audio_reactive_demo.json)

Type: A/V | **Difficulty:** beginner | **Env:** — | **Packages:** —

Audio level changes the scale of a noise texture so sound and image move together.

Check	Result	Notes
First-load		
Audio		
Visual		
A/V sync		
Result		

3. Audio-Visual Sync (intro/av_demo.json)

Type: A/V | **Difficulty:** beginner | **Env:** — | **Packages:** —

One shared LFO drives both visual scale and audio pitch so cross-domain wiring is immediately visible.

Check	Result	Notes
First-load		
Audio		
Visual		
A/V sync		
Result		

4. Shared Metronome AV Sync (intro/av_metronome_demo.json)

Type: A/V | **Difficulty:** beginner | **Env:** — | **Packages:** —

The graph metronome keeps separate audio and visual LFOs locked without extra clock wires.

Check	Result	Notes
First-load		
Audio		
Visual		
A/V sync		
Result		

5. Getting Started (intro/demo.json)

Type: Visual | **Difficulty:** beginner | **Env:** — | **Packages:** —

The smallest visual patch: clocked modulation changes a noise texture over time.

Check	Result	Notes
First-load		
Visual		
Result		

6. Lanes: Repeat (intro/lanes_intro_demo.json)

Type: Visual | **Difficulty:** beginner | **Env:** — | **Packages:** —

One animated value expands into lanes so several visual elements move from a shared source.

Check	Result	Notes
First-load		
Visual		
Result		

7. Lanes: Stack (intro/lanes_stack_demo.json)

Type: Visual | **Difficulty:** beginner | **Env:** — | **Packages:** —

Several LFOs are stacked into lanes so each visual element gets its own position.

Check	Result	Notes
First-load		
Visual		
Result		

8. Welcome to Vivid (intro/showcase_demo.json)

Type: A/V | **Difficulty:** beginner | **Env:** — | **Packages:** —

Three drums trigger three visual shapes so the beat can be seen and heard as one live patch.

Check	Result	Notes
First-load		
Audio		
Visual		
A/V sync		
Result		

9. Hello Stereo (intro/stereo_demo.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

A simple oscillator pans left and right to introduce stereo movement.

Check	Result	Notes
First-load		
Audio		
Result		

audio/ (15 graphs)

1. Transport-Synced Arpeggio (audio/arpeggiator_metronome_demo.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

A metronome-locked chord progression and arpeggiator play a bright FM pattern that stays synced as the graph tempo changes.

Check	Result	Notes
First-load		
Audio		
Result		

2. Transport-Locked Chorus (audio/chorus_metronome_demo.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

A pulsing tone runs through chorus so tempo changes are easy to hear and the sweep stays locked to the shared transport.

Check	Result	Notes
First-load		
Audio		
Result		

3. Sidechain Compression (audio/compressor_demo.json)

Type: Audio | **Difficulty:** intermediate | **Env:** — | **Packages:** —

A kick ducks the bass-and-noise layer for a classic pumping sidechain feel.

Check	Result	Notes
First-load		

Check	Result	Notes
Audio		
Result		

4. Drum Stack Foundation (audio/drum_stack_demo.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

A 16-step groove plays through the full drum kit so kick, snare, hats, clap, tom, and cymbal are all easy to inspect.

Check	Result	Notes
First-load		
Audio		
Result		

5. Filter Sweep (audio/filter_sweep.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

A resonant noise sweep pulses on the beat while the filter curve moves in the node preview.

Check	Result	Notes
First-load		
Audio		
Result		

6. FM Synth Bell Tones (audio/fm_synth_demo.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

Bell-like FM tones pulse on the beat while modulation depth slowly changes the timbre.

Check	Result	Notes
First-load		
Audio		
Result		

7. Four on the Floor (audio/four_on_the_floor.json)

Type: Audio | **Difficulty:** beginner | **Env:** ConvolutionReverb | **Packages:** —

A compact dance beat with kick, snare, hats, and clap arranged as a reliable first drum-machine patch.

Check	Result	Notes
First-load		
Audio		
Result		

8. Complete Synth Voice (audio/full_synth_patch.json)

Type: Audio | **Difficulty:** intermediate | **Env:** — | **Packages:** —

A complete synth voice combines oscillator, noise, mixer, filter, envelope, and LFO modulation into one playable patch.

Check	Result	Notes
First-load		
Audio		
Result		

9. Granular Texture Scanner (audio/granular_synth_demo.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

A granular texture cloud scans through its source while pitch drift keeps the sound moving.

Check	Result	Notes
First-load		
Audio		
Result		

10. Chromatic Sampler with Arpeggiator (audio/sampler_chromatic_demo.json)

Type: Audio | **Difficulty:** intermediate | **Env:** Sampler | **Packages:** —

A chord progression drives an arpeggiated lap-steel sampler patch across chromatic notes.

Check	Result	Notes
First-load		
Audio		
Result		

11. Step Sequencer Melody (audio/sequencer_demo.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

An eight-step sequencer plays a simple melody that can be reshaped from the inspector.

Check	Result	Notes
First-load		
Audio		
Result		

12. SP404 Drum Sequencer (audio/sp404_demo.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

A sample-pad drum kit plays a tight sequenced groove with clear pad-to-note mapping.

Check	Result	Notes
First-load		
Audio		
Result		

13. State Machine Music (audio/state_machine_demo.json)

Type: A/V | **Difficulty:** advanced | **Env:** — | **Packages:** —

Three musical scenes switch drums, synth, and bloom visuals together from one state machine.

Check	Result	Notes
First-load		
Audio		
Visual		
A/V sync		
Result		

14. Auto-Pan and Stereo Width (audio/stereo_pan_width_demo.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

A simple tone pans left to right while stereo width breathes independently.

Check	Result	Notes
First-load		
Audio		
Result		

15. Vocoder: Noise into Saw (audio/vocoder_demo.json)

Type: Audio | **Difficulty:** beginner | **Env:** — | **Packages:** —

Noise shapes a saw carrier into a talking-robot texture with a slowly changing response speed.

Check	Result	Notes
First-load		
Audio		
Result		

gpu/ (11 graphs)

1. Bloom Glow (gpu/bloom_demo.json)

Type: Visual | **Difficulty:** intermediate | **Env:** — | **Packages:** —

A rotating star blooms into a soft glow, showing how bright shapes spill light into the frame.

Check	Result	Notes
First-load		
Visual		
Result		

2. Composite Blend (gpu/composite_demo.json)

Type: Visual | **Difficulty:** intermediate | **Env:** — | **Packages:** —

An animated shape and noise texture blend together as a minimal compositing patch.

Check	Result	Notes
First-load		
Visual		
Result		

3. Edge Blend (`gpu/edge_blend_demo.json`)

Type: Visual | **Difficulty:** intermediate | **Env:** — | **Packages:** —

A gradient demonstrates soft-edge blending for projection and multi-output alignment work.

Check	Result	Notes
First-load		
Visual		
Result		

4. Video Feedback (`gpu/feedback_demo.json`)

Type: Visual | **Difficulty:** intermediate | **Env:** — | **Packages:** —

A star feeds back into itself to create spiraling video trails from a small graph.

Check	Result	Notes
First-load		
Visual		
Result		

5. Instanced Shapes (`gpu/instanced_shapes_simple.json`)

Type: Visual | **Difficulty:** beginner | **Env:** — | **Packages:** —

A minimal ring of instanced hexagons shows repeated geometry without extra graph clutter.

Check	Result	Notes
First-load		
Visual		
Result		

6. Nyan Trail (gpu/nyan_trail_demo.json)

Type: Visual | **Difficulty:** intermediate | **Env:** — | **Packages:** —

A rainbow-cycling shape leaves a bright feedback trail across the frame.

Check	Result	Notes
First-load		
Visual		
Result		

7. Particle Envelopes (gpu/particle_envelope_demo.json)

Type: Visual | **Difficulty:** beginner | **Env:** — | **Packages:** —

Glowing particles fade in and out with per-particle envelopes.

Check	Result	Notes
First-load		
Visual		
Result		

8. Path Animate AV (gpu/path_animate_av_demo.json)

Type: A/V | **Difficulty:** advanced | **Env:** — | **Packages:** —

A tone drives the speed of a shape moving along a path, tying audio level to visual motion.

Check	Result	Notes
First-load		
Audio		
Visual		
A/V sync		
Result		

9. Rich Text (gpu/rich_text_demo.json)

Type: Visual | **Difficulty:** intermediate | **Env:** — | **Packages:** —

Animated text floats over noise and bloom for a compact typography patch.

Check	Result	Notes
First-load		
Visual		
Result		

10. Star Spin (gpu/star_spin_demo.json)

Type: A/V | **Difficulty:** intermediate | **Env:** — | **Packages:** —

A spinning star reacts to audio and leaves glowing feedback trails.

Check	Result	Notes
First-load		
Audio		
Visual		
A/V sync		
Result		

11. Texture Analysis (gpu/texture_analysis_demo.json)

Type: A/V | **Difficulty:** intermediate | **Env:** — | **Packages:** —

Brightness and edge density from a visual texture drive pitch and filter cutoff.

Check	Result	Notes
First-load		
Audio		
Visual		

Check	Result	Notes
A/V sync		
Result		

filters/ (9 graphs)

1. CRT Monitor Effect (filters/crt_effect_demo.json)

Type: Visual | **Difficulty:** intermediate | **Env:** MovieFileAudio, MovieFileIn | **Packages:** —

A video source is bent into a glowing CRT monitor look with curvature, scanlines, vignette, and color fringing.

Check	Result	Notes
First-load		
Visual		
Result		

2. Displacement Map (filters/displace_demo.json)

Type: Visual | **Difficulty:** intermediate | **Env:** — | **Packages:** —

A clean shape is warped by animated noise so the displacement effect is easy to see.

Check	Result	Notes
First-load		
Visual		
Result		

3. Dithering (filters/dither_demo.json)

Type: Visual | **Difficulty:** intermediate | **Env:** — | **Packages:** —

A smooth gradient is reduced into animated dithered color bands.

Check	Result	Notes
First-load		
Visual		
Result		

4. Edge Detection (`filters/edge_demo.json`)

Type: Visual | **Difficulty:** intermediate | **Env:** MovieFileAudio, MovieFileIn | **Packages:** —

Video edges are highlighted with a slowly changing strength control.

Check	Result	Notes
First-load		
Visual		
Result		

5. Kaleidoscope Mirror (`filters/mirror_demo.json`)

Type: Visual | **Difficulty:** intermediate | **Env:** MovieFileAudio, MovieFileIn | **Packages:** —

A video source becomes a rotating kaleidoscope with mirrored segments.

Check	Result	Notes
First-load		
Visual		
Result		

6. Scanlines (`filters/scanlines_demo.json`)

Type: Visual | **Difficulty:** intermediate | **Env:** MovieFileAudio, MovieFileIn | **Packages:** —

A video source gets a simple CRT-style scanline treatment after level adjustment.

Check	Result	Notes
First-load		
Visual		
Result		

7. Audio Spirograph (filters/spirograph_demo.json)

Type: A/V | **Difficulty:** intermediate | **Env:** — | **Packages:** —

A generated tone drives a morphing spirograph with feedback trails.

Check	Result	Notes
First-load		
Audio		
Visual		
A/V sync		
Result		

8. Voronoi Cells (filters/voronoi_cells_demo.json)

Type: Visual | **Difficulty:** beginner | **Env:** — | **Packages:** —

Colorful Voronoi cells drift and pulse as a compact generative visual patch.

Check	Result	Notes
First-load		
Visual		
Result		

9. WGSF Filter Chain (`filters/wgsf_filters_demo.json`)

Type: Visual | **Difficulty:** intermediate | **Env:** MovieFileAudio, MovieFileIn | **Packages:** —

A single video chain passes through several shader filters so their combined look is easy to explore.

Check	Result	Notes
First-load		
Visual		
Result		

media/movie_file/ (2 graphs)

1. Movie Playback: Audio Sync (`media/movie_file/mfi_av_sync_demo.json`)

Type: A/V | **Difficulty:** beginner | **Env:** MovieFileAudio, MovieFileIn | **Packages:** —

A movie plays with its audio and video locked together, then sends the sound through reverb.

Check	Result	Notes
First-load		
Audio		
Visual		
A/V sync		
Result		

2. Movie Playback: Video Only (`media/movie_file/mfi_video_only.json`)

Type: Visual | **Difficulty:** beginner | **Env:** MovieFileIn | **Packages:** —

A minimal movie-input patch for loading a video without audio sync wiring.

Check	Result	Notes
First-load		
Visual		
Result		

io/ (1 graphs)

1. OSC Loopback (io/osc_av_loopback_demo.json)

Type: A/V | **Difficulty:** intermediate | **Env:** OscIn, OscOut | **Packages:** —

An LFO is sent out over OSC and received back into the same graph to drive sound and image.

Check	Result	Notes
First-load		
Audio		
Visual		
A/V sync		
Result		