

PRACTICAL NO. 4


AIM: Develop HTML Page using CSS

4.1 Internal (It should include cover image, color, text, font, border, box, and margin)

Program:

```
<html>
<head>
    <title>My Website</title>
    <style>
        body {
            background image:
url('https://static.vecteezy.com/system/resources/previews/002/037/924/original/abstract-
blue-background-with-beautiful-fluid-shapes-free-vector.jpg');
            background-size: cover;
            background-position: center;
            background-repeat: no-repeat;
            color: #333;
            font-family: Arial, sans-serif;
            margin: 0;
            padding: 0;
        }
        h1 {
            font-size: 50px;
            font-weight: bold;
            text-align: center;
            margin-top: 20px;
            margin-bottom: 20px;
        }
        p {
            font-size: 25px;
            line-height: 1.5;
            margin: 0 20px;
            text-align: justify;
```

```
        text-justify: inter-word;
    }
    .box {
        border: 2px solid #ccc;
        border-radius: 10px;
        box-shadow: 0 0 10px rgba(0,0,0,0.2);
        margin: 300px auto;
        padding: 20px;
        max-width: 600px;
    }
</style>
</head>
<body>
    <div class="box">
        <h1>My name is Lad Krish.</h1>
        <p> I am an enthusiastic Web Developer. I have been working in the field of
Web Developer for the past 6 months.</p>
    </div>
</body>
</html>
```

Output:

4.2 External (It should include cover image, color, text, font, border, box, and margin)

Program:


```
<html>
<head>
    <title>My Website</title>
    <link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>
    <div class="box">
        <h1>My name is Lad Krish.</h1>
        <p>I am an enthusiastic Web Developer. I have been working in the field of
Web Developer for the past 6 months.</p>
    </div>
</body>
</html>
```

CSS File:

```
body {
    background-image:
url('https://static.vecteezy.com/system/resources/previews/002/037/924/original/abstract-
blue-background-with-beautiful-fluid-shapes-free-vector.jpg');
    background-size: cover;
    background-position: center;
    background-repeat: no-repeat;
    color: #333;
    font-family: Arial, sans-serif;
    margin: 0;
    padding: 0;
}
h1 {
    font-size: 50px;
    font-weight: bold;
    text-align: center;
```

```
margin-top: 20px;
margin-bottom: 20px;
}
p {
    font-size: 25px;
    line-height: 1.5;
    margin: 0 20px;
    text-align: justify;
    text-justify: inter-word;
}
.box {
    border: 2px solid #ccc;
    border-radius: 10px;
    box-shadow: 0 0 10px rgba(0,0,0,0.2);
    margin: 300px auto;
    padding: 20px;
    max-width: 600px;
}
```

Output:



4.3 Inline Style Sheet (It should include cover image, color, text, font, border, box, and margin)

Program:

```
<!DOCTYPE html>

<html>

<head>

    <title>My Website</title>

</head>

<body
style="https://static.vecteezy.com/system/resources/previews/002/037/924/original/abstract-
blue-background-with-beautiful-fluid-shapes-free-vector.jpg '); background-size: cover;
background-position: center; background-repeat: no-repeat; color: #333; font-family: Arial,
sans-serif; margin: 0; padding: 0;">

    <div class="box" style="border: 2px solid #ccc; border-radius: 10px; box-shadow: 0 0
10px rgba(0,0,0,0.2); margin: 300px auto; padding: 20px; max-width: 600px;">

        <h1 style="font-size: 50px; font-weight: bold; text-align: center; margin-top: 20px;
margin-bottom: 20px;">My name is Naitik Maisuriya.</h1>


        <p style="font-size: 25px; line-height: 1.5; margin: 0 20px; text-align: justify; text-
justify: inter-word;"> I am an enthusiastic Web Developer. I have been working in the field of
Web Developer for the past 4 months.</p>

    </div>

</body>

</html>
```

Output:



PRACTICAL NO. 5**AIM: Develop applications using JavaScript****5.1 Make an application which check user name and password with java script. And user name and password are correct then navigate next page.****Program:****HTML File:**

```

<html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Register Screen</title>

    <script src="index.js"></script>

</head>

<body>

    <center>

        <h1>Enter Your Details </h1>

        <form name="reg_form" action="navigate.html" onsubmit="return validate()">

            <br>

            UserName : <input type="text" name="name" placeholder="Enter UserName"><br><br>

            Password : <input type="password" name="pass" placeholder="Enter Password"><br>

        <br>

        <input type="submit" name="" id="" value="Submit">

        </form>

    </center>

</body>

</html>

```

Index.js File:

```

function validate() {

```

```
var letter = /[a-zA-Z]/;
var number = /[0-9]/;
var uname = document.reg_form.name.value;
var pass = document.reg_form.pass.value;
if (uname == "") {
    alert("Username cannot be Empty!!");
    return false;
}
if (pass == "") {
    alert("Password must be filled");
    return false;
}
if (pass.length < 8) {
    alert("Password Should be longer than 8 characters.")
    return false;
}
if (!letter.test(pass)) {
    alert("Password should include UpperCase and LowerCase character")
    return false;
}
if (!number.test(pass)) {
    alert("Password should Include Digit")
    return false;
}
}
```

navigate.html File:

```
<html>
<head>
    <Title>Welcome to the navigation page</Title>
</head>
```

```
<body>  
  <h1 style="color: black;">Welcome</h1>  
</body>  
</html>
```

Output:

Enter Your Details

UserName :

Password :

Incorrect Entries:**This page says**

Username cannot be Empty!!

OK


Password :

This page says

Password Should be longer than 8 characters.

OK

Password :



This page says


Password should include UpperCase and LowerCase character

OK

Password :

Submit

Correct Entry:



5.2 Make an application which check mobile number (number should be started with 9 or 8) and mail id (check @ and .)

Program:

```
<html>

<head>

<script>

function validateForm()

{

var phno = /^\\+?([8-9]{1})?[-. ]?([0-9]{9})$/;

var mail = /^[a-zA-Z0-9.!#$%&'*/+=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\\.[a-zA-Z0-9-]+)*$/;

var email = document.forms["Form"]["email"].value;

var phoneno = document.forms["Form"]["phoneno"].value;

if (email == "") {

alert("E-mail must be filled");

return false;

}

if (phoneno == "") {

alert("Mobile number must be filled");

return false;

}

if (phoneno.length < 10) {

alert("Phone number must be 10 digits!")

return false;

}

if (!mail.test(email)) {

alert("Please Enter valid Email")

return false;

}

if (!phno.test(phoneno)) {

alert("Please Enter valid phone number")

}
```

```

return false;
}
}
</script>
</head>
<title>Practical 5_2</title>
<body>
<center><h2>Validation Page</h2>
<form name="Form" action="navigate_.html" onsubmit="validateForm()" method="post">
<br>
E-mail : <input type="text" name="email" placeholder="Enter email"><br><br>
Mobile : <input type="text" name="phoneno" placeholder="Enter mobile number"><br>
<br>
<input type="submit" value="Submit">
</form>
</body>
</html>

```

Navigate_.html File:

```





<html>
<head>
<Title>Welcome to the navigation page</Title>
</head>
<body>
<h1 style="color: black;">Welcome</h1>
</body>
</html>

```


Output:

Validation Page

E-mail :
Mobile :

Incorrect Entries:Mobile : Mobile : Mobile : Mobile :

Correct Entry:



Welcome

CSE@RNGPT

5.3 Write a JavaScript that uses function to calculate how many days are left in your birthday?

Program:

```
<!DOCTYPE html>

<html>

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Birthday Countdown</title>

</head>

<body>

<h1>Birthday Countdown</h1>

<p>Please enter your birthdate:</p>

<input type="date" id="birthdate">

<button onclick="calculateDaysLeft()">Calculate</button>

<p id="result"></p>

<script>

function calculateDaysLeft() {

    var birthdate = new Date(document.getElementById("birthdate").value);

    var today = new Date();

    var nextBirthday;

    if (birthdate.getMonth() < today.getMonth() ||

        (birthdate.getMonth() === today.getMonth() && birthdate.getDate() < today.getDate()))

    {

        nextBirthday = new Date(today.getFullYear() + 1, birthdate.getMonth(),

            birthdate.getDate());


    } else {

        nextBirthday = new Date(today.getFullYear(), birthdate.getMonth(), birthdate.getDate());

    }

    var daysLeft = Math.ceil((nextBirthday - today) / (1000 * 60 * 60 * 24));
```

```
document.getElementById("result").textContent = "Days left until your next birthday: " +  
daysLeft;  
}  
</script>  
</body>  
</html>
```

Output:

Birthday Countdown

Please enter your birthdate:

Days left until your next birthday: 348

5.4 Write a JavaScript that uses a loop, which searches a word in sentence held in an array, returning the index of the word.

Program:

```
<!DOCTYPE html>

<html>

<head>

<title>Word Search</title>

<script>

function searchWord(sentence, word) {
  for (let i = 0; i < sentence.length; i++) {
    if (sentence[i] === word) {
      return i;
    }
  }
  return -1;
}

function searchAndDisplay() {
  const sentence = document.getElementById("sentence").value.split(" ");
  const word = document.getElementById("word").value;
  const result = searchWord(sentence, word);
  if (result !== -1) {
    document.getElementById("result").textContent = `The word "${word}" is found at index ${result}.`;
  } else {
    document.getElementById("result").textContent = `The word "${word}" is not found in the sentence.`;
  }
}

</script>


</head>
```



```

<body>
  <h2>Word Search</h2>
  <label for="sentence">Enter a sentence:</label><br>
  <input type="text" id="sentence"><br><br>
  <label for="word">Enter a word to search:</label><br>
  <input type="text" id="word"><br><br>
  <button onclick="searchAndDisplay()">Search</button><br><br>
  <div id="result"></div>
</body>
</html>

```

Output:

Word Search

Enter a sentence:

Enter a word to search:

The word "Krish" is found at index 2.

5.5 Write an HTML file with JavaScript that finds position of first occurrence of vowel “a”, last occurrence of a vowel “a” in a given word and returns the string between them. For example Ajanta- then script would return first occurrence of “a”-that is position 1 and last occurrence-6 and string between them is “jant”

Program:

```
<html>

<head>

<title>Position of vowel</title>

<script>

function validateForm() {
    var letter = /[a-z]/;
    var str = (document.forms["Form"]["string"].value);
    var strlen = str.length;
    var finder = new Array();
    var count = 0;
    //alert(strlen);
    var fletter = str.charAt(0);
    var lastletter = str.charAt(strlen);
    //alert(fletter);
    if (fletter == 'a' || lastletter == 'a') {
        document.write("String is in proper format" + '<br><br>');
    }
    document.write("\nActual String :"+str);
    document.write("<br>");
    document.write("\nGenerated String :");

    for (var index = 0; index < strlen; index++) {
        if (str.charAt(index) != 'a' && str.charAt(strlen) != 'a') {
            var str1 = str.charAt(index);
            //alert(str1);
```


```

        document.write(str1);
    }
}
document.write("<br><br>");
for(var i=0; i<strlen; i++){
    if(str.charAt(i) === 'a'){
        finder[count] = i+1;
        count++;
    }
}
// for(var i=0; i<count; i++){
//     document.write(" "+finder[i]+"<br>");
// }
var fltr = finder[0];
var lltr = finder[count-1];
document.write("Fisrt letter found on &quot; "+fltr+" &quot; position. <br>");
document.write("Last letter found on &quot; "+lltr+" &quot; position.<br>");
}
</script>
</head>
<body>
<center>
<form name="Form" action="" onsubmit="return validateForm()" method="post">
    <br>
    Enter String : <input type="text" name="string" placeholder="Enter String"><br><br>
    <input type="submit" value="Submit">
</form>
</body>
</html>

```

Output:

Enter String :



Actual String :Kisu lad

Generated String :Kisu ld

Fisrt letter found on " 7 " position.

Last letter found on " 7 " position.

CSE@K

5.6 Write a JavaScript which accepts N as input and display first N Fibonacci numbers as list.**Program:**

```
<html>
<head>
  <script>
    function validateForm() {
      var number = /[0-9]/;
      var a = 0,
          b = 1;
      var n = (document.forms["Form"]["fibo"].value);
      document.write('<h1>' + "Fibonacci Series:" + '</h1>' + '<br>');
      document.write('<h3>');
      document.write("0 1 ");
      for (i = 2; i < n; i++) {
        c = a + b;
        document.write(c + " ");
        a = b;
        b = c;
      }
      document.write('</h3>');
    }
  </script>
</head>

<body bgcolor="white">
  <center>
    <h2>Fibonacci Series</h2>
    <form name="Form" action="" onsubmit=" validateForm()" method="post">
```

```
<br>
<h2>Enter      Number      :      <input      type="text"      name="fibo"
placeholder="Number"></h2><br>
      <input type="submit" value="Submit">
</form>
</body>
</html>
```

Output:

Fibonacci Series

Enter Number :

Submit

Fibonacci Series:

0 1 1 2 3

5.7 Write a JavaScript that handles following mouse events Add necessary elements.

(i) JavaScript gives the key code for the key pressed.

(ii) If the key pressed is “a”, “e”, “i”, “o”, “u” the script should announce that vowel is pressed.

(iii) When the key is released background should change to blue.

Program:

```
<html>

<head>

<title>Mouse Event Handler</title>

<script type="text/javascript"> window.onkeyup = changebgcolor;

function myKeyPress(e) { var keynum;
keynum = e.which;
var char1 = String.fromCharCode(keynum);
//for vowel
if (char1 == 'a' || char1 == "e" || char1 == 'i' || char1 == 'o' || char1 == 'u') { alert("Vowel is
pressed");
}
alert("You pressed " + char1 + " & keycode for that is " + keynum);
document.body.style.backgroundColor = "white";
}

function changebgcolor() { document.getElementById("txt1");
document.body.style.backgroundColor = "#0dfcdc";
}

</script>

</head>

<body>
```

```
<form>
```

```
<h3>
```

```
Enter the Character : <input type="text" id="txt1" onkeyup="changebgcolor()"
onkeypress="myKeyPress(event)" />
```


```
</h3>
```

```
</form>
```


```
</body>
```

```
</html>
```



Output:




(i) JavaScript gives the key code for the key pressed.



(ii) If the key pressed is "a","e","i","o","u" the script should announce that vowel is pressed.



(iii) When the key is released background should change to blue.





5.8 Write a JavaScript to print characters of a string at odd positions.(for example for the string India, I, d and a should get printed).

Program:

```
<html>
<head>
  <title>Practical5-8</title>
</head>
<script type="text/javascript">
  var str = prompt("Enter a String:");
  var strlen = str.length;
  alert(strlen);
  for (var i = 1; i <= strlen; i++) {
    if (i % 2 == 1) {
      mychar = str.charAt(i - 1);
      document.write(mychar + " ");
    }
  }
</script>
</html>
```

Output:





K s


CSE@RNGP

5.9 Write a JavaScript to take 2 digit number and then separate these 2 digits, then multiply first digit by itself for second digit times.(for example, 23 should be separated as 2 and 3. 2 should multiply with itself 3 times).

Program:

```
<html>
<head>
  <title>Practical 5_9</title>
  <center>
    <script type="text/javascript">
      var num = parseInt(prompt(("Enter Two Numbers:")));
      var n1 = num % 10;
      document.write("You have entered:" + num + "<br/>")
      var n2 = parseInt(num / 10);
      var result = n2 ** n1
      document.write(n2 + " multiply itself " + n1 + " Time = " + result);
    </script>
  </center>
</head>
</html>
```

Output:



You have entered:55
5 multiply itself 5 Time = 3125

5.10 Write a JavaScript that handles following mouse events. Add necessary elements

(i) If the mouse is over the heading should turn yellow and if the mouse goes out of the heading it should turn black.

(ii) If find time button is clicked show time and date information. If button named “red” is clicked, background should change to red and If button named “green” is clicked, background should change to green.

Program:

```
<html>
<head>
  <title>Practical 5_10</title>
  <script type="text/javascript">
    function showdt() {
      document.getElementById("dt").innerHTML = Date();
    }

    function bground(val) {
      if (val == 'red') {
        document.body.style.background = "red";
      } else if (val == 'green') {
        document.body.style.background = "green";
      }
    }

    function MouseOver(elem) {
      elem.style.color = "yellow";
    }

    function MouseOut(elem) {
      elem.style.color = "black";
    }
  </script>
</head>
<body>
  <div id="dt">
    <h1>CSLAB@PRNGPIT</h1>
  </div>
  <div>
    <button>Find Time</button>
    <button>Red</button>
    <button>Green</button>
  </div>
</body>
</html>
```

```

</script>
</head>
<body>
  <center>
    <h1>1.Press time to watch time </h1>
    <h1>2.Press red to change background to red </h1>
    <h1>3.Press green to change background to green </h1>
    <h2 id="header" onmouseover="MouseOver(this)" onmouseout="MouseOut(this);">
    </h2>
    <p id="dt"></p>
    <input type="button" onclick="showdt()" value="Date Time" /><br><br>
    <input type="button" id="rbtn" onclick="bground('red')" value="Red" /><br><br>
    <input type="button" id="gbtn" onclick="bground('green')" value="Green" />
  </center>
</body>
</html>

```

Output:



1.Press time to watch time

2.Press red to change background to red

3.Press green to change background to green

Thu Mar 14 2024 18:01:37 GMT+0530 (India Standard Time)

Date Time

Red

Green

1.Press time to watch time

2.Press red to change background to red

3.Press green to change background to green

Thu Mar 14 2024 18:01:37 GMT+0530 (India Standard Time)

Date Time

Red

Green

1.Press time to watch time

2.Press red to change background to red

3.Press green to change background to green

Thu Mar 14 2024 18:01:37 GMT+0530 (India Standard Time)

Date Time

Red


Green

5.11 Write a program that convert a string written in JSON format, into a JavaScript object.

Program:

```
<html>
<head>
  <title>Practical-5.11</title>
</head>
<body>
  <script type="text/javascript">
    let text = '{ "data" : [ ' +
      '{"first_name" : "Krish" , "last_name" : "Lad"}', ' +
      '{"first_name" : "Vansh" , "last_name" : "Patel"}', ' +
      '{"first_name" : "Kuldip" , "last_name" : "Mahida"}', ' +
      '{"first_name" : "Ayush" , "last_name" : "Patel"} ] }';
    let result = JSON.parse(text);
    document.write("1." + result.data[0].first_name + " " + result.data[0].last_name +
      "<br>");
    document.write("2." + result.data[1].first_name + " " + result.data[1].last_name +
      "<br>");
    document.write("3." + result.data[2].first_name + " " + result.data[2].last_name +
      "<br>");
    document.write("4." + result.data[3].first_name + " " + result.data[3].last_name);
  </script>
</body>
</html>
```

Output:



```
1.Krish Lad
2.Vansh Patel
3.Kuldip Mahida
4.Ayush Patel
```


PRACTICAL NO. 6

AIM: Write programs using PHP

6.1 Write a PHP program to find whether entered year is leap year or not.


Program:

```
<!-- A basic HTML form to get the year from the user -->
<html>
<body>
    <form method="post">
        Enter the Year: <input type="text" name="year">
        <input type="submit" name="submit" value="Submit">
    </form>
</body>
</html>
<?php
// Check if the form has been submitted
if($_POST) {
    // Get the year from the user
    $year = $_POST['year'];

    // Check if the entered value is a number
    if(!is_numeric($year)) {
        // If it is not a number, print an error message and exit
        echo "Input should be a number";
        return;
    }


    // Check if the year is a leap year using multiple conditions
    if ((0 == $year % 4) and (0 != $year % 100) or (0 == $year % 400)) {
        // If it is a leap year, print a message saying so
        echo "$year is a Leap Year";
    }
}
```

```
} else {  
    // If it is not a leap year, print a message saying so  
    echo "$year is not a Leap Year";  
}  
}  
?>
```

Output:


Enter the Year:

Input should be a number



Enter the Year:

2024 is a Leap Year



Enter the Year:

2023 is not a Leap Year

6.2 Write a PHP program to display table of cube for 1 to 10.

Program:

```
<!--
```

This code displays a table of the integers 1 to 10 and their cubes.

```
-->
```

```
<html>
```

```
<head>
```

```
    <title>Square and Cube of Integers 1-10</title>
```

```
</head>
```

```
<body>
```

```
    <table border="1">
```

```
        <tr>
```

```
            <th>Integers 1 to 10</th>
```

```
            <th>Cube</th>
```

```
        </tr>
```

```
        <?php
```

```
            // Loop through the integers 1 to 10
```

```
            for ($i = 1; $i <= 10; $i++) {
```

```
                // Calculate the cube of the current integer
```

```
                $cube = $i * $i * $i;
```

```
                // Output a table row with the integer and its cube
```

```
                echo "<tr>";
```

```
                echo "<td>" . $i . "</td>";
```

```
                echo "<td>" . $cube . "</td>";
```

```
                echo "</tr>";
```


```
            }
```

```
        ?>
```

```
    </table>
```

```
</body>
```

</html>

Output:

Integers 1 to 10	Cube
1	1
2	8
3	27
4	64
5	125
6	216
7	343
8	512
9	729
10	1000

6.3 Write a PHP program to read a text file and store it in array and display the content of array.

Program:


```
<?php
// Read the contents of a file into an array
$file = file('file.txt');

// Loop through each line in the file and print its line number and content
foreach($file as $line_num => $line)
{
    print "$line_num. $line<br>";
}
?>
```

file.txt:

My
Name
Is
Krish

Output:



0. My
1. Name
2. Is
3. Krish

6.4 Write PHP to store information of employee (employee id, job title, and years of experience) in an array. And output the data to a web page by arranging the employees in ascending order of experience.

Program:

```
<!DOCTYPE html>

<html>

<head>

    <title>Employee Information</title>

</head>

<body>

<?php

// Define array of employees
$employees = array(
    array("id" => 1, "job_title" => "Software Engineer", "years_of_experience" => 3),
    array("id" => 2, "job_title" => "Project Manager", "years_of_experience" => 5),
    array("id" => 3, "job_title" => "UI/UX Designer", "years_of_experience" => 2),
    array("id" => 4, "job_title" => "Data Analyst", "years_of_experience" => 4)
);

// Function to compare years of experience for sorting
function cmp($a, $b) {
    return $a['years_of_experience'] - $b['years_of_experience'];
}

// Sort employees array by years of experience
usort($employees, "cmp");

// Output employee information in a table
echo "<table border='1'>

    <tr>

        <th>Employee ID</th>

        <th>Job Title</th>

        <th>Years of Experience</th>


    </tr>";
```

```

foreach ($employees as $employee) {
    echo "<tr>
        <td>".$employee['id']. "</td>
        <td>".$employee['job_title']. "</td>
        <td>".$employee['years_of_experience']. "</td>
    </tr>";
}
echo "</table>";
?>
</body>
</html>

```

Output:



Employee ID	Job Title	Years of Experience
3	UI/UX Designer	2
1	Software Engineer	3
4	Data Analyst	4
2	Project Manager	5

6.5 Make a simple login form using cookie and session.

Program:

P6_5.php:

```
<html>
<body>
    <?php
    //Practical 6_5
    ?>
    <body>
        <form action="redirect_6_5.php" method="post" style="margin-top: 50px; text-align:center; width: 400px;">
            <p>
                Username: <input name="username" type="text" value="<?php if
                (isset($_COOKIE["username"])) {
                    echo $_COOKIE["username"];
                } ?>" class="input-field">
            </p>
            <p>
                Password: <input name="password" type="password" value="<?php if
                (isset($_COOKIE["password"])) {
                    echo $_COOKIE["password"];
                } ?>" class="input-field">
            </p>
            <p><input type="checkbox" name="remember"> Remember </p>
            <p><input type="submit" value="Login"></p>
        </form>
    </body>
</body>
</html>
```

redirect_6_5.php:


```
<?php
```



```

if (!empty($_POST["remember"])) {
    setcookie("username", $_POST["username"], time() + 3600);
    setcookie("password", $_POST["password"], time() + 3600);
    echo "Cookies Set Successfully";
} else {
    setcookie("username", "");
    setcookie("password", "");
    echo "Cookies Not Set";
}
?>
<p><a href="login.php"> Go to Login Page </a></p>

```


Output:

Username:

Password:

☒ Remember

Login



Cookies Not Set

[Go to Login Page](#)

PRACTICAL NO. 7

AIM: Develop applications using PHP and MYSQL

7.1 Make an application using PHP that collects student information like name, PEN, Gender (use Radio Button), Branch (use Drop Down Box), Semester, Contact number (Text Box should masked with numbers only) and address. Create buttons for Insert, Delete, Update and Retrieve the details in/from the database. Alter the table to add a column and add data in that new column.

Program:

homepage.php:

```
<html>
<title>Practical-7_1</title>
<style>
    body{
        background-image:url('back2.jpg');
        background-size: 100% 100%;
    }
    h1{
        color:white;
    }
    h2{
        color:white;
    }
    a{
        color:yellow;
    }
</style>
<body >
    <center>
        <h1>Student Information</h1>
        <h2>Insert data:-<a href="insert.php">Insert</a><br><br></h2>
```

```

<h2>Delete data:-<a href="delete.php">Delete</a><br><br></h2>
<h2>Update data:-<a href="update.php">Update</a><br><br></h2>
<h2>Retrive data:-<a href="retrive.php">Retrive</a><br><br></h2>
</center>

```

```
</body>
```

```
</html>
```

Output:

[Insert](#)

[Delete](#)

[Update](#)

[Retrive](#)

Insert.php:

```

<html>
<head>
</head>
<body>
  <div>
    <center>
      <h1>Enter data for Student</h1>
      <form method="post">
        Name:<input type="text" name="name"/><br><br>
        Pen No:<input type="text" name="rno"/><br><br>
        Gender:
        <input type="radio" name="gender" value="MALE"/>Male

```

```

value="FEMALE"/>Female
<input type="radio" name="gender"
<br><br>
Branch:
<select name="branch">
    <option value="Computer">Computer</option>
    <option value="Civil">Civil</option>
    <option value="Electrical">Electrical</option>
    <option value="Mechanical">Mechanical</option>
    <option value="Mechanical">Chemical</option>
</select>
<br><br>
Semester:<input type="number" name="sem"/><br><br>
Contact number:<input type="number" name="cno"/><br><br>
<input type="submit" name="OK" /> <a
href="homepage.php">Home</a>
</form>
</center>
<?php
$conn = mysqli_connect("localhost","root","","student1");
if(isset($_POST['OK']))
{
    $name=$_POST['name'];
    $rno=$_POST['rno'];
    $gender=$_POST['gender'];
    $branch=$_POST['branch'];
    $sem=$_POST['sem'];
    $cno=$_POST['cno'];
    $sql="INSERT INTO std_table1
(name,rno,gender,branch,sem,cno) VALUES
('$name','$rno','$gender','$branch','$sem','$cno')";

```

```
        if ($conn->query($sql) === TRUE)
        {
            echo "<br>New record created successfully";
        }
        else
        {
            echo "Error: " . $sql . "<br>" . $conn->error;
        }
    }
?>
</div>
</body>
</html>
```

Output:

Enter data for Student

Name:

Pen No:

Gender: ☒ Male ☐ Female

Branch:

Semester:

Contact number:

[Home](#)

localhost/krish/p7/insert.php

Enter data for Student

Name:

Pen No:

Gender: ☒ Male ☐ Female

Branch:

Semester:

Contact number:

[Home](#)

Data inserted successfully

	id	name	rno	gender	branch	sem	cno
3	Krish Lad	230840131040	MALE	Computer	6	5385572785	

Delete.php:

```
<form method="post">
roll no:<input type="text" name="rno"/><br><br>
</form>

<input type="submit" name="OK" /> <a href="homepage.php">Home</a>

<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "student1";

$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect_error) {
die("Connection failed: " . $conn->connect_error);
}
if(isset($_POST['OK']))
{
$rno=$_POST['rno'];
$sql = "DELETE FROM std_table1 WHERE rno=$rno";
if ($conn->query($sql) === TRUE)
{

```

```

echo "<br>Record deleted successfully";
}
else
{
echo "<br>Error deleting record: " . $conn->error;
}
}
$conn->close();
?>

```

Output:

←T→		▼	id	name	rno	gender	branch	sem	cno
☐	Edit Copy Delete	9	Krish Lad	230840131040	MALE	Computer	6	5385572785	
☐	Edit Copy Delete	10	Kuldip Mahida	230840131043	MALE	Computer	6	5385572785	

roll no:

[Home](#)

roll no:

[Home](#)

Record deleted successfully

					id	name	rno	gender	branch	sem	cno
		9 Krish Lad	230840131040	MALE	Computer	6	5385572785				

update.php:

```
<form method="post">
```

```
<h1>Enter the values to update:</h1>
```

Name:<input type="text" name="name"/>

Roll no:<input type="text" name="rno"/>

</from>

<input type="submit" name="OK" /> Home

<?php

\$servername = "localhost";

\$username = "root";

\$password = "";

\$dbname = "student1";

\$conn = new mysqli(\$servername, \$username, \$password, \$dbname);

if (\$conn->connect_error)

{

die("Connection failed: " . \$conn->connect_error);

}

if(isset(\$_POST['OK']))

{

\$name=\$_POST['name'];

\$rno=\$_POST['rno'];

\$sql = "UPDATE std_table1 SET name='\$name' WHERE rno=\$rno";

if (\$conn->query(\$sql) === TRUE)

{

echo "Record updated successfully";

}

else

{

echo "
Error update record: " . \$conn->error;

}

}

\$conn->close();

?>

Output:**Enter the values to update:**Name: Roll no: [Home](#)**Enter the values to update:**Name: Roll no: [Home](#) Record updated successfully

				id	name	rno	gender	branch	sem	cno
☐				1	Krish Lad	230840131040	MALE	Computer	6	42
☐				2	Vansh Patel	230840131101	MALE	Computer	6	575752555

retrieve.php:

```

<?php
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "student1";

$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect_error)
{
    die("Connection failed: " . $conn->connect_error);
}

$result = mysqli_query($conn,"SELECT * FROM std_table1");
?>

```

```
<html>

<head>

<title>Retrive data</title>

</head>

<body>

<?php
if (mysqli_num_rows($result) > 0) {
?>
<table>
<tr>
<td>Name</td>
<td>Roll number</td>
<td>Gender</td>
<td>Branch</td>
<td>Semester</td>
<td>Contact Number</td>
</tr>
<?php
$i=0;
while($row = mysqli_fetch_array($result)) {
?>
<tr>
<td><?php echo $row["name"]; ?></td>
<td><?php echo $row["rno"]; ?></td>
<td><?php echo $row["gender"]; ?></td>
<td><?php echo $row["branch"]; ?></td>
<td><?php echo $row["sem"]; ?></td>
<td><?php echo $row["cno"]; ?></td>
</tr>
<?php
```

```

$i++;
}
?>
</table>
<?php
}
Else
{
echo "No result found";
}
?>
<a href="homepage.php">Home</a>
</body>
</html>

```

Output:

Name	Roll number	Gender	Branch	Semester	Contact Number
Krish Lad	230840131040	MALE	Computer	6	4529785957
Vansh Patel	230840131101	MALE	Computer	6	5378637585
Home					

7.2 Customize your own Webpages/web application. You may use HTML, Frame Navigation, CSS, JavaScript's, PHP, Cookies, Session, MYSQL Database Manipulation (Insert, Delete, Update and Retrieve), URL Redirecting, File Uploads, and WEB SERVICES.

Program:

login.php

```

<html>
<title>Practical 7_2</title>
<style>
h1{
color:Blue;

```

```

}
h3{
color:#6606ad;
}
a{
color:blue;
}
</style>
<body >
<center>
<fieldset>
<h1><u>Welcome</u></h1>
<h2>Login to Continue
</h2>
<form action="homepage2.php" method="post" style="padding-top: 50px">
<div class="container">
<label for="uname"><b>Username</b></label>
<input type="text" placeholder="Enter Username" name="uname" required>
<br><br>
<label for="pass"><b>Password</b></label>
<input type="password" placeholder="Enter Password" name="pass" required><br><br>
<button type="submit" name="OK">Login</button><br><br>
<label>
<input type="checkbox" checked="checked" name="remember">
Remember me
</label>
</div>
<div class="container">
<button type="button" class="cancelbtn">Cancel</button><br><br>
</form>

```

```

</fieldset>

</div>

</center>

<?php
$con=mysqli_connect("localhost","root","","student1");
if(isset($_POST['OK']))
{
$username=$_POST['username'];
$password=$_POST['pass'];


// $sql=mysqli_query($con,"INSERT INTO login (username,password) VALUES ('$username','$password')");
$sql=mysqli_query($con,"INSERT INTO login_page (username,password) VALUES ('$username','$password')");
}
?>

</body>

</html>

```

Output:



Welcome

Login to Continue

Username

Password

☒ Remember me

homepage2.php

```

<html>

<title>Practical-7_1</title>

```

```

<style>
    body{
        background-image:url('back3.jpg');
        background-size: 100% 100%;
    }
    h1{
        color:white;
    }
    h2{
        color:white;
    }
    a{
        color:yellow;
    }
</style>
<body >
    <center>
        <h1>Student Information</h1>
        <h2>Insert data:-<a href="insert1.php">Insert</a><br><br></h2>
        <h2>Delete data:-<a href="delete1.php">Delete</a><br><br></h2>
        <h2>Update data:-<a href="update1.php">Update</a><br><br></h2>
        <h2>Retrive data:-<a href="retrive1.php">Retrive</a><br><br></h2>
    </body>
</html>

```

insertpage1.php

```

<html>
<head>
    <title>Insert</title>
</head>
<body>

```

```

<div>

<h1>Enter Student data</h1>

<form method="post">

    Name:<input type="text" name="name"/><br><br>
    Roll number:<input type="text" name="rno"/><br><br>
    Gender:
    <input type="radio" name="gender" value="MALE"/>Male
    <input type="radio" name="gender" value="FEMALE"/>Female
    <br><br>
    Branch:
    <select name="branch">
        <option value="Computer">Computer</option>
        <option value="Civil">Civil</option>
        <option value="Electrical">Electrical</option>
        <option value="Mechanical">Mechanical</option>
    </select><br><br>
    Semester:<input type="number" name="sem"/><br><br>
    Contact number:<input type="number" name="cno"/><br><br>
    File Upload:<input type="hidden" name="MAX_FILE_SIZE"
value="4194304" />
    <input type="file" /><br><br>
    <input type="submit" name="OK" /> <a
href="homepage2.php">Home</a>
    </form>

<?php
    $con=mysqli_connect("localhost","root","","student1");
    if(isset($_POST['OK']))
    {
        $name=$_POST['name'];
        $rno=$_POST['rno'];
        $gender=$_POST['gender'];

```

```
$branch=$_POST['branch'];  
$sem=$_POST['sem'];  
$cno=$_POST['cno'];  
$sql=mysqli_query($con,"INSERT INTO std_table1  
(name,rno,gender,branch,sem,cno)  
('$name','$rno','$gender','$branch','$sem','$cno')");  
}  
?>
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:

Enter Student data

Name:

Roll number:

Gender: ☒ Male ☐ Female

Branch:

Semester:

Contact number:

File Upload: No file chosen

[Home](#)

				id	name	rno	gender	branch	sem	cno
☐	Edit	Copy	Delete	5	Vansh Patel	230840131101	MALE	Computer	6	5378637585
☐	Edit	Copy	Delete	6	Krish Lad	230840131040	MALE	Computer	6	97581975512
☐	Edit	Copy	Delete	7	Ayush Patel	230840131065	MALE	Computer	6	8385737841

deletepage1.php

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Delete_Page</title>
```

```
</head>
```

```
<h1>Enter the Roll number to delete!!!</h1>
```

```
<form method="post">
```

```
    Roll number:<input type="text" name="rno"/><br><br>
```

```
</form>
```

```
<input type="submit" name="OK" /> <a href="homepage2.php">Home</a>
```

```
<?php
```

```
    $servername = "localhost";
```

```
    $username = "root";
```

```
    $password = "";
```

```
    $dbname = "student1";
```

```
    $conn = new mysqli($servername, $username, $password, $dbname);
```

```
    if ($conn->connect_error)
```

```
    {
```

```
        die("Connection failed: " . $conn->connect_error);
```

```
    }
```

```
    if(isset($_POST['OK']))
```

```
    {
```

```
        $rno = $_POST['rno'];
```


```
        $sql = "DELETE FROM std_table1 WHERE rno=$rno";
```

```
        if ($conn->query($sql) === TRUE)
```

```

        {
            echo "Record deleted successfully";
        }
    else
    {
        echo "Error deleting record: " . $conn->error;
    }
}
$conn->close();
?>
</body>
</html>

```

Output:

Enter the Roll number to delete!!!

Roll number:

[Home](#)

			id	name	rno	gender	branch	sem	cno
☐	Edit	Copy	Delete	5	Vansh Patel	230840131101	MALE	Computer	6 5378637585
☐	Edit	Copy	Delete	6	Krish Lad	230840131040	MALE	Computer	6 97581975512

updatepage1.php

```

<!DOCTYPE html>

<html>

<head>

    <title>Update_page</title>

</head>

```

```

<h1>Enter Values to Update!</h1>

<form method="post">

    Name:<input type="text" name="name"/><br><br>

    Roll no:<input type="text" name="rno"/><br><br>

</form>

<input type="submit" name="OK" /> <a href="homepage2.php">Home</a>

<?php

    $servername = "localhost";
    $username = "root";
    $password = "";
    $dbname = "student1";

    $conn = new mysqli($servername, $username, $password, $dbname);
    if ($conn->connect_error)
    {
        die("Connection failed: " . $conn->connect_error);
    }
    if(isset($_POST['OK']))
    {
        $name=$_POST['name'];
        $rno=$_POST['rno'];
        $sql = "UPDATE std_table1 SET name='$name' WHERE rno=$rno";
        if ($conn->query($sql) === TRUE)
        {
            echo "Record updated successfully";
        } else
        {
            echo "Error update record: " . $conn->error;
        }
    }

    $conn->close();


```

```
?>
```

```
<body>
```

```
</html>
```

Output:



Enter Values to Update!

Name:

Roll no:

[Home](#)

			id	name	rno	gender	branch	sem	cno
☐				5	Vansh Patel	230840131101	MALE	Computer	6 5378637585
☐				6	Krish Lad	230840131040	MALE	Computer	6 97581975512
☐				8	Affan Memon	58	MALE	Computer	6 4742655651

retrivepage1.php

```
<?php
```

```
$servername = "localhost";
```

```
$username = "root";
```

```
$password = "";
```

```
$dbname = "student1";
```

```
$conn = new mysqli($servername, $username, $password, $dbname);
```

```
if ($conn->connect_error)
```

```
{
```

```
die("Connection failed: " . $conn->connect_error);
```

```
}
```

```
$result = mysqli_query($conn,"SELECT * FROM std_table1");
```

```
?>
```

```
<html>
```

```
<head>
```

```
<title> Retrive </title>

</head>

<?php
if (mysqli_num_rows($result) > 0) {
?>

<table>

<tr>

<td>Name</td>

<td>Roll number</td>

<td>Gender</td>

<td>Branch</td>

<td>Semester</td>

<td>Contact</td>

</tr>

<?php
$i=0;
while($row = mysqli_fetch_array($result)) {
?>

<tr>

<td> <?php echo $row["name"]; ?> </td>

<td> <?php echo $row["rno"]; ?> </td>

<td> <?php echo $row["gender"]; ?> </td>

<td> <?php echo $row["branch"]; ?> </td>

<td> <?php echo $row["sem"]; ?> </td>

<td> <?php echo $row["cno"]; ?> </td>

</tr>

<?php
$i++;
}
?>
```

```

</table>

<?php
}
else
{
echo "No result found";
}
?>


<a href="homepage2.php">Home</a>

</body>

</html>

```

Output:



Name	Roll number	Gender	Branch	Semester	Contact
Vansh Patel	230840131101	MALE	Computer	6	5378637585
Krish Lad	230840131040	MALE	Computer	6	97581975512
Affan Memon	58	MALE	Computer	6	4742655651
Home					


PRACTICAL NO. 8

AIM: Write a program of hello world using jQuery and Ajax.

Program:

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <title>jQuery</title>
  <script src="http://code.jquery.com/jquery-2.2.3.min.js"></script>
  <script>
    $(document).ready(function () {
      alert("Hello World !! From jQuery and Ajax ");
    });
  </script>
</head>
<body>
</body>
</html>
```

Output:



PRACTICAL NO. 9**AIM: Mini Project.****Program:****index.php:**

```
<?php

session_start();
require 'connect.php';
require 'functions.php';
if(isset($_POST['login'])) {
    $uname = clean($_POST['username']);
    $pwd = clean($_POST['password']);
    $query = "SELECT * FROM students WHERE username = '$uname' AND password = '$pwd'";
    $result = mysqli_query($con, $query);
    if(mysqli_num_rows($result) > 0) {
        $row = mysqli_fetch_assoc($result);
        $_SESSION['userid'] = $row['id'];
        $_SESSION['username'] = $row['username'];
        $_SESSION['password'] = $row['password'];
        header("location:profile.php");
        exit;
    } else {
        $_SESSION['errprompt'] = "Wrong username or password.";
    }
}

if(!isset($_SESSION['username'], $_SESSION['password'])) {

?>

<!DOCTYPE html>
```



```

<html>
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Login - Student Information System</title>
  <link href="assets/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/css/main.css" rel="stylesheet">
  <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media queries -
  ->
  <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
  <!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
    <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
  <![endif]-->
</head>
<body>

  <?php include 'header.php'; ?>
  <section class="center-text">
    <strong>Log In</strong>
    <div class="login-form box-center">


      <?php
        if(isset($_SESSION['prompt'])) {
          showPrompt();
        }
        if(isset($_SESSION['errprompt'])) {
          showError();
        }
      ?>

```

```

        <form action="<?php echo htmlspecialchars($_SERVER['PHP_SELF']); ?>"
method="POST">
            <div class="form-group">
                <label for="username" class="sr-only">Username</label>
                <input type="text" class="form-control" name="username" placeholder="Username"
required autofocus>
            </div>
            <div class="form-group">
                <label for="password" class="sr-only">Password</label>
                <input type="password" class="form-control" name="password"
placeholder="Password" required>
            </div>
            <a href="register.php">Need an account?</a>
            <input class="btn btn-primary" type="submit" name="login" value="Log In">
        </form>
    </div>
</section>
<script src="assets/js/jquery-3.1.1.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
</body>
</html>
<?php
} else {
    header("location:profile.php");
    exit;
}
unset($_SESSION['prompt']);
unset($_SESSION['errprompt']);
mysqli_close($con)
?>

```



← → ↻ 🔍 localhost/studentinfosystem/index.php

Gmail YouTube Maps About Adobe

Student Information System Not logged in.

Log In

nrmaisuriya31

...

Need an account? Log In

register.php:

```

<?php
session_start();
require 'connect.php';
require 'functions.php';
if(isset($_POST['register'])) {
    $uname = clean($_POST['username']);
    $pword = clean($_POST['password']);
    $studno = clean($_POST['studentno']);
    $fname = clean($_POST['firstname']);
    $lname = clean($_POST['lastname']);
    $department = clean($_POST['department']);
    $yrlevel = clean($_POST['yrlevel']);
    $query = "SELECT username FROM students WHERE username = '$uname'";
    $result = mysqli_query($con,$query);
    if(mysqli_num_rows($result) == 0) {
        $query = "SELECT studentno FROM students WHERE studentno = '$studno'";
        $result = mysqli_query($con,$query);
        if(mysqli_num_rows($result) == 0) {
            $query = "INSERT INTO students (username, password, studentno, firstname, lastname,
            department, yrlevel, date_joined)
            VALUES ('$uname', '$pword', '$studno', '$fname', '$lname', '$department', '$yrlevel',
            NOW())";
            if(mysqli_query($con, $query)) {
                $_SESSION['prompt'] = "Account registered. You can now log in.";
                header("location:index.php");
                exit;
            } else {
                die("Error with the query");
            }
        } else {

```

```

    $_SESSION['errprompt'] = "That student number already exists.";
}
} else {
    $_SESSION['errprompt'] = "Username already exists.";
}
}
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Register - Student Information System</title>
    <link href="assets/css/bootstrap.min.css" rel="stylesheet">
    <link href="assets/css/main.css" rel="stylesheet">
    <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
        <script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
        <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
    <![endif]-->
</head>
<body>
    <?php include 'header.php'; ?>
    <section class="center-text">
        <strong>Register</strong>
        <div class="registration-form box-center clearfix">
            <?php
                if(isset($_SESSION['errprompt'])) {

```

```

        showError();
    }
?>

<form action="<?php echo htmlspecialchars($_SERVER['PHP_SELF']); ?>"
method="POST">

    <div class="row">

        <div class="account-info col-sm-6">

            <fieldset>

                <legend>Account Info</legend>

                <div class="form-group">

                    <label for="username">Username</label>

                    <input type="text" class="form-control" name="username"
placeholder="Username (must be unique)" required>

                </div>

                <div class="form-group">

                    <label for="password">Password</label>

                    <input type="password" class="form-control" name="password"
placeholder="Password" required>

                </div>

            </fieldset>

        </div>

        <div class="personal-info col-sm-6">

            <fieldset>

                <legend>Personal Info</legend>

                <div class="form-group">

                    <label for="studentno">Student Number</label>

                    <input type="text" class="form-control" name="studentno" placeholder="Student
Number (must be unique)" required>

                </div>

                <div class="form-group">

                    <label for="firstname">First Name</label>

```

```
<input type="text" class="form-control" name="firstname" placeholder="First
Name" required>

</div>

<div class="form-group">

  <label for="lastname">Last Name</label>

  <input type="text" class="form-control" name="lastname" placeholder="Last
Name" required>

</div>

<div class="form-group">

  <label for="department">Department</label>

  <select class="form-control" name="department">

    <option value="CSE">CSE</option>

    <option value="ME">ME</option>

    <option value="EE">EE</option>

    <option value="CE">CE</option>

    <option value="IT">IT</option>

  </select>

</div>

<div class="form-group">

  <label for="yrlevel">Year Level</label>

  <select class="form-control" name="yrlevel">

    <option>1st year</option>

    <option>2nd year</option>

    <option>3rd year</option>

    <option>4th year</option>

  </select>

</div>

</fieldset>

</div>

</div>

<a href="index.php">Go back</a>
```

```

        <input class="btn btn-primary" type="submit" name="register" value="Register">
    </form>
</div>
</section>
    <script src="assets/js/jquery-3.1.1.min.js"></script>
    <script src="assets/js/bootstrap.min.js"></script>
</body>
</html>
<?php
    unset($_SESSION['errprompt']);
    mysqli_close($con);
?>

```

Output:

localhost/studentinfosystem/register.php

Student Information System Not logged in.

Register

Account Info	Personal Info
Username Jemin_15	Student Number 21
Password Password	First Name Jemin
	Last Name Prajapati
	Department CSE
	Year Level 3rd year
Go back	Register

Student Information System Not logged in.

Log In

Account registered. You can now log in.

Username

Password

[Need an account?](#) [Log In](#)

id	username	password	studentno	firstname	lastname	department	yrlevel	date_joined
18	nrmaisuriya31	123	2147483647	Naitik	Maisuriya	CSE	3rd year	2024-03-18
19	Patel_yash12	123	2147483647	Yash	Patel	CSE	3rd year	2024-03-18
20	Jemin_15	123	21	Jemin	Prajapati	CSE	3rd year	2024-03-18

profilr.php:

```
<?php
session_start();
require 'connect.php';
require 'functions.php';
if(isset($_POST['register'])) {
    $uname = clean($_POST['username']);
    $pword = clean($_POST['password']);
    $studno = clean($_POST['studentno']);
    $fname = clean($_POST['firstname']);
    $lname = clean($_POST['lastname']);
    $department = clean($_POST['department']);
    $yrlevel = clean($_POST['yrlevel']);
    $query = "SELECT username FROM students WHERE username = '$uname'";
```

```

$result = mysqli_query($con,$query);
if(mysqli_num_rows($result) == 0) {
    $query = "SELECT studentno FROM students WHERE studentno = '$studno'";
    $result = mysqli_query($con,$query);
    if(mysqli_num_rows($result) == 0) {
        $query = "INSERT INTO students (username, password, studentno, firstname, lastname,
        department, yrlevel, date_joined)
        VALUES ('$uname', '$pword', '$studno', '$fname', '$lname', '$department', '$yrlevel',
        NOW())";
        if(mysqli_query($con, $query)) {
            $_SESSION['prompt'] = "Account registered. You can now log in.";
            header("location:index.php");
            exit;
        } else {
            die("Error with the query");
        }
    } else {
        $_SESSION['errprompt'] = "That student number already exists.";
    }
} else {
    $_SESSION['errprompt'] = "Username already exists.";
}
}
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Register - Student Information System</title>

```

```

    <link href="assets/css/bootstrap.min.css" rel="stylesheet">
<link href="assets/css/main.css" rel="stylesheet">

    <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->

    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->

    <!--[if lt IE 9]>

        <script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
        <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>

    <![endif]-->
</head>
<body>

    <?php include 'header.php'; ?>
<section class="center-text">
    <strong>Register</strong>
    <div class="registration-form box-center clearfix">
        <?php
            if(isset($_SESSION['errprompt'])) {
                showError();
            }
        ?>

        <form action="<?php echo htmlspecialchars($_SERVER['PHP_SELF']); ?>"
method="POST">
            <div class="row">
                <div class="account-info col-sm-6">
                    <fieldset>
                        <legend>Account Info</legend>
                        <div class="form-group">
                            <label for="username">Username</label>

                            <input type="text" class="form-control" name="username"
placeholder="Username (must be unique)" required>

                        </div>

```

```


<div class="form-group">
  <label for="password">Password</label>
  <input type="password" class="form-control" name="password"
placeholder="Password" required>
</div>
</fieldset>
</div>
<div class="personal-info col-sm-6">
  <fieldset>
    <legend>Personal Info</legend>
    <div class="form-group">
      <label for="studentno">Student Number</label>
      <input type="text" class="form-control" name="studentno" placeholder="Student
Number (must be unique)" required>
    </div>
    <div class="form-group">
      <label for="firstname">First Name</label>
      <input type="text" class="form-control" name="firstname" placeholder="First
Name" required>
    </div>
    <div class="form-group">
      <label for="lastname">Last Name</label>
      <input type="text" class="form-control" name="lastname" placeholder="Last
Name" required>
    </div>
    <div class="form-group">
      <label for="department">Department</label>
      <select class="form-control" name="department">
        <option value="CSE">CSE</option>
        <option value="ME">ME</option>
        <option value="EE">EE</option>
        <option value="CE">CE</option>

```

```

        <option value="IT">IT</option>
    </select>
</div>
<div class="form-group">
    <label for="yrlevel">Year Level</label>
    <select class="form-control" name="yrlevel">
        <option>1st year</option>
        <option>2nd year</option>
        <option>3rd year</option>
        <option>4th year</option>
    </select>
</div>
</fieldset>
</div>
</div>
<a href="index.php">Go back</a>
<input class="btn btn-primary" type="submit" name="register" value="Register"
</form>
</div>
</section>
<script src="assets/js/jquery-3.1.1.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
</body>
</html>
<?php
    unset($_SESSION['errprompt']);
    mysqli_close($con);
?>

```

Output:**changepassword.php**

```
<?php
    session_start();
    require 'connect.php';
    require 'functions.php';
    if(isset($_POST['update'])) {
        $oldpass = clean($_POST['oldpass']);
        $newpass = clean($_POST['newpass']);
        $confirmpass = clean($_POST['confirmpass']);
        $query = "SELECT password FROM students WHERE password = '$oldpass'";
        $result = mysqli_query($con, $query);
        if(mysqli_num_rows($result) > 0) {
            if($newpass == $confirmpass) {
                $query = "UPDATE students SET password = '$newpass' WHERE
id='".$_SESSION['userid']."'";
                if($result = mysqli_query($con, $query)) {
```

```

$_SESSION['prompt'] = "Password updated.";
$_SESSION['password'] = $newpass;
header("location:profile.php");
exit;
} else {
    die("Error with the query");
}
} else {
    $_SESSION['errprompt'] = "The new passwords you entered doesn't match.";;
}
} else {
    $_SESSION['errprompt'] = "You've entered a wrong old password."
}
}
if(isset($_SESSION['username'], $_SESSION['password']))
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Change Password - Student Information System</title>
    <link href="assets/css/bootstrap.min.css" rel="stylesheet">
    <link href="assets/css/main.css" rel="stylesheet">
    <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
        <script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
        <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
    <![endif]-->

```

```

</head>
<body>
  <?php include 'header.php'; ?>
  <section>
    <div class="container">
      <strong class="title">Change Password</strong>
    </div>
    <div class="edit-form box-left clearfix">
      <?php
        if(isset($_SESSION['errprompt'])) {
          showError();
        }
      ?>
      <form action="<?php echo htmlspecialchars($_SERVER['PHP_SELF']); ?>"
method="POST">
        <div class="form-group">
          <label for="oldpass">Old Password</label>
          <input type="password" class="form-control" name="oldpass" placeholder="Old
Password" required>
        </div>
        <div class="form-group">
          <label for="newpass">New Password</label>
          <input type="password" class="form-control" name="newpass" placeholder="New
Password" required>
        </div>
        <div class="form-group">
          <label for="confirmpass">Confirm Password</label>
          <input type="password" class="form-control" name="confirmpass"
placeholder="Confirm Password" required>
        </div>
        <div class="form-footer">
          <a href="profile.php">Go back</a>
          <input class="btn btn-primary" type="submit" name="update" value="Update
Password">

```



```

</div>
</form>
</div>
</section>
<script src="assets/js/jquery-3.1.1.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/main.js"></script>
</body>
</html>
<?php
} else {
    header("location:profile.php");
}
unset($_SESSION['errprompt']);
mysqli_close($con);
?>

```

Output:

id	username	password	studentno	firstname	lastname	department	yrlevel	date_joined
18	nrmaisuriya31	123	2147483647	Naitik	Maisuriya	CSE	3rd year	2024-03-18
19	Patel_yash12	123	2147483647	Yash	Patel	CSE	3rd year	2024-03-18
20	Jemin_15	123	21	Jemin	Prajapati	CSE	3rd year	2024-03-18

Student Information System

Search student name here Search Welcome, nrmaisuriya31! Log Out

My Profile

Password updated.

Student No: 2147483647 Student Name: Maisuriya, Naitik

Course: CSE Year Level: 3rd year Date Joined: 03/18/2024

Edit Profile Change Password

id	username	password	studentno	firstname	lastname	department	yrlevel	date_joined
18	nrmaisuriya31	1234	2147483647	Naitik	Maisuriya	CSE	3rd year	2024-03-18
19	Patel_yash12	123	2147483647	Yash	Patel	CSE	3rd year	2024-03-18
20	Jemin_15	123	21	Jemin	Prajapati	CSE	3rd year	2024-03-18

editprofile.php:

```

<?php
    session_start();
    require 'connect.php';
    require 'functions.php';
    if(isset($_POST['update'])) {
        $fname = clean($_POST['firstname']);
        $lname = clean($_POST['lastname']);
        $department = clean($_POST['department']);
        $yrlevel = clean($_POST['yrlevel']);

        $query = "UPDATE students SET firstname = '$fname', lastname = '$lname', department =
'$department', yrlevel = '$yrlevel'
        WHERE id='".$_SESSION['userid']."'";

        if($result = mysqli_query($con, $query)) {
            $_SESSION['prompt'] = "Profile Updated";
            header("location:profile.php");
            exit;
        } else {
            die("Error with the query");
        }
    }

    if(isset($_SESSION['username'], $_SESSION['password'])) {
?>

<!DOCTYPE html>

<html>

<head>

    <meta charset="utf-8">

```

```

<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Edit Profile - Student Information System</title>
    <link href="assets/css/bootstrap.min.css" rel="stylesheet">
<link href="assets/css/main.css" rel="stylesheet">
    <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
        <script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
        <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
    <![endif]-->
</head>
<body>
    <?php include 'header.php'; ?>
    <section>
        <div class="container">
            <strong class="title">Edit Profile</strong>
        </div>
        <div class="edit-form box-left clearfix">
            <form action="<?php echo htmlspecialchars($_SERVER['PHP_SELF']); ?>"
method="POST">
                <div class="form-group">
                    <label>Student No:</label>
                    <?php
                        $query = "SELECT studentno FROM students WHERE id =
".$_SESSION['userid']. """;
                        $result = mysqli_query($con, $query);
                        $row = mysqli_fetch_row($result);
                        echo "<p>".$row[0]."</p>";
                    ?>

```

```

</div>

<div class="form-group">
  <label for="firstname">First Name</label>
  <input type="text" class="form-control" name="firstname" placeholder="First Name"
required>
</div>

<div class="form-group">
  <label for="lastname">Last Name</label>
  <input type="text" class="form-control" name="lastname" placeholder="Last Name"
required>
</div>

<div class="form-group">
  <label for="department">Department</label>
  <select class="form-control" name="department">
    <option value="CSE">CSE</option>
    <option value="ME">ME</option>
    <option value="EE">EE</option>
    <option value="CE">CE</option>
    <option value="IT">IT</option>
  </select>
</div>

<div class="form-group">
  <label for="yrlevel">Year Level</label>
  <select class="form-control" name="yrlevel">
    <option>1st year</option>
    <option>2nd year</option>
    <option>3rd year</option>
    <option>4th year</option>
  </select>
</div>

<div class="form-footer">

```

```

<a href="profile.php">Go back</a>

<input class="btn btn-primary" type="submit" name="update" value="Update
Profile">

</div>

</form>

</div>

</section>

<script src="assets/js/jquery-3.1.1.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

<script src="assets/js/main.js"></script>

</body>

</html>

<?php
} else {
    header("location:profile.php");
}
mysqli_close($con);
?>

```

Output:

id	username	password	studentno	firstname	lastname	department	yrlevel	date_joined
18	nrmaisuriya31	1234	2147483647	Naitik	Maisuriya	CSE	3rd year	2024-03-18
19	Patel_yash12	123	2147483647	Yash	Patel	CSE	3rd year	2024-03-18
20	Jemin_15	123	21	Jemin	Prajapati	CSE	3rd year	2024-03-18

localhost/studentinfosystem/editprofile.php

Student Information System

Search student name here Search

Welcome, nrmalsuriya31! Log

Edit Profile

Student No:
2147483647

First Name
Pruthvi

Last Name
Sojitra

Department
CSE

Year Level
1st year

Go back Update Profile

localhost/studentinfosystem/profile.php

Student Information System

Search student name here Search

Welcome, nrmalsuriya31! Log

My Profile

Profile Updated

Student No: 2147483647 **Student Name:** Sojitra, Pruthvi

Course: CSE **Year Level:** 1st year **Date Joined:** 03/18/2024

Edit Profile Change Password

id	username	password	studentno	firstname	lastname	department	yrlevel	date_joined
18	nrmairsuriya31	1234	2147483647	Pruthvi	Sojitra	CSE	1st year	2024-03-18
19	Patel_yash12	123	2147483647	Yash	Patel	CSE	3rd year	2024-03-18
20	Jemin_15	123	21	Jemin	Prajapati	CSE	3rd year	2024-03-18

searchquary.php:

```
<?php

require 'connect.php';
require 'functions.php';

$s = clean($_GET['s']);

$query = "SELECT studentno, firstname, lastname, department, yrlevel,
CONCAT(firstname, ' ', lastname) as fullname

FROM students WHERE CONCAT(firstname, ' ', lastname) LIKE '$_s.%' OR
lastname LIKE '$_s.%' ORDER BY date_joined DESC LIMIT 5";

if($result = mysqli_query($con, $query)) {
    if(mysqli_num_rows($result) == 0) {
        echo "<ul><li class='none'>No results to display</li></ul>";
    } else {
        echo "<ul>";
        while($row = mysqli_fetch_assoc($result)) {
            echo "<li>";
            echo "<span class='name'>".$row['fullname'].</span>";
            echo "<div class='details'>";
            echo "<span><strong>#:
</strong>".$row['studentno'].</span>";
            echo "<span><strong>department:
</strong>".$row['department'].</span>";
            echo "<span><strong>yr level:
</strong>".$row['yrlevel'].</span>";
            echo "</div></li>";
        }
        echo "</ul>";
    }
}
```

```

    } else {
        die("Error with the query");
    }
    mysqli_close($con);
?>

```

searchresult.php:

```

<?php
    session_start();
    require 'connect.php';
    require 'functions.php';
    if(isset($_SESSION['username'], $_SESSION['password'])) {
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Search Result - Student Information System</title>
    <link href="assets/css/bootstrap.min.css" rel="stylesheet">
    <link href="assets/css/main.css" rel="stylesheet">
    <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 9]>
        <script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
        <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
    <![endif]-->
</head>
<body>
    <?php include 'header.php'; ?>

```


<section>

<?php

```
if(isset($_GET['search'])) {
```

```
    $s = clean($_GET['searchbox']);
```

```
    $query = "SELECT studentno, firstname, lastname, department, yrlevel,
DATE_FORMAT(date_joined, '%m/%d/%Y') as date_joined, CONCAT(firstname, ' ',
lastname) as fullname
```

```
    FROM students WHERE CONCAT(firstname, ' ', lastname) = '$s' OR firstname = '$s'
OR lastname = '$s' ORDER BY date_joined DESC LIMIT 5";
```

```
?>
```

```
<div class="container">
```

```
    <strong class="title">Search results for "<?php echo $s; ?>".</strong>
```

<?php

```
if($result = mysqli_query($con, $query)) {
```

```
    if(mysqli_num_rows($result) == 0) {
```

```
        echo "<p>No results matches to your query.</p>";
```

```
        echo "</div>";
```

```
    } else {
```

```
        echo "</div>";
```

```
        echo "<ul class='profile-results'>";
```

```
        while($row = mysqli_fetch_assoc($result)) {
```

```
?>
```

```
    <li>
```

```
        <div class="result-box box-left">
```

```
            <div class='info'><strong>Student No:</strong> <span><?php echo
$row['studentno']; ?></span></div>
```

```
            <div class='info'><strong>Student Name:</strong> <span><?php echo
$row['lastname']. " ". $row['firstname']; ?></span></div>
```

```
            <div class='info'><strong>Department:</strong> <span><?php echo
$row['department']; ?></span></div>
```

```
            <div class='info'><strong>Year Level:</strong> <span><?php echo
$row['yrlevel']; ?></span></div>
```

```
<div class='info'><strong>Date Joined:</strong> <span><?php echo
$row['date_joined']; ?></span></div>

</div>

</li>

<?php
}

echo "</ul>";

}

} else {

    die("Error with the query");

}

}

?>

<div class="container">

    <a href="profile.php">Go back to My Profile</a>

</div>

</section>

    <script src="assets/js/jquery-3.1.1.min.js"></script>

<script src="assets/js/bootstrap.min.js"></script>

    <script src="assets/js/main.js"></script>

</body>

</html>

<?php
} else {




    header("location:index.php");

    exit;

}

mysqli_close($con);

?>
```

Output:**Search results for "Yash Patel".**

[Go back to My Profile](#)

main.css:

```
html, body {
    height: 100%;
    width: 100%;
}
ul {
    list-style: none;
    margin: 0;
    padding: 0;
}
```

```
section.center-text {
    text-align: center;
}
section strong {
    display: inline-block;
    margin: 30px 0 20px;
}
.login-form {
    background: #f8f8f8;
    border: 1px solid #e7e7e7;
    max-width: 400px;
    padding: 70px 50px;
    text-align: left;
    width: 100%;
}
.box-center {
    margin: 0 auto;
}
.login-form input[type="submit"] {
    float: right;
}
.registration-form {
    background: #f8f8f8;
    border: 1px solid #e7e7e7;
    max-width: 800px;
    padding: 40px 50px;
    text-align: left;
    width: 100%;
}
.registration-form form a {
```

```
        clear: both;
    margin-top: 5px;
    float: left;
}
.registration-form input[type="submit"] {
    float: right;
}
.navbar .not-logged {
    color: #bfbfbf;
    float: right;
    margin: 15px 0;
}
.navbar .glyphicon {
    margin-left: 2px;
}
.search-area, .welcome {
    display: inline-block;
    margin-right: 30px;
}
.search-wrap {
    position: relative;
    width: 200px;
}
#searchbox {
    width: 100%;
}
.search-results {
    background: #fff;
    border: 1px solid #ccc;
    border-top: none;
```

```
        color: #b1b1b1;
        position: absolute;
        width: 100%;
        z-index: 10;
    }
    .search-results li {
        border-bottom: 1px solid #e8e8e8;
        cursor: pointer;
        padding: 8px 10px 6px;
    }
    .search-results li:hover {
        background: #f5f5f5;
    }
    .search-results li.none {
        cursor: default;
    }
    .search-results li.none:hover {
        background: #fff;
    }
    .search-results li:last-child {
        border: none;
        margin-bottom: 0;
    }
    .search-results li .name {
        color: #000;
        font-weight: bold;
    }
    .search-results li .details {
        font-size: 8.5px;
        margin-top: 3px;
```

```
}  
.search-results li .details span {  
    margin-right: 8px;  
}  
.title {  
    font-size: 28px;  
}  
.box-left {  
    background: #f8f8f8;  
    border: 1px solid #e7e7e7;  
    border-left: none;  
    font-size: 14px;  
    padding: 45px;  
    width: 75%;  
}  
.box-left .info {  
    display: inline-block;  
    margin: 0 0 0 13%;  
}  
.box-left .alert {  
    margin: 0 13% 30px;  
}  
.options {  
    margin: 40px 0;  
    text-align: center;  
}  
.options .btn {  
    margin: 0 6px;  
    padding: 15px 40px;  
}
```

```
.box-left form {  
    margin: 0 13%;  
}  
.box-left .form-control {  
    max-width: 450px;  
    width: 100%;  
}  
.box-left .form-footer {  
    float: right;  
    margin: 40px 0;  
}  
.box-left .form-footer a {  
    margin-right: 25px;  
}  
.box-left.result-box {  
    margin-bottom: 75px;  
}  
@media screen and (min-width: 768px) and (max-width: 991px) {  
    .navbar .navbar-right {  
        font-size: 11px;  
        width: 460px;  
    }  
    .search-area, .welcome {  
        margin-right: 15px;  
    }  
    .search-wrap {  
        width: 165px;  
    }  
    .search-wrap input {  
        font-size: 11px;  
    }  
}
```



```

    }
}
@media screen and (max-width: 767px) {
    .navbar-collapse.in {
        overflow-y: visible;
    }
    .navbar-form {
        border: none;
    }
    .welcome {
        display: none;
    }
    .search-area {
        display: block;
        margin: 0;
    }
    .search-area .form-group {
        display: inline-block;
        margin-left: -85px;
        padding-left: 85px;
        width: 100%;
    }
    .search-wrap {
        width: 100%;
    }
    .search-area .btn {
        display: inline-block;
        float: right;
    }
    .navbar-form a {

```

```

        background: #e7e7e7;
        color: #000;
        display: block;
        margin-top: 15px;
        padding: 6px;
        text-align: center;
    }
    .box-left {
        padding: 30px 20px;
        width: 100%;
    }
    .box-left .info {
        margin: 0 0 0 3%;
    }
    .box-left .info strong {
        margin-bottom: 10px;
    }
    .options .btn {
        padding: 7px 20px;
    }
}

main.js
$(document).ready(function() {
    $("#searchbox").on("keyup", function() {
        var $str = $(this).val();
        if($str == "") {
            $(".search-results").addClass("hide");
            $(".search-results").html("");
        } else {
            var xhttp;

```

```

if (window.XMLHttpRequest) {
    xhttp = new XMLHttpRequest();
} else {
    // code for IE6, IE5
    xhttp = new ActiveXObject("Microsoft.XMLHTTP");
}
xhttp.onreadystatechange = function() {
    if(this.readyState == 4) {
        $(".search-results").removeClass("hide");
        $(".search-results").html(this.responseText);
    }
    $(".search-results li:not(.none)").on("click", function(e)

        $val = $(this).find(".name").html();
        $("#searchbox").val($val);

        $(".search-results").addClass("hide");
        $(".search-results").html("");

        $("#search-btn").focus();
    })
}
xhttp.open("GET", "searchquery.php?s="+$str, true);
xhttp.send();
}
})
})

```