MORE POWER · Logo guidelines

Version 1.0 · How to use the logo, its colours and its files. Keep this guide with the logo files.

1. The idea

Each O in the name becomes a power switch. MORE is navy with a blue switch; POWER is blue with a navy switch. Together they express two complementary forces, real assets and power capacity, working as one system. In the standalone mark, the two switches are coupled like circuits and meet in one shared core.

Two words. Two power switches. One connected system.

MORE represents the assets and the platform. POWER represents the capacity they unlock. The reciprocal colours connect the two, and the coupled mark expresses cooperation, transfer and shared momentum.



2. Logo hierarchy

Use the highest version in this list that fits the format. For entrance and distance signage use the primary or stacked logo, never the expressive shared-O lockup.

1

MORE POWER

Primary

Default everywhere: documents, website header, presentations, signage

`logo/more-power-wordmark.svg`

2

MORE POWER

Primary reversed

The same on navy or other dark backgrounds

`logo/more-power-wordmark-reversed.svg`

3

MORE
POWER

Stacked

Square and vertical formats; entrance and wayfinding signs

`logo/more-power-stacked.svg`

4



Mark

App icon, avatar, patterns, merchandise — never with the name inside it

`logo/more-power-mark.svg`

5

MORE
POWER

Expressive shared-O

Campaigns, covers, posters and animation only — not for signage or official documents

`logo/more-power-shared-o.svg`

6



Single O

Favicon and other uses from 16 to 23 px

`logo/more-power-favicon-source.svg`

3. Colour

Navy
`#0B1E3A`
RGB 11 30 58
C100 M78 Y30 K55
Pantone 289 C

Deep blue
`#0096DB`
RGB 0 150 219
C85 M25 Y0 K0
Pantone 2925 C

Electric blue
`#00B0FF`
RGB 0 176 255
C70 M10 Y0 K0
Pantone 2995 C

Off-white
`#F8FAFC`
RGB 248 250 252
paper white / white ink
Pantone —

CMYK and Pantone values are close matches. Check them against a printed swatch book before the first print run.

Light and dark backgrounds

Element	Light background	Dark background
MORE	Navy	Off-white
Switch in the O of MORE	Deep blue	Electric blue
POWER (and its ring)	Deep blue	Electric blue
Switch in the O of POWER	Navy	Off-white
Mark: left ring · right ring · core	Navy · Deep blue · Electric blue	Off-white · Electric blue · Off-white

> **Rule:** on dark backgrounds every navy element reverses to off-white. Every blue element becomes electric blue.

Small sizes

For small digital use on light backgrounds, prefer the navy one-colour version whenever maximum contrast is needed (below 128 px wide, or in text-heavy interfaces). Deep blue on white has a contrast ratio of about 3.3:1. It is meant for the standard-size wordmark and display use. Electric blue on navy (about 6.9:1) is strong at every size.

One-colour versions


Black, white and navy (Pantone 289 C) versions are for single-colour printing and for embossing, engraving, laser cutting, embroidery, vinyl cutting and other one-colour production methods. For embroidery and cutting use the simplified files in `print/production/`. Don't make two-colour versions in other colours.

4. Clear space

X equals one half of the outer diameter of the power-button O in the primary wordmark. Measure clear space from the outermost edge of the artwork, including the tip of each switch, not from the text baseline or an internal counter. The stacked logo uses the same X. For the mark, X is one quarter of a ring's outer diameter. Nothing, including text, other logos or the edge of the page, goes inside the clear space.







5. Minimum size

All sizes are minimum **width**, not height. Below them, switch to the next version in the list.

Version	Digital	Print
Primary	128 px	30 mm
Stacked	96 px	24 mm
Expressive shared-O	120 px	30 mm
Mark — standard (with core)	48 px	12 mm
Mark — small cut (core left open)	24–47 px	use standard
Single O	16–23 px	—

6. Typography

- **Source of the wordmark:** Inter Display, version 4.000 (git a52131595), SemiBold, weight 600. Inter Display is the static display optical size of Inter.
- **Spacing:** tracking +35/1000 em, word space 0.24 em, the font's own OpenType kerning, and Os optically fitted by hand.
- **The Os** are custom geometry: power-button rings matched to the font's overshoot and stroke contrast. They are not glyphs from the font.
- **Production files** use outlined artwork and don't need the font. Never retype the logo.
- **Brand typefaces:** Inter Display (SemiBold or Bold) for headlines; Inter (Regular and Medium) for text. Licence: SIL Open Font License 1.1, free for commercial use. Fallback: `system-ui, -apple-system, "Segoe UI", sans-serif`.

7. Motion

The supplied switch-on animation plays once and holds. Do not loop it by default. When the viewer has asked for reduced motion (`prefers-reduced-motion`), show the static logo instead. Don't animate the logo in any other way.


8. Don'ts




Don't stretch or squash




Don't recolour



Don't add shadows or effects



Don't rotate



Don't fade or tint



Don't place on busy or low-contrast backgrounds

- Don't rebuild the Os from a stock power icon, or type the name in another font.
- Don't swap the colours of the two words, or of the switches.
- Don't separate a switch from its O.
- Don't place the mark inside an unapproved circle, shield or badge.
- Don't use the coupled mark as an O inside the wordmark.
- Don't add "Fund" or any other descriptor directly to the artwork.
- Don't use the expressive shared-O lockup below its minimum size, or for signage and official documents.
- Don't put the name inside the app icon or avatar: they use the mark alone.

9. Files

`logo/`	SVG masters: primary, reversed, stacked, mark (standard and small cut), expressive shared-O, single O
`variants/`	Black, white and one-colour navy SVGs
`png/`	High-resolution transparent PNGs for screens
`print/cmyk/`	CMYK vector PDFs (exact values above; not certified PDF/X-4, see note)
`print/spot/`	Pantone spot-colour vector PDFs (289 C, 2925 C, 2995 C)
`print/one-colour/`	Black and Pantone 289 C one-colour vector PDFs
`print/eps/`	CMYK EPS files for sign makers and older workflows
`print/production/`	Simplified one-colour artwork for embroidery, engraving, laser and vinyl cutting
`web/`	favicon.ico, favicon.svg, PNG icons, site.webmanifest and head snippet
`app-icons/`	iOS sizes, Android adaptive and legacy icons, Play Store icon, social avatars
`animation/`	Switch-on animation: plays once and holds
`presentation/`	Presentation board and mockups
`docs/`	This guide as PDF, release notes, font and licence information
`source/ · build.sh`	Scripts that rebuild every file from the font

Print note: the CMYK and spot PDFs carry exact colour values but no embedded output-intent profile, so they are not certified PDF/X-4. Ask the printer to convert them to PDF/X-4 for their press profile, or to export from the EPS files.

10. Trademark

The trademark has not been searched yet. Power-button symbols are a crowded category, so run a professional trademark search before registering the logo or printing it at scale. The search should cover:

- MORE POWER as a word mark;
- the complete wordmark with its power-button Os;
- the coupled two-O mark;
- the energy, investment, real-estate and infrastructure classes.