



- RestApi GraphQL
- GraphQL
- Hasura
- WebApi Midway/TSRPC
- CQRS
- Vue3 TSRPC,Hasura
- :
-

# Restful API

2000

resetful

10

WEB API

API

DNA

```
//  
GET http://www.store.com/products
```

```
//      id?id=12345  
GET http://www.store.com/products/12345
```

```
//  
POST http://www.store.com/orders
```

```
//      id?id=12345  
DELETE http://www.store.com/products/12345
```

# Restful

restful



# Restful

GET http://www.store.com/user/1

user “ ”

```
{
  "nickname": "      ",
  "age": 88,
  "avatar": "      .png",
  "dream": "      ... ",
  "sign": "      ",
  "phone": "      ",
  "homepage": "www.yinzhuoei.com"
}
```

nickname age avatar

“ API”

, Restful API 2 :

1.

2.

N+1

API

API



ui  $\longrightarrow$  front end  $\longrightarrow$  back end

Before

ui  $\longrightarrow$  front end

After



Graphql

API

...

```
query {  
  User(){  
    nickname  
    age  
    avatar,  
    orders{  
      title,  
      time  
    }  
  }  
}
```

```
{  
  "nickname": "      ",  
  "age": 88,  
  "avatar": "      .png",  
  "order": [  
    {  
      "title": "      ",  
      "time": "2021-1-1"  
    }  
  ]  
}
```



# GraphQL

restapi

graphql

gql

restapi

GET http://www.store.com/products

vs

```
query {  
  Product(){  
    title,  
    time  
  }  
}
```

gql

gql

“ ”

gql

```
query {  
  user(id: 10086){  
    nickname,  
    history{  
      title  
    }  
    wallt{  
      amount  
    }  
    collect{  
      title  
    }  
    message{  
      user_id  
    }  
    follow{  
      user_id  
    }  
    likes{  
      user_id  
    }  
  }  
}
```

---

# GraphQL