Creating a network from a table of entities and their attributes

Table of Contents

Gephi workshops
^J pdate
resentation of the plugin
nstalling the plugin
pening the plugin6
Ising the plugin
Now is the similarity computed, exactly?9
AQ / special notes on the plugin
o go further11

last modified: 2023-04-03



Gephi workshops

I organize online workshops and personalized trainings for Gephi, for beginners and experts. To schedule one or to get more information: analysis@exploreyourdata.com.

Update



This plugin has been replaced by a new and better function available on the web, developed by the same author. It is free, click and point, without registration at this address: https://nocodefunctions.com

Presentation of the plugin

This plugin is created by Clement Levallois.

It converts a spreadsheet or a csv file into a network.

This plugin enables you to:

- Start from a data table in Excel or csv format
- In the data table, nodes are the entities listed in column A
- Nodes' attributes must be listed in columns B, C, D, etc.
- Connections will be created between nodes, when they have identical attributes.
- Attributes can have values, stored in columns right next to the attribute.

1. The input




Figure 1. An Excel file

2. The output




Figure 2. Resulting network

Installing the plugin




Figure 3. Choose the menu Tools then Plugins




Figure 4. Click on the tab Available Plugins




Figure 5. Install the plugin Similarity Computer then restart Gephi

Opening the plugin




Figure 6. Open the plugin via the menu File - Import

Using the plugin

First panel




Figure 7. Select a file

	Α	В	С
1	David	Strawberry	Venice
2	Mary	Strawberry	Venice
3	Jean	Vanilla	Venice
4	Ralf	Vanilla	Paris
Г			

Figure 8. A file without headers

	Α	В	С	
1	Author	Taste in Ice creams	City preference	
2	David	Strawberry	Venice	
3	Mary	Strawberry	Venice	
4	Jean	Vanilla	Venice	
5	Ralf	Vanilla	Paris	

Figure 9. A file with headers

Second panel




Figure 10. Parameter for weight

Third panel




Figure 11. Confirmation panel

How is the similarity computed, exactly?

We use the cosine similarity. Sounds complicated, but it is not. Check here.

The source code for the cosine calculation is in this file, at this place.

FAQ / special notes on the plugin

1. Excel files should be .xlsx, not .xls

Because they represent two slightly different files formats, and the plugin supports only .xlsx

2. csv files are ok.

If you select a csv file, you will be asked to indicate the field delimiter and optionally the text delimiter.




Figure 12. When a csv file is selected

3. You can't use numerical values in the attributes




Figure 13. Age is a numerical attribute

This is too bad. If there is enough demand for it I'll add this feature, which is not trivial.

4. Each entity should appear only on one line

	Α	В	С	D	
1	Author	Product purchased	Recommender	Age	
2	David	sofa	Janet	28	
3	Mary	motorbike	Vince	27	
4	Jean	shoes	Ron	55	
5	David	wallet	Fred	28	
6	Ralf	diner table	Lou	54	
7					
8					

Figure 14. An entity appearing twice

David appears on lines 2 and 5 (because he made two purchases). Only the latest line where David appears (line 5) will be taken into account.

to go further

Visit the Gephi group on Facebook to get help,

or visit the website for more tutorials

Give a try to nocodefunctions.com, the web application I develop to create networks for Gephi. Click-and-point, free, no registration needed.