(a) The five runs (two numbers in a cell: event 3 | event 9; '-' = not replayed or none)

Run	Feed	scautoloc clock	Dynamic pick check (s)	scevent prefers	DL picks P/S (event 3 | event 9)	Picks = step 09	scautoloc origins	scrtdd attempts (failed)	Relocated origins	Preferred origin at end	Last relocation to S1 (3-D)	Outcome
RT1	file	pickTime	3600	default	56/56 | -	yes | -	0 | -	0 (0) | -	0 | -	- | -	- | -	stopped at scautoloc: no origin
RT2	file	pickTime	0	default	56/56 | 43/42	yes | yes	4 | 3	1 (0) | 1 (0)	1 | 1	LOCSAT | LOCSAT	61.1 m | 5.2 m	complete
RT3	paced	pickTime	0	default	56/56 | 43/42	yes | yes	4 | 3	2 (0) | 2 (0)	2 | 2	LOCSAT | LOCSAT	61.1 m | 5.2 m	complete
RT4	file	pickTime	0	scrtdd's origins	56/56 | 43/42	yes | yes	4 | 3	1 (0) | 1 (0)	1 | 1	RTDD | RTDD	61.1 m | 5.2 m	complete
RT5	paced	creationTime	0	default	56/56 | 43/42	yes | yes	4 | 3	2 (1) | 2 (0)	1 | 2	LOCSAT | LOCSAT	61.1 m | 5.2 m	complete; 1 failed relocation attempt

(b) RT1_filefeed: all 56 P picks rejected



(c) RT5, event 3, start from 44 P: failed (nothing sent)



(c) RT5, event 3, start from 55 P: relocated, 61 m from S1



(d) All 12 real-time attempts, RT2-RT5