

with Dr. Mahdi Roozbahani & Wafa Louhichi



Learning Objectives

This week you will be introduced to different discrete text representations. At the end of this lesson, you will be able to:

- Explain text data into numerical format using three methods: One Hot Encoding, Bag of words, and TF-IDF
- Explain documents into numerical format
- Understand the advantages and disadvantages of each method



Why Numerical Text Representation?

- The goal of NLP is to be able to design algorithms to allow computers to "understand" natural language in order to perform some task
- Computers are good with numbers, so how do we convert text data to numerical data that can be used in a model?



Representing Words

- Every word can be represented by a vector of 0 except for one position that has a value of 1
- Example: This is a simple sentence
- "This" -> [1,0,0,0,0]
- "is" -> [0,1,0,0,0]
- "a" ->[0,0,1,0,0]
- "simple" -> [0,0,0,1,0]
- "sentence" -> [0,0,0,0,1]



From Word to Document Representation

Our sentence is thus represented as:

"This is a simple sentence" -> [[1,0,0,0,0], [0,1,0,0,0], [0,0,1,0,0], [0,0,1,0,0]]

```
1 from sklearn.preprocessing import LabelEncoder
 2 from sklearn.preprocessing import OneHotEncoder
 4 text="This is a simple sentence"
 5 # integer encode
 6 label_encoder = LabelEncoder()
 7 integer_encoded = label_encoder.fit_transform(text.split())
 8 # binary encode
 9 onehot_encoder = OneHotEncoder()
10 onehot_encoded = onehot_encoder.fit_transform(integer_encoded.reshape(-1, 1))
11 onehot encoded.toarray()
array([[1., 0., 0., 0., 0.],
       [0., 0., 1., 0., 0.],
       [0., 1., 0., 0., 0.],
       [0., 0., 0., 0., 1.],
       [0., 0., 0., 1., 0.]]
```



One-Hot Encoder

• In a corpus with a vocabulary V of size d (number of unique words or dimensions), a word w is represented as a vector X of size d such as:

$$X_i^w = \begin{cases} 1, & \text{if } idx(w) = i \\ 0, & \text{otherwise} \end{cases}$$

• A document can be represented as matrix of size *nxd*, where n is the number of words in the document, or a single vector of dimension *d*, with multiple values of 1 where the words from the vocabulary are present.

Document: D = this is a sentence

Vocabulary: V = [aardvak, ..., this, ..., is, ..., a, ..., sentence, ..., zyther]

One Hot Encoding: $X^D = [0, ..., 1, ..., 1, ..., 1, ..., 0]$



Advantages and Disadvantages of One-Hot Encoding

- Advantages of One-Hot Encoding:
 - Simple and easy to implement
- Disadvantages of One-Hot Encoding:
 - Every word is represented as a vector of the size of the vocabulary: not scalable for a large vocabulary (100,000 words)
 - High dimensional sparse matrix which can be memory & computationally expensive
 - Every word is represented independently: there is no notion of similarity/meaning in one-hot encoding. All the vectors are orthogonal
 - Example: Despite the words "good" and "great" carry similar meaning, and the word "bad" carries the opposite meaning, the dot product is 0

$$(W^{good})^T$$
, $W^{great} = (W^{good})^T$, $W^{bad} = 0$



Advantages and Disadvantages of One-Hot Encoding

- Advantages of One-Hot Encoding:
 - Simple and easy to implement
- Disadvantages of One-Hot Encoding:
 - Every word is represented as a vector of the size of the vocabulary: not scalable for a large vocabulary (100,000 words)
 - High dimensional sparse matrix which can be memory & computationally expensive
 - Every word is represented independently: there is no notion of similarity/meaning in one-hot encoding. All the vectors are orthogonal
 - Example: Despite the words "good" and "great" carry similar meaning, and the word "bad" carries the opposite meaning, the dot product is 0

$$(W^{good})^T$$
, $W^{great} = (W^{good})^T$, $W^{bad} = 0$



Summary

- Use One-Hot Encoding as a discrete text representation method to represent words and documents
- Understand the advantages and disadvantages of this method

