

EXPERIMENT-3

NAME-SEJAL

SECTION – 24AIT KRG 1-B

UID-24BAI70050

DATE-27/07/2026

SUBJECT-ADBMS

(A):

You are given with the Employee schema; the task is to find the highest score for each respective department.

For eg: department D1 have the highest score as 5.28. Hence in the output, final updated score for D1 should be 5.28. Same with the other departments i.e., D2, D3 and D4.

EID	DEPT	SCORES
1	D1	1
2	D1	5.28
3	D1	4
4	D2	8
5	D1	2.5
6	D2	7
7	D3	9
8	D4	10.2

```
UPDATE EMPLOYEE
SET SCORES =
(
SELECT MAX(SCORES)
FROM EMPLOYEE
WHERE DEPT=EMPLOYEE.DEPT
);
```

(B):

A company maintains employee salary records for different departments. The management wants to prepare a report containing employees whose salaries fall among the **top three highest distinct salary values** within their respective departments. If multiple employees receive the same qualifying salary, all such employees must be included in the final report. Display the department name, employee name, and salary for every qualifying employee.

```
SELECT D.NAME AS DEPARTMENT,  
E.NAME AS EMPLOYEE,  
E.SALARY AS SALARY  
FROM  
EMP AS E  
JOIN DEPARTMENT AS D  
ON E.DEPARTMENTID=D.ID  
WHERE  
(  
  SELECT COUNT(DISTINCT E2.SALARY)  
  FROM EMP AS E2  
  WHERE E2.DEPARTMENTID=E.DEPARTMENTID  
  AND  
  E2.SALARY>E.SALARY  
)<3  
ORDER BY D.NAME;
```

(C): SALES ANALYSIS PART 1

A company maintains records of products sold by different salespersons. The management wants to prepare a sales performance report by identifying the salesperson(s) who generated the highest overall sales revenue. If multiple salespersons have the same highest total sales amount, all of them must be included in the final report. Return the seller ID(s) satisfying this condition.

```
SELECT SELLER_ID
FROM ORDERS
GROUP BY SELLER_ID
HAVING SUM(AMOUNT)=
(SELECT MAX(MAX_AMT)
FROM
(
SELECT SELLER_ID , SUM(AMOUNT) AS MAX_AMT
FROM ORDERS
GROUP BY SELLER_ID
)
)
```